MATIONAL STANDARD CATALOG (SELECTED PAGES)(U) FOREIGN TECHNOLOGY DIV MRIGHT-PATTERSON AFB OH 11 SEP 87 FTD-ID(RS)T-0421-87 1/1 MD-8186 823 F/G 14/2 UNCLASSIFIED NL.



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

b.

.

. :10



FTD-ID(RS)T-0421-87

THE COPY

FOREIGN TECHNOLOGY DIVISION



NATIONAL STANDARD CATALOG (Selected Pages)





Approved for public release; Distribution unlimited.

87

HUMAN TRANSLATION

FTD-ID(RS)T-0421-87

11 September 1987

MICROFICHE NR: FTD-87-C-000765

NATIONAL STANDARD CATALOG (Selected Pages)

English pages: 183

Source: Guodjia Biaozhun Mulu, 1984, pp. 216; 243-271;


272-310; 311-325; 326-335

Country of origin: China Translated by: FLS, Inc.

F33657-85-D-2079

Requester: FTD/TQTM

Approved for public release; Distribution unlimited.



THIS TRANSLATION IS A RENDITION OF THE ORIGINAL FOREIGN TEXT WITHOUT ANY ANALYTICAL OR EDITORIAL COMMENT. STATEMENTS OR THEORIES ADVOCATED OR IMPLIED ARE THOSE OF THE SOURCE AND DO NOT NECESSARILY REFLECT THE POSITION OR OPINION OF THE FOREIGN TECHNOLOGY DIVISION.

PREPARED BY:

TRANSLATION DIVISION FOREIGN TECHNOLOGY DIVISION WPAFB, OHIO.



This charge translation provides a listing, arronged in Trusting a des of the totales of Charge standards in Northern energy

TABLE OF CONTENTS

hics Disclaimer	11
ergy, Nuclear Technology,	1
emical Engineering	3
tallurgy	4
chinery ,	62
ectrical Engineering	134
ectronic, Technology, Computer	165
ectronic, Technology, Computer mmunication, Broadcasting Computer	183
Draft, revision, and implementation do les	
included.	

X

GRAPHICS DISCLAIMER

All figures, graphics, tables, equations, etc. merged into this translation were extracted from the best quality copy available.

Œ

Standard ID	Standard Name	Draft	Rev.	Impl.
		Year	Month	Day

F ENERGY, NUCLEAR TECHNOLOGY

[Energy Resource]

GB 2586-81	Thermal unit symbol and	81. 5. 31	81.7.1
	conversion		
GB 2587-81	General rules for thermal equipment energy balance	81. 5. 31	81.7.1
GB 2588-81	General rules of calculation for thermal efficiency of facility	81.5.31	81.7.1
GB 2589-81	General rules for total energy consumption	81.5.31	81.7.1
GE 3464-83	General rules of energy balance for business- corporate	83. 2. 4	84.1.1
GB 3485-83	Technological guide lines evaluation of electricity consumption reasonableness for business-corporate	83.2.4	84.1.1
GB 3486-83	Technological guide lines evaluation of heat consumption reasonableness for business-corporate	83.2.4	84.1.1
GB 3606-83	House used marsh-gas stove	83. 4. 13	84.1.1
GB 3794-83	Examination, inspection standard of energy balance technology for business-corporate	83. 7. 6	84.1.1

Standard ID	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
	[Nuclear Technology	/]		
GB 4075-83	Classification of sealed radiation source	83.12.24		84. 10. 1
GB 4 076-83	Classification of sealed radiation source; General regulations	83.12.24		84. 10. 1
GB 4077-83	Dimension of scintillating medium	83.12.24		84. 10. 1
GB 4078-83	Size of bottle used for scinticounting	83.12.24		84. 10. 1
GB 4079-83	Test for amplifier and pre-amplifier of a ionized, radiating, semiconductor-type detector	83.12.24		84. 10. 1
GB 4080-83	Test tube dimension used for measuring radiation	83.12.24		84. 10. 1
GB 4081-83	Electric source for portable radiation detecting equipment	83.12.24		84. 10. 1
GB 4082-83	Electric source for aircraft and car-carried radiation detecting equipment	83.12.24		84. 10. 1
GB 4083-83	Safety rules for nuclear reactor protection system	83.12.24		84. 10. 1

Œ

Standard ID	Standard Name	Draft	Rev.	Impi
Standard ID	Standard Name	Year	Month	Day
	G CHEMICAL ENGINEE	RING		
	[Chemical Engineering G	eneral]		
GB 31 4 3-82	Liquid chemical products color testing method (HaZen unit Platinum-Cobalt color code)	82.7.21		83.3.1
GB 2792-81	Pressure sensitive tape, 180 deg. peeling strength testing method	81. 10. 30		82. 8. 1
3B 2793-81	Measurement of the nonvolatile component content of glue	81. 10. 30		82. 8. 1
GB 2794-81	Measurement of the glue adhesiveness (by using rotary sticker device)	81. 10. 30		82.8.1
GB 2943-82	Glue terminology and definition	82.3.19		83.2.1
3B 2 944- 82	Glue product packing, marking, transportation and storage regulations	82.3.19		83.2.1
3B 3024-82	Solvent-type, hard, polyvinyl-chloride plastic glue	82.4.15		82. 12.
GB 3025-82	Ketone aldehyde polyester glue	82. 4. 15		82.12.
GB 3026-82	HY-919, epoxy-type polyvinyl-chloride plastic tube glue	82.4.15		82.12.
	[Sensitization Mater	iall		
GB 2923-82	Black and white photography and film used negative sensitization measurement and their methods of representation	82.3.9		82.12.
3B 2923-82	Color photography used	82.3.9		82.12.

Section Control Control Control

Standard ID	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
	negative film sensitization measurement and its method of representation			
GB 2926-82	Technological regulation for making film head and tail which are used for publishing 35mm and 16mm films	82.3.9		82.12.1
GB 2927-82	Optical film reproduction, film frame enlargement or reduction ratio	82.3.9		82. 12. 1
	H METALLURGY			
	[Metal Chemical Analysis	Method)		
GB 222-63	Sampling method for chemical analysis of steel	63. 12. 31		64. 7. 1
GB 223, 1-81	Carbon content determina- tion in steel iron and alloy	63. 12. 31	81. 6. 7	82.3.1
GB 223.2-81	Sulphur content determina- tion in steel iron and alloy	63. 12. 31	81. 6. 7	82.3.1
GB 223.3-81	Phosphorus content determination in steel iron and alloy	63. 12. 31	81. 6. 7	82.3.1
GB 223.4-81	Manganese content determi- nation in steel iron and alloy	63. 12. 31	81.6.7	82.3.1
GB 223.5-81	Silicon content determi- nation in steel iron and alloy	63. 12. 31	81.6.7	82.3.1
GB 223.6-81	Boron content determination in steel iron and alloy	63. 12. 31	81.6.7	82.3.1
GB 223.7-81	Iron content determination in alloy and iron powder	63. 12. 31	81.6.7	82.3.1
GB 223.8-82	Chemical analysis of steel iron and alloy;	63. 12. 31	82.7.9	82.4.1

Č

Chamber of TD	Chandrad News	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
	Fluoride sodium separation -EDTA volumetric method for measuring aluminum			
GB 223.9-82	Chemical analysis of steel iron and alloy; Chromium sky blue S photo- metric method for measuring aluminum	63.12.31	82.7.9	8 3 .4.1
GB 223.10-82	Chemical analysis of steel iron and alloy; Steel iron reagent separa- tion - Chromium sky blue S photometric method for measuring aluminum	63.12.31	82.7.9	8 3 . 4. 1
GB 223.11-82	Chemical analysis of steel iron and alloy; Supersulphuric ammonia oxide volumetric method for measuring chromium	63.12.31	82.7.9	8 3 . 4. 1
GB 223.12-82	Chemical analysis of steel iron and alloy; Sodium carbonate separation - Benzocarbon acyl carbonate Hydrazine photometric method for measuring chromium	63.12.31	82.7.9	8 3 . 4. 1
GB 223.13-82	Chemical analysis of steel iron and alloy; Manganese potassium oxide volumetric method for measuring vanadium	63.12.31	82.7.9	8 3 . 4. 1
GB 223.14-82	Chemical analysis of steel iron and alloy; Tantalum reagent extracting photometric method for measuring vanadium	63.12.31	82.7.9	8 3 . 4. 1
GB 223.15-82	Chemical analysis of steel iron and alloy; Weighting method for measuring titanium	63. 12. 31	82.7.9	63 . 4 . 1
GB 223.16-82	Chemical analysis of steel iron and alloy; Color changing acid	63.12.31	82.7.9	8 3 . 4. 1

(

Standard ID	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
	photometric method for measuring titanium			
SB 223, 17-82	Chemical analysis of steel iron and alloy; Methane photometric method for measuring titanium	63. 12. 31	82.7.9	83.4.1
SB 223.18-82	Chemical analysis of steel iron and alloy; Sodium thiosulphate - Iodine content method for measuring copper	63.12.31	82.7.9	8 3 . 4. 1
5B 223.19-82	Chemical analysis of steel iron and alloy; Chloroform extracting photometric method for measuring copper	63.12.31	82.7.9	8 3 . 4. 1
DB 223,20-82	Chemical analysis of steel iron and alloy; Electric potential titration method for measuring cobalt	63.12.31	82.7.9	8 3 . 4. 1
FB 223.21-82	Chemical analysis of steel iron and alloy; 5-C1-PADAB photometric method for measuring cobalt	63. 12. 31	82.7.9	6 3 . 4. 1
GB 223.22-82	Chemical analysis of steel iron and alloy; Nitro- R salt photometric method for measuring cobalt	63. 12. 31	82.7.9	8 3 4. 1
SB 223,23-82	Chemical analysis of steel iron and alloy; Ketoxime nickel direct photometric method for measuring nickel	63.12.31	82.7.9	8 3 . 4. 1
SR 223.2 4- 82	Chemical analysis of steel iron and alloy; Ketoxime - Chloroform extraction, photometric method for measuring nickel	63.12.31	82.7.9	8 3 . 4. 1
GB 471-64	Standard method of chemical analysis of copper	64. 12. 11		65. 7. 1

Commismal IP	Standard Name	Draft	Rev.	Impi.
Standard ID	Standard Name	Year	Month	Day
GB 472-64	Standard method of chemical analysis of lead	64. 12. 11		65. 7. 1
GB 473-76	Method of chemical analysis of zinc	64. 12. 11	76. 9. 8	77. 10. 1
GB 719-65	Sampling method of pig iron for chemical analysis	65. 1. 19		66. 1. 1
GB 916-76	Chemical analysis of bismuth	64. 12. 11	76. 9. 8	77. 10. 1
GB 1198-75	Chemical analysis of aluminum	75. 1. 22		75. 10. 1
GB 1467-78	General rules and regula- tions of chemical analysis standards for metallurgic products	78. 10. 8		79. 10. 1
GB 1485-79	Chemical analysis of platinum rhodium alroy	79. 2. 13		79. 10. 1
GB 1486-79	Chemical analysis of platinum ruthenium alloy	79. 2. 13		79. 10. 1
GB 1487-79	Chemical analysis of platinum wolfram alloy	79. 2. 13		79. 10. 1
GB 1488-79	Chemical analysis of platinum palladium rhodium alloy	79. 2. 13		79. 10. 1
GB 1489-79	Method of current titration analysis for palladium iridium alloy	79. 2. 13		79. 10. 1
GB 1490-79	Chemical analysis of gold phosphorus alloy	79. 2. 13		79. 10. 1
GB 2110-80	Determination of bismuth content in selenium; (Photometric method by using light absorption of potassium iodide, sulphur carbamide and nux vomica)	80.12.19		81.10.1
GB 2111-80	Determination of stibium content in selenium; (Photometric method	80.12.19		81.10.1

Q.

Standard ID	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
	by using light absorption of peacock green)			
GB 2112-80	Determination of tin content in selenium; (Photometric method by using light absorption of benzene fluorine ketone - brom- sixteen alkyl three methyl amine)	80.12.19		81. 10. 1
GB 2113-80	Determination of aluminum content in selenium; (Photometric method by using light absorption of chromium sky blue S - brom- sixteen alkyl three methyl amine)	80.12.19		81.10.1
GB 2114-80	Determination of mercury content in selenium	80. 12. 19		81.10.1
GB 2115-80	Determination of arsenic content in selenium; (Photometric method by using light absorption of arsenic molybdenum blue)	80.12.19		81. 10. 1
GB 2116-80	Determination of silicon content in selenium; (Photometric method by using light absorption of silicon molybdenum blue)	80.12.19		81.10.1
GB 2117-80	Determination of boron content in selenium; (Photometric method by using light absorption of methyl blue)	80.12.19		81. 10. 1
GB 2118-80	Determination of chlorine content in selenium; (Photometric method by using light absorption of sulphuric cyanic mercury)	80. 12. 19		81. 10. 1
3E 2119-80	Determination of sulphur content in selenium; Photometric method by using light absorption	80.12.19		81. 10. 1

Standard ID	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year Month D	Day	
	of distillating reductionary)			
GB 2120-80	Determination of magnesium, copper, iron, nickel content in selenium; (Photometric method by using light absorption of atom)	80. 12. 19		81.10.1
GB 2121-80	Determination of lead content in selenium; (Oscillograpic method)	80. 12. 19		81 . 10 . 1
GB 2122-80	Determination of tellurium content in selenium; (Oscillograpic method)	80.12.19		81 . 10 . 1
GB 2123-80	Determination of carbon content in selenium; (Burning, electric conducting method)	80.12.19		81. 10. 1
GB 2124-80	Determination of 'selenium content in selenium; (Sodium thiosulphate, volumetric method)	80. 12. 19		81. 10. 1
GB 2129-80	Determination of lead content in cadmium; (Photometric method by using light absorption of atom)	80. 12. 19		81. 10. 1
GB 2130-80	Determination of copper content in cadmium; (Photometric method by using light absorption of copper reagent lead salt)	80.12.19		81. 10. 1
GB 2131-80	Determination of zinc content in cadmium; (Photometric method by using light absorption of atom)	80. 12. 19		81. 10. 1
GB 2132-80	Determination of zinc content in cadmium; (Photometric method by using light absorption	80. 12. 19		81. 10. 1

Standard ID	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
	of Linhui Luoling)			-
GB 2133-80	Determination of arsenic content in cadmium; (Spectrophotometric method of arsenic molybdenum blue)	80.12.19		81. 10. 1
GB 213 4-8 0	Determination of stibium content in cadmium; (Spectrophotometric method by using peacock blue)	80. 12. 19		81. 10. 1
GB 2135-80	Determination of tin content in cadmium; (Spectrophotometric method by using of benzene fluorene ketone - CTAB)	80.12.19		81.10.1
GB 2136-80	Determination of thallium content in cadmium; (Spectrophotometric method by using crystal purple)	80.12.19		81.10.1
GB 2137-80	Determination of bismuth content in tellurium; (Photometric method by using light absorption of potassium iodide, nux vomica)	80. 12. 19		81.10.1
7B 2138-80	Determination of aluminum content in tellurium; (Photometric method by using light absorption of chromium sky blue S-brom-fourteen alkyl methyl amine glue)	80.12.19		81. 10. 1
GB 2139-80	Determination of lead content in tellurium; (Photometric method by using light absorption of double sulphur carbon chloride extraction)	80. 12. 19		81. 10. 1
GB 2140-80	Determination of iron content in tellurium; (Photometric method by using light absorption of Linhui Luolin)	80.12.19		81.10.1

Standard ID	Standard Name	Draft	Month Day 81.10.	Impl.
Standard ID	Standard Name	Year	Month	Day
GB 2141-80	Determination of selenium content in tellurium; (Photometric method by using light absorption of 2,3 - two amino naphthalene)	80. 12. 19		81. 10. 1
GB 21 4 2-80	Determination of copper content in tellurium; (Photometric method by using light absorption of new copper - chloroform extraction)	80. 12. 19		81.10.1
GB 21 43-8 0	Determination of sulphur content in tellurium; (Sulphuric barium turbidity comparison method)	80. 12. 19		81. 10. 1
GB 21 44- 80	Determination of magnesium, sodium content in tellurium; (Photometric method by using light absorption of atom)	80. 12. 19		81.10.1
GB 21 45- 80	Determination of tellurium content in tellurium; (Volumetric method by using chromic potassium - sulphuric iron ammonium)	80.12.19		81.10.1
GB 2146-80	Determination of arsenic content in tellurium; (Spectrophotometric method by using arsenic molybdenum blue extracted by alcohol)	80.12.19		81. 10. 1
GB 21 47-8 0	Determination of silicon content in tellurium; (Spectrophotometric method by using silicon molybdenum blue extracted by alcohol)	80. 12. 19		81. 10. 1
GB 2590.1-81	Determination of zirconium oxide, hafnium oxide content in zirconium oxide, hafnium oxide; (Weigting method by using bitter almond acid)	81. 6. 7		82.3.1

G

Standard ID	Standard Name	Draft	Month Day 82.3. 82.3.	Impl.
Standard ID	Standard Name	Year	Month	Day
GB 2590.2-81	Determination of iron content in zirconium oxide, hafnium oxide; (Photometric method by using light absorption of sulphur salicylic acid)	81.6.7		82.3.1
GB 2590.3-81	Determination of silicon content in zirconium oxide, hafnium oxide; (Photometric method by using light absorption of silicon molybdenum blue)	81.6.7		82.3.1
SB 2590.4-81	Determination of aluminum content in zirconium oxide, hafnium oxide; (Photometric method by using light absorption of chromium sky blue S - Chloride fourteen alkyl pyridine)	81.6.7		82.3.1
SB 2590.5-81	Determination of sodium content in zirconium oxide, hafnium oxide; (Photometric method by using light absorption of flaming atom)	81.6.7		82.3.1
SB 2590.6-81	Determination of titanium content in zirconium oxide, hafnium oxide; (Photometric method by using light absorption of methane)	81.6.7		82.3.1
GB 2590.7-81	Determination of phosphorus content in zirconium oxide, hafnium oxide; (Photometric method by using light absorption of stibnate - anti-scurvy molybdenum)	81.6.7		82.3.1
GB 2590.8-81	Determination of hafnium oxide content in zirconium oxide; (Emission spectrum method)	81.6.7		82.3.1

Standard ID	Standard Name	Draft	Rev.	2
Standard ID	Standard Name	Year	Month	Day
GB 2590.9-81	Determination of zirconium oxide content in hafnium oxide (Spectrum method by using X ray fluorescent light)	81.6.7		82.3.1
GB 2590.10-81	Determination of manganese content in zirconium oxide (Photometric method by using light absorption of iodate potassium)	81. 6. 7		82.3.1
GB 2590.11-81	Determination of nickel content in zirconium oxide (Photometric method by using light absorption of Lainfunain acyl oxime)	81.6.7		82.3.1
GB 2591.1-81	Determination of iron content in the concentrate of fluorine carbonic cerium-lanthanum mine	81.6.7		82.3.1
GB 2591.2-81	Determination of niobium content in the concentrate of fluorine carbonic cerium-lanthanum mine	81.6.7		82.3.1
GB 2591.3-81	Determination of silicon oxide content in the concentrate of fluorine carbonic cerium-lanthanum mine	81.6.7		82.3.1
GB 2591. 4-8 1	Determination of calcium oxide content in the concentrate of fluorine carbonic cerium-lanthanum mine	81.6.7		82.3.1
GB 2591.5-81	Determination of thorium oxide content in the concentrate of fluorine carbonic cerium-lanthanum mine	81. 6. 7		82.3.1
GB 2591.6-81	Determination of barium content in the concentrate of fluorine carbonic	81. 6. 7		82.3.1

Ğ

Standard ID	Standard Name	Draft	Rev.	Imp1.
Standard ID	Standard Name	Year	Month	Day
	cerium-lanthanum mine	·•		
GB 2591.7-81	Determination of fluorine content in the concentrate of fluorine carbonic cerium-lanthanum mine	81. 6. 7		82.3.1
GB 2591.8-81	Determination of phosphorus pentoxide content in the concentrate of fluorine carbonic cerium lanthanum mine	81. 6. 7		82.3.1
GB 2592.1-81	Determination of copper content in thallium (Photometric method of light absorption by using chlorine methane extraction copper reagent)	81. 6. 7		82.3.1
GB 2592.2-81	Determination of iron content in thallium (Photometric method of light absorption by using Linghui Luolin)	81.6.7		82.3.1
GB 2592.3-81	Determination of mercury content in thallium (Photometric method of light absorption by using extraction of sulphur carbon chloride)	81. 6. 7		82.3.1
GB 2592. 4- 81	Determination of zinc content in thallium (Photometric method of light absorption by using extraction of sulphuric benzene)	81. 6. 7		82.3.1
GB 2592.5-81	Determination of cadmium content in thallium (Photometric method of light absorption by using extraction of sulphuric benzene)	81.6.7		82.3.1
GB 2592.6-81	Determination of lead content in thallium (Photometric method of	81.6.7		82.3.1

THE PARTY OF THE P

Ø

Standard ID	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
	light absorption by using extraction of sulphuric benzene)			
GB 2592.7-81	Determination of aluminum content in thallium (Photometric method of light absorption by using chronium sky blue light)	81.6.7		82.3.1
3B 2592.8-81	Determination of indium content in thallium (Photometric method of light absorption by using extraction of crystal purple benzene)	81.6.7		82.3.1
GB 2592. 9-81	Determination of silicon content in thallium (Photometric method of light absorption by using extraction of alcohol)	81.6.7		82.3.1
OB 2592. 10− 81	Determination of thallium content in thallium (EDTA volumetric method)	81. 6. 7		82.3.1
GB 2593.1- 8 1	Determination of silver, copper, bismuth, aluminum, nickel, tin, magnesium, iron content in high-purity lead	81. 6. 7		82.3.1
GB 2593,2-81	Determination of arsenic content in high-purity lead	81. 6. 7		82.3.1
3B 2593, 3-81	Determination of stibium content in high-purity lead	81. 6. 7		82.3.1
GB 2594.1-81	Determination of aluminum, cadmium, copper, magnesium, lead, zinc content in high-purity indium (Chemical spectrum method)	81. 6. 7		82.3.1
GB 2594.2-81	Chemical spectrum determi- nation of iron content in high-purity indium	81.6.7		82.3.1
3B 2594.3-81	Determination of arsenic content in high-purity	81.6.7		82.3.1

Standard ID	Standard Name	Draft	Month Day 82.3. 82.3.	lmp1.
Standard ID	Standard Name	Year Mon	Month	Day
	indium			
SB 2594.4-81	Determination of silicon content in high-purity indium	81.6.7		82.3.1
SB 2594.5-81	Determination of sulphur content in high-purity indium	81.6.7		82.3.1
SB 2594.6-81	Determination of thallium content in high-purity indium	81.6.7		82.3.1
SB 2594.7-81	Determination of tin content in high-purity indium	81.6.7		82.3.1
GB 2595-81	Safety technology standard in a chemistry laboratory of metallurgic analysis	81.6.7		82.3.1
SE 3169.1-82	Chemical analysis of aluminum powder; Using gas volumetric method to determine active aluminum content	82.8.19		83.6.1
SB 3169.2-82	Chemical analysis of aluminum powder; Using reducing impurity method to determine total aluminum weight	82. 8. 19		83.6.1
SB 3169.3-82	Chemical analysis of aluminum powder; Using weight method to determine water content	82. 8. 19		83. 6. 1
GB 3169.4-82	Chemical analysis of aluminum powder; Using vacuum weight method to determine water content	82. 8. 19		83.6.1
GB 3169.5-82	Chemical analysis of aluminum powder; Using iodate potassium photometric method to determine manganese content	82.8.19		83.6.1

Standard ID	Standard Name	Draft	Rev.	Imp1
Standard ID	Standard Name	Year	Month	Day
GB 3169.6-82	Chemical analysis of aluminum powder; Using gas volume method to determine oil content	82. 8. 19		83. 6. 1
GB 3253.1-82	Chemical analysis of stibium; Using molybdenum blue photometric method to determine arsenic	82.6.21		83.3.1
GB 3253.2-82	Chemical analysis of stibium; Using Linger Dan Zafei photometric method to determine iron	82.6.21		83.3.1
GB 3253.3-82	Chemical analysis of stibium; Using sulphur photometric method to determine lead	82.6.21		83.3.1
GB 3253. 4- 82	Chemical analysis of stibium; Using new copper reagent photometric method to determine copper	82.6.21		83.3.1
GB 3253.5-82	Chemical analysis of stibium; Using atom absorption, spectophotometric method to determine lead, iron and copper	82. 6. 21		83.3.1
GB 3253.6-82	Chemical analysis of stibium; Using burning iodine content to determine sulphur	82. 6. 21		83.3.1
GB 3253.7-82	Chemical analysis of stibium; Using 3, 3' - two amino naphthalene amine photometric method to determine selenium	82. 6. 21		83.3.1
GB 3254, 1-82	Chemical analysis of stibium oxide;	82.6.21		83.3.1

(

Standard ID	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
	Using iodine content to determinate stibium oxide	•		_
GB 3254.2-82	Chemical analysis of stibium oxide; Using impurity reducing method to determinate stibium oxide	82.6.21		83.3.1
GB 3254.3-82	Chemical analysis of stibium oxide; Using weighting method to determine non-solute of tartaric acid	82.6.21		83.3.1
3B 325 4.4-8 2	Chemical analysis of stibium oxide; Using sulphur photometric method to determine lead	82. 6. 21		83.3.1
3B 3255.1+82	Chemical analysis of stibium sulphide; Using bromic potassium volumetric method to determine stibium	82.6.21		83.3.1
GB 3255.2-82	Chemical analysis of stibium sulphide; Using sulphuric barium weighting method to determine compounded sulphur	82.6.21		83.3.1
GB 3255. 3 -82	Chemical analysis of stibium sulphide; Using iodine burning method to determine ionized sulphur	82.6.21		83.3.1
GB 3255. ∳ -82	Chemical analysis of stibium sulphide; Using weighting method to determine non-solute of aqua regia	82.6.21		83.3.1
GB 3255. 5 -82	Chemical analysis of stibium sulphide; Using weighting method to determine non-solute of hydrochloric acid	82.6.21		83.3.1

Standard ID	Standard Name	Draft	Month Day 83.3.1 83.3.1	Impl.
	Standard Name	Year	Month	Day
GB 3256.1-82	Analysis of zirconium powder used in electric vacuum; Using weighing method to determine total zirconium and active zirconium	82.6.21		83.3.1
GB 3256.2-82	Analysis of zirconium powder used in electric vacuum; Using sulphur salicylic acid photometric method to determine iron	82. 6. 21		83.3.1
GB 3256.3-82	Analysis of zirconium powder used in electric vacuum; Using molybdenum blue photometric method to determine silicon	82.6.21		83.3.1
GB 3256.4-82	Analysis of zirconium powder used in electric vacuum; Using molybdenum blue photometric method to determine phosphorus	82.6.21		83.3.1
GB 3256.5-82	Analysis of zirconium powder used in electric vacuum; Using atom light absorption, photometric method to determine calcium, magnesium	82.6.21		83.3.1
GB 3256.6-82	Analysis of zirconium powder used in electric vacuum; Using chromium sky blue S photometric method to determine aluminum	82.6.21		83.3.1
CB 3256.7-82	Analysis of zirconium powder used in electric vacuum; Using methyl blue photometric method to determine sulphur	82.6.21		83.3.1

Ø

		Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
		<u> </u>		
GB 3260.1-82	Chemical analysis of tin; Using new copper reagent photometric method to determine copper	82.6.21		83.3.1
GB 3260.2-82	Chemical analysis of tin; Using Linghui Loulin photometric method to determine iron	82.6.21		83.3.1
GB 3260.3-82	Chemical analysis of tin; Using Potassium iodide photometric to method determine bismuth	82.6.21		83.3.1
GB 3260.4-82	Chemical analysis of tin; Using oscillographic method to determine lead	82.6.21		83.3.1
GE 3260.5-82	Chemical analysis of tin; Using peacock green photometric method to determine stibium	82.6.21		83.3.1
GB 3260.6-82	Chemical analysis of tin; Using iron Linghui Loulin indirect photometric method to determine arsenic	82.6.21		83.3.1
GB 3260.7-82	Chemical analysis of tin; Using chromium sky blue S photometric method to determine aluminum	82.6.21		83.3.1
GB 3260.8-82	Chemical analysis of tin; Using PAN photometric method to determine zinc	82.6.21		83.3.1
GB 3260.9-82	Chemical analysis of tin; Using atom absorption spectrophotometric method to determine lead, copper and zinc	82.6.21		83.3.1
GB 3285.1-82	Chemical analysis of molybdena; Using weighting method to determine water	82.6.21		83.3.1

CA maraless 1 Th	CA and Many	Draft	Rev.	Impl.		
Standard ID	Standard Name	Year	Month	Month Day		
GB 3285.2-82	Chemical analysis of molybdena; Using molybdate lead weighting method to determine molybdenum	82.6.21		83.3.1		
GB 3285.3-82	Chemical analysis of molybdena; Using sulphuric barium weighting method to	82.6.21	sulphu	83.3.1		
GB 3285.4-82	Chemical analysis of molybdena; Using burning - potassium iodide, volumetric method to determine sulphur	82.6.21		83.3.1		
GB 3285.5-82	Chemical analysis of molybdena; Using Coulomb's method to determine iron	82.6.21		83.3.1		
GB 3285.6-82	Chemical analysis of molybdena; Using extraction of butyl alcohol - chlorine methane, photometric method to determine phosphorus	82.6.21		83.3.1		
GB 3285.7-82	Chemical analysis of molybdena; Using benzene fluorescent ketone photometric method to determine tin	82. 6. 21		83.3.1		
GB 3285.8-82	Chemical analysis of molybdena; Using new copper reagent photometric method to determine copper	82. 6. 21		83.3.1		
GB 3285.9-82	Chemical analysis of molybdena; Using peacock green photometric method to determine stibium	82.6.21		83.3.1		
GB 3311-82	Determination of cerium in wolfram cerium alloy; (Oxidization reduction,	82.12.20		83. 9. 1		

Ö

	CA - adams None	Draft	83 83	Impl.
Standard ID	Standard Name	Year	Month	Day
	volumetric method)			
GB 3312-82	Determination of thorium oxide in wolfram thorium alloy; (Weighting method)	82.12.20		83. 9. 1
GB 3313-82	Determination of rhenium in wolfram rhenium alloy; (Buthl ketone oxime color comparison method)	82.12.20		83. 9. 1
GB 3653.1-83	Chemical analysis of boronic iron; Using acid alkali neutralization, volumetric method to determine boronic content	83.5.2		84.3.1
GB 3653.2-83	Chemical analysis of boronic iron; Using gas volumetric method to determine carbon contend	83.5.2		84.3.1
GB 3653.3-63	Chemical analysis of boronic iron; Using high chloric water separation weighting method to determine silicon	83.5.2		84.3.1
CP 3663. 4- 03	Chemical analysis of boronic iron; Using EDTA volumetric method to determine aluminum	83.5.2		84.3.1
(B)3653.5- 8 3	Chemical analysis of boronic iron; Using color layers separating sulphuric barium, weighting method to determine sulphur	83.5.2		84.3.1
GB 3653.6- 83	Chemical analysis of boronic iron; Using stibium phosphorus molybdenum blue photometric method to determine phosphorus	83.5.2		84.3.1
GB 3654-1-83	Chemical analysis of	83.5.2		84.3.1

TOTAL STATE OF THE PROPERTY OF

Ů,

Standard ID	Standard Name	Draft	Rev.	Impl.
		Year	Month	Day
	columbite; Using the weighting method of color layers separation on paper to determine the content of niobium, tantalum	,		
B 3654.2-83	Chemical analysis of columbite; Using new copper - Chlorinic methane extraction photometric method to determine copper content	83.5.2		8 4 .3.1
SB 3654.3-83	Chemical analysis of columbite; Using weighting method to determine silicon content	83.5.2		84.3.1
GB 3654.4-83	Chemical analysis of columbite; Using burning, weighting method to determine carbon content	83.5.2		84.3.1
SB 3654.5-83	Chemical analysis of columbite; Using molybdenum blue photometric method to determine phosphorus	83.5.2		84.3.1
B 3654.6-83	Chemical analysis of columbite; Using burning iodine method to determine phosphorus	83.5.2		84.3.1
SB 3654.7-83	Chemical analysis of columbite; Using methyl blue photometric method to determine phosphorus	83.5.2		84.3.1
SB 365 4 .8-83	Chemical analysis of columbite; Using color changing acid, photometric method to determine titanium	83.5.2		84.3.1
GB 3654.9-83	Chemical analysis of columbite;	83.5.2		84.3.1

•

Standard ID	Standard Name	Draft	Rev.	Impl
Standard IB	Standard Name	Year	Month	Day
	Using sulphuric cyanogen blue photometric method to determine wolfram			
GB 365 4 .10-83	Chemical analysis of columbite; Using EDTA volumetric method to determine aluminum	83.5.2		84.3.1
GB 3825-83	Chemical analysis of wolfram molybdenum alloy; Using EDTA volumetic method to determine molybdenum content	83.7.27		84.7.1
SB 3826-83	Chemical analysis of cadmium; Using atom absorption, photometric method to determine silver content	83.7.27		84. 7. 1
SB 3827-83	Chemical analysis of cadmium; Using butyl ketone oxime spectrophotometric method to determine nickel content	83.7.27		84.7.1
GB 3828.1-83	Chemical analysis of high-purity aluminum; Using nitrogen - sulphuric cyanogen soda photometric method to determine iron	83.7.27		84. 7. 1
5B 3828.2-83	Chemical analysis of high-purity aluminum; Using the extration of molybdenum blue, photometric method to determine silicon	83. 7. 27		84. 7. 1
GB 3828.3-83	Chemical analysis of high-purity aluminum; Using pyridine methane - sulphuric cyanogen blue, photometric method to determine titanium	83.7.27		84. 7. 1
GB 3828.4-83	Chemical analysis of high-purity aluminum;	83.7.27		84.7.1

Standard ID	Standard Name	Draft	Rev.	Impl.
	S t Gridd To Trume	Year	Month	Day
	Using butyl Luodanmin B photometric method to determine gallium			
GB 3828.5-83	Chemical analysis of High pure aluminum; Using anode solved voltage- ampere method to determine copper, zinc and lead	83.7.27		84.7.1
GB 3829.1-83	Chemical analysis of sponge titanium; Using nitrogen photometric method to determine iron content	83.7.27		84.7.1
GB 3829.2-83	Chemical analysis of sponge titanium; Using molybdenum blue photometric to determine silicon content	83.7.27		84.7.1
GB 3829.3-83	Chemical analysis of sponge titanium; Using sulphuretted silver photometric to determine chlorine content	83.7.27		84.7.1
GB 3829. 4- 83	Chemical analysis of sponge titanium; Using distillation - naphthalene reagent, photometric method to determine nitrogen content	83.7.27		84.7.1
GB 3829.5-83	Chemical analysis of sponge titanium; Using burning - Coulomb's method to determine iron	83.7.27		84. 7. 1
GB 3829.6-83	Chemical analysis of sponge titanium; Using high frequency melting - Coulomb's method to determine oxygen content	83.7.27		84.7.1
GB 4010-83	Iron alloy chemical analysis used sampling	83. 12. 14		84. 11. 1

Č

Standard ID	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
	method			
GB 4103.1-83	Chemical analysis of lead base alloy; Using iodine quantity method to determine tin content	83.12.28		84. 1 2 . 1
GB 4103.2-83	Chemical analysis of lead base alloy; Using benzene phenol purple, sixteen alkyl methyl bromo-amine photometric method to determine tin content	83.12.28		8 4 . 1 2 . 1
GB 4103-3-83	Chemical analysis of lead base alloy; Using crystal purple photometric method to determine stibium content	83.12.28		84. 1 3 . 1
GB 4103.4-83	Chemical analysis of lead base alloy; Using bromate volumetric method to determine stibium content	83.12.28		84. 12. 1
GB 4103.5-83	Chemical analysis of lead base alloy; Using double cyclic ketone acyl photometric method to determine copper content	83.12.28		84. 12. 1
GB 4103.6-83	Chemical analysis of lead base alloy; Using nitrogen photometric method to determine iron content	83.12.28		84. 1 3 . 1
GB 4103.7-83	Chemical analysis of lead base alloy; Using potassium iodide photometric method to determine bismuth content	83.12.28		84. 1 2. 1
GB 4103.8-83	Chemical analysis of lead base alloy; Using suphur carbamide	83. 12. 28		84. 1 2 . 1

THE RESERVE TO SELECT THE PROPERTY OF THE PROP

(T)

Standard ID	Standard Name	Draft	Rev.	Impl.
		Year	Month	Day
	photometric method to determine bismuth content			
SB 4103.9-83	Chemical analysis of lead base alloy; Using molybdenum blue photometric method to determine arsenic content	83.12.28		84. 1 2. 1
SB 4103.10-83	Chemical analysis of lead base alloy; Using oscillatogrphic method to determine selenium and tellurium content	83.12.28		84. 12. 1
B-4103.11-83	Chemical analysis of lead base alloy; Using atom absorption spectrophotometric method to determine calcium	83.12.28		84. 1 2 . 1
B 4103.12-83	Chemical analysis of lead base alloy; Using atom absorption spectrophotometric method to determine silver, zinc, magnesium and calcium content	83. 12. 28		84. 1 2 . 1

(

Standard ID	ŢΒ	Standard Name	Draft	Rev.	Impl.
	10		Year	Month I)ay
	(Me	tal Physicochemical Properties	Testing	Method]	
GB 224-78		Test for the depth of decarburized layer of steel	63. 12. 31	78. 8. 11	79. 6. 1
GB 225-63		Test for the quenching degree of the end section of structure steel	63. 12. 31		64. 4. 1
GB 226-77		Acid erosion test for the low degree formation and defects of steel	63. 12. 31	77. 11. 30	78. 9. 1
GB 227-63		Test for the quenching degree of carbon tool steel	63. 12. 31		64. 4. 1
GB 228-76		Metal tension test method	63. 12. 31	76. 9. 8	77. 10.
3B 229-63		Test for the impact tenacity of metal under room temperature	63. 12. 31	76. 9. 8	77. 10.
GB 230-83		Rockwell hardness test for metal	63. 12. 31	83.4.5	84.4.1
GB 231-63		Brinell hardness test for metal	63. 12. 31		64. 4 . 1
GB 232-82		Bending test for metal	63. 12. 31	82.3.25	82.12.
GB 233-82		Top forging test for metal	63.12.31	82.3.25	82.12.
GB 234-82		Bending test for flatted, fashion metal products	63. 12. 31	82.3.25	82.12.
GB 235-82		Reciprocating bending test for metal	63. 12. 31	82.3.25	82.12.
GB 236-82		Bending test for non- quenching hardness of metal	63. 12. 31	82.3.25	82.12.
GB 237-82	- 1	Forging flat test for metal	63. 12. 31	82.3.25	82.12.
GB 238-82		Reciprocating bending test for metal wire	63.12.31	82.3.25	82.12.
GB 239-82	•	Twisting test for metal wire	63. 12. 31	82.3.25	82.12.

Standard ID	Standard Name	Draft	Rev.	Impl.
Standard II	Standard Name	Year	Month	Day
GB 240-82	Bending test for a double- layer, gripping-holded thin plate	63.12.31	82.3.25	82, 12, 1
GB 241-82	Hydraulic test for metal tube	63. 12. 31	82.3.25	82 · 12 · 1
GB 2 4 2-82	Enlargement test for the mouth of metal tube	63. 12. 31	82.3.25	82.12.1
GB 2 4 3-82	Contraction test for the mouth of metal tube	63. 12. 31	82.3.25	82.12.1
GB 244-82	Bend test for metal tube	63. 12. 31	82.3.25	82.12.1
GB 2 45 -82	Curling test for metal tube	63.12.31	82.3.25	82 . 12 . 1
GB 246-82	Flatting test for metal tube	63. 12. 31	82.3.25	82.12.1
GB 351-64	Test for steel wire resistance coefficient	64. 9. 5		65. 7. 1
GB 1172-74	Black metal hardness and strength conversion value	74.5.21		75.3.1
GB 1223-75	Test for erosion tendency among the grains of the stainless, acid-resisting steel	75. 12. 24		76. 7. 1
GB 1423-78	Density measurement for noble metal and its alloy	78. 9. 29		79. 7. 1
GB 1424-78	Resistance coefficient measurement for noble metal and its alloy	78. 9. 29		79. 7. 1
GB 1425-78	Test for the eutectic melting point of noble metal by using thermal analysis	78. 9. 29		79. 7. 1
GB 1479-79	Density measurement for the loose-packed iron powder	79. 2. 13		79. 10. 1
GB 1480-79	Measurement of grain size formation for iron powder	79. 2. 13		79. 10. 1
GB 1481-79	Measurement of the 29	79. 2. 13		79. 10. 1

Standard ID	Standard Name	Draft	Rev.	Impl.
Standard In	Standard Name	Year	Month	Day
	compression property for iron powder		•	
GB 1482-79	Flow property measurement for iron powder	79. 2. 13		79. 10. 1
GB 1550-79	Measurement of single grain conducting pattern for silicon	79. 5. 26		80.1.1
GB 1551-79	Measurement of single grain resistivity of silicon by using direct current two probes	79. 5. 26		80.1.1
GB 1552-79	Measurement of single grain resistivity of silicon by using direct current four probes	79. 5. 26		80.1.1
GB 1553-79	Measurement of single grain life of silicon by applying direct current photoelectric decadence phenomenon	79. 5. 26		80.1.1
GB 1554-79	Measurement of the cavity erosive degree of the (111) grain surface of a single silicon grain due to the grain surface dislocation	79. 5. 26		80.1.1
GB 1555-79	Photographic measurement for the orientation of single silicon grain	79. 5. 26		80.1.1
GB 1556-79	Measurement of X ray diffraction for the orientation of single silicon grain	79. 5. 26		80.1.1
GB 1557-83	Infrared absorption method used to measure oxygen content between grains in silicon-crystal	79. 5. 26	83. 9. 8	84. 9. 1
GB 1558-83	Infrared absorption method used to measure carbon content between grains in silicon-crystal	79, 5, 26	83.9.8	84. 9. 1

PASSESS AND RECEIVED IN THE PROPERTY OF THE PASSESS AND PASSESS AN

4)

Standard ID	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
GB 1586-79	Measurement of Young's modulus for metal material	79. 9. 15		80.5.1
GB 1786-79	Ultrasonic defect detecting method for forging disks	79. 11. 23		80.8.1
GB 1814-79	Crack inspection method for steel	79. 12. 29		80. 9. 1
3B 1817-79	Test of impacting tenacity for hard alloy under room temperature	79. 12. 29		80. 9. 1
GB 1818-79	Test of Rockwell hardness for metal surface	79. 12. 29		80. 9. 1
38 1838-80	Measurement of the weight of tin layer for tin-coated steel plates (belts)	80.1.31		80. 9. 1
3B 1839-80	Measurement of the weight of zinc layer for zinc-coated steel plates (belts)	80.1.31		80. 9. 1
GB 1979-80	Evaluation figure of the defect of low degree formation of structure steel	80. 8. 15		81.5.1
3B 2038-80	Test for the determination of ductile fracture tenacity of metal material by using J resistance curve R	80.11.11		81. 8. 1
GB 2039-80	Test for the wriggling of metal material due to tension	80.11.11		81. 8. 1
GB 2105-80	Measurement of shear modulus and Poisson's ratio for metal material	80. 12. 19		81. 10. 1
GB 2106-80	Impacting test for the metal Sharbi (V shape gap)	80. 12. 19		81. 10. 1
GB 2107-80	Test of high temperature twisting and bending fracture for metal	80.12.19		81. 10. 1
GB 2108-80	Lanmo wave defect detecting 31	80. 12. 19		81.10.1

(

Standard ID	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Hame	Year	Month	Day
	method for thin steel plates			
GB 2109-80	Test of electric property of Niobium powder used in capacitor	80. 12. 19		81.10.1
GB 2522-81	Cold rolling electrical engineering used steel inter-layer resistance,	81.3.25		81.7.1
GB 2522-81	Test of inter-layer resist- ance of cold-rolled, electrical engineering used steel and its coating adhesiveness, select-packing coefficient	81.3.25		81.7.1
GB 2523-81	Roughness measurement for the surface of cold-rolled, thin steel plates (belts)	81.3.25		81.7.1
iñ 2596-81	Measurement of specific area of wolfram and carbonized wolfram powder (average size); Simplified nitrogen absorption method	81. 6. 7		82. 3. 1
GB 2970-82	Ultrasonic defect detecting method for medium-thick steel plate	82.3.25		82.12.1
3B 2971-82	Crack inspection method for carbon steel and low alloy	82.3.25		82.12.1
GB 2972-82	Test of sulphate for zinc layer of zinc coated steel wire	82.3.25		82.12.1
GB 2973.1-82	Test of weight for zinc layer of zinc-coated steel wire; Weight method	82.3.25		82.12.1
GB 2973.2-82	Test of weight for zinc layer of zinc-coated steel wire; Gas method	82.3.25		82.12.1

Standard ID	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
GB 2974-82	Industrial used thermo- couple wire inspection method	82.3.25		82. 12. 1
GB 2975-82	Sampling rules for steel mechanics and technological performance test	82.3.25		82.12.1
GB 2976-82	Metal wire winding and loosing tests	82.3.25		82.12.1
GB 3075-82	Metal axial fatigue test	82.5.10		83.3.1
GB 3076-82	Metal thin plate (belt) tensile test	82.5.10		83.3.1
GB 3137-82	Test of electric property for tantalum powder used in capacitor	82.5.29		83.3.1
CB 3170.1-82	Determination of aluminum powder size; Mechanic vibration screen separation method	82.8.19		83.6.1
GB 3170.2-82	Determination of aluminum powder size; Wind blown, manual screening separation method	82. 8. 19		83. 6. 1
GB 3170.3-82	Determination of aluminum powder size; screen washing method by using ethyl alcohol	82. 8. 19		83. 6. 1
GB 3171.1-82	Density determination for loose-packed aluminum powder; Funnel method	82. 8. 19		83. 6. 1
GB 3171.2-82	Density determination for loose-packed aluminum powder; Volume measuring method	82. 8. 19		83. 6. 1
GB 3172-82	Aluminum powder adhesive rate determination; Steel plate test method	82.8.19		83. 6. 1
GB 3173-82	Area measurement for the 33	82. 8. 19		83. 6. 1

Q

Standard ID	Standard Name	Draft	Rev.	Impl
	Standard Name	Year	Month	Day
	water surface covered by aluminum powder			
GB 3217-82	Test of magnetism for permanent magnetic (Hard magnetic) material	82.10.12		83.7.1
GB 32 46-82	Microscopic examination method for aluminum and its alloy machining products	82.6.21		83.3.1
GB 32 47- 82	Low time formation exami- nation method for aluminum and its alloy machining products	82. 6. 21		83.3.1
GB 3248-82	Resistance coefficient measurement for copper, nickel and their alloy	82. 6. 21		83.3.1
GB 3249-82	Powder size measurement for hard-to-melt metal and compound; Fei method	82. 6. 21	•	83.3.1
GB 3250-82	Riveting test for aluminum and aluminum alloy rivet line	82.6.21		83. 3. 1
GB 3251-82	Compression test for aluminum and aluminum alloy tube	82.6.21		83.3.1
GB 3252-82	Cutting test for for aluminum alloy rivet line and rivet	82.6.21		83.3.1
GB 3310-82	Ultrasonic defect detecting method for copper alloy bar	82.12.17		83.10.
GB 3 49 0-83	Metallographic examination method for sub-copper oxide noble metal which contains copper	83.2.21		83.12.
GB 3491-83	Thickness measuring method for noble metal and its alloy foil; (Weighting method)	83.2.21		83.12.

Standard ID	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
GB 3492-83	Dimension measurement for the thin wall small tube of noble metal and its alloy; (Weighting method)	83.2.21		83.12.1
GB 3493-83	Diameter measuring method for the thin thread of noble metal and its alloy; (Weighting method)	83.2.21		83.12.1
GB 3651-83	Measurement of high temperature thermal conductance for metal	83.5.2		84. 3. 1
GB 3652-83	Test of high temperature tensile for metal tube	83.5.2		84.3.1
GB 3655-83	Magnetic property measure- ment for electric engi- neering used steel plates (belts)	83.5.2		84.3.1
GB 3656-83	Magnetic property measure- ment for electric engineering used pure iron	83.5.2		84. 3. 1
GB 3657-83	Direct current magnetic property measurement for soft magnetic alloy	83.5.2		84. 3. 1
GB 3658-83	Alternating current mag- netic property measurement for soft magnetic alloy	83.5.2		84.3.1
GB 3771-83	Copper alloy hardness and strength conversion value	83. 6. 22		84. 4. 1
GB 4067-83	Measurement of resistance- temperature characteristic parameters for metal material	83.12.23		84. 12. 1
GB 4068-83	Test of the resistance variation vs temperature for high resistant, electric thermal alloy	83. 12. 23		84. 12. 1

Standard ID	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
GB 4104-83	White degree (color) examination method for direct method zinc oxide	83. 12. 28		84. 12. 1
GB 4105-83	Hanging test for wolfram thread	83.12.28		84. 12. 1
GB 4106-83	Temperature measurement for the second time recrystallization of wolfram thread	83.12.28		84.12.1
3B 4107-83	Density measurement for loose-packed magnesium powder; Scott volumetric method	83.12.28		84. 12. 1
GB 4108-83	Size formation determination for magnesium powder, aluminum-magnesium alloy powder; Screen separation method	83.12.28		84.12.1
	[Metallurgy Supplementary	Material]		
GB 1426-78	Carbon material calssi- fication	78. 9. 29		78. 10. 1
GB 1427-78	Carbon material sampling method	78. 9. 29		78. 10. 1
GB 1428-78	Carbon material water content determination	78. 9. 29		78. 10. 1
CB 1429-78	Carbon material ash content determination	78. 9. 29		78. 10. 1
GB 1430-78	Carbon material sulphur content determination	78. 9. 29		78. 10. 1
GB 1431-78	Carbon material anti- pressure strength determination	78. 9. 29		78. 10. 1
GB 1996-80	Metallurgical coke	80, 8, 15		81.5.1
GB 1997-80	Metallurgical coke sampling and preparation method	80. 8. 15		81.5.1



9.	tandard ID	Standard Name	Draft	Rev.	Impl.
J	idiladia ib	Standard Name	Year	Month	Day
GB	1998-80	Pitch coke sampling and preparation method	80. 8. 15		81. 10. 1
GB	2001-80	Measurement for metallurgical coke water content	80. 8. 15		81. 10. 1
GB	2002-80	Measurement for metallurgical coke ash content	80. 8. 15		81. 10. 1
GB	2003-80	Test for the volatilization of metallurgical coke	80. 8. 15		81. 10. 1
GB	2004-80	Measurement of fixed carbon for metallurgical coke	80. 8. 15		81. 10. 1
GB	2005-80	Measurement of coke content for metallurgical coke and large piece coke formation	80. 8. 15		81. 10. 1
GB	2006-80	Metallurgical coke mechanical strength determination method	80. 8. 15	٠	81. 10. 1
GB	2286-80	Isica measurement of sulpher content for metallurgical coke	80.12.31		81. 10. 1
GB	228 7-8 0	Measurement of sulpher content for metallurgical coke under high temperature burning neutralization	80.12.31		81. 10. 1
GB	3070-82	Pitch coke	82.5.10		83.3.1
GB	3071-82	Measurement of ture specific gravity for pitch coke	82.5.10		83.3.1
GB	3072-82	Graphite electrode	82.5.10		83.3.1
GB	3073-82	High power graphite electrode	82.5.10		83.3.1
GB	3074. 1-82	Measurement of anti- breaking strength for graphite electrode	82.5.10		83.3.1
GB	3074. 2-82	Measurement of elastic 37	82.5.10		83.3.1

Standard ID	Standard Name	Draft	Rev.	Impl.
2 rangard in	Standard Name	Year	Month	Day
	modulus for graphite electrode			
GB 3074.3-82	Determination of Oxidization property for graphite electrode	82.5.10		83.3.1
GB 3074.4-82	Measurement of Coefficient of Thermal Expansion (CTE) for graphite electrode	82.5.10		83.3.1
GB 3074.5-82	Sample preparation method for testing the coefficient of thermal expansion of petroleum coke used in graphite electrode	82.5.10		83.3.1
GB 3202-82	Chemical products for mineral separation; their classification, brands and designation	82. 9. 16		83. 6. 1
GB 3424-82	Graphite anode	82.12.31		83.11.1
GB 3425-82	Sample roasting method for carbon mud inspection	82.12.31		83.11.1
3B 4000-83	Test for coke reactivity and its strength after reaction	83. 12. 12		84.11.1
	[Steel Products]			
GB 181-63	Types and dimensions of 50 kilogram per meter rail	63. 9. 26		64.1.1
GB 182-63	Types and dimensions of 43 kilogram per meter rail	63. 9. 26		64. 1. 1
GB 183-63	Types and dimensions of 38 kilogram per meter rail	63. 9. 26		64. 1. 1
GB 184-63	Dimensions of 38 kilogram per meter rail used fish-tail shaped plate	63. 9. 26		64. 1. 1
GB 185-63	Dimensions of 38 and 43 kilogram per meter rail used 38	63. 9. 26		64.1.1

C+nndomd In	CAnnaland Nama	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month 1	Day
	fish-tail shaped plate			
GB 186-63	Types and dimensions of 50 kilogram per meter rail used pad	63. 9. 26		64.1.1
SB 187-63	Types and dimensions of 38 and 43 kilogram per meter rail used pad	63. 9. 26		64.1.1
SB 221-79	Brand designation method for steel products	63. 12. 31	79. 10. 31	80. 8. 1
SB 247-80	General rules for the acceptance, packing, marking and quality certification of steel plates and steel belts	63. 12. 31	80.12.9	81.10.1
3B 341-64	Steel wire classifi- cation	64. 9. 5		65.7.1
%B 342-82	Cold draw round steel thread dimensions, shapes, weight and error allowance	64. 9. 5	82. 9. 23	83.7.1
SB 343-82	General use low carbon steel wire	64. 9. 5	82.5.10	83.3.1
SB 344-64	Low carbon structure steel wire	64. 9. 5		65. 7. 1
SB 345-64	Medium carbon structure steel wire	64. 9. 5		65. 7. 1
SB 346-64	Communication overhead used zinc coated low carbon steel wire	64. 9. 5		65.7.1
GB 347-82	Card clothing used steel wire	64. 9. 5	82.5.10	83.3.1
GB 348-64	Bare steel wire	64. 9. 5		65.7.1
OB 349-82	General used round steel nail	64. 9. 5	82.12.31	83. 11. 1
3B 352- 64	Closed type wire rope of single layer Z shaped steel wire	64. 9. 5		65. 7. 1

TANKS CANADA

Comment of the second of the second of the second of

Ø

د دع		Standard Nama	Draft	Rev.	Impl
St	andard II	Standard Name	Year	Month 1	Day
GB	353- 61	Closed type wire rope of two layers trapezoid- shape and one layer Z- shape steel wire	6 4 . 9. 5		65. 7. 1
G B	699-65	High quality carbon structure steel index, and general technical conditions	65. 1. 19		66. 1. 1
GB	700-7 9	General carbon structure steel; Technical conditions	65.1.19	79. 10. 31	80. 8. 1
GB	701-65	General low carbon steel hot rolled disk	65. 1. 19		66. 1. 1
GB	702-72	Hot-rolled round steel and square steel brand	65.1.19	72.4.20	72. 9. 1
GB	704-83	Hot-rolled flat steel dimension, weight and error allowance	65. 1. 19	83.4.5	84. 1. 1
GВ	705-83	Hot-rolled hexagon bar steel and octagon steel dimension, weight and error allowance	65. 1. 19	83.4.5	84.1.1
GB	706-65	Hot-rolled general I beam brand	65. 1. 19		66. 1. 1
GВ	70765	Hot-rolled general channel brand	65. 1. 19		66. 1. 1
GΒ	708-65	Rolled made thin steel plate brand	65. 1. 19		66. 1. 1
GB	709-65	Hot-rolled made thick steel plate brand	65. 1. 19		66. 1. 1
GB	710-65	High quality carbon structure steel thin plate; Technical conditions	65. 1. 19		66. 1. 1
GB	711-65	High quality carbon structure steel hot-rolled thick plate; Technical conditions 40	65.1.19		66.1.1

©

Standard ID	Standard Name	Draft	Rev.	Impl	
	Standard Name	Year	Month	th Day	
GB 712-80	Shipbuilding used structure steel; Technical conditions	65. 1. 19	80. 6. 19	80. 7. 1	
GB 713-72	Carbon steel and general low alloy steel plate used in making boiler; Technical conditions	65. 1. 19	72.4.20	72. 9. 1	
GB 714-65	Bridge and building used hot-rolled carbon steel; Technical conditions	65. 1. 19		66. 1. 1	
GB 715-65	General carbon steel nut and rivet used hot-rolled steel; Technical conditions	65. 1. 19		66. 1. 1	
GB 716-83	General carbon structure steel, cold-rolled belt .	65. 1. 19	83.3.4	83. 12.	
GB 717-82	Steelmaking used pig iron	65. 1. 19	82. 9. 23	83.7.1	
GB 718-82	Casting used pig iron	65. 1. 19	82. 9. 23	82.10.	
GB 905-82	Dimension, shape, weight and error allowance of cold-draw steel	66. 4. 8	82. 9. 23	83. 7. 1	
GB 906-82	Dimension, shape, weight and error allowance of cold-draw round steel	66. 4. 8	82.9.23	83.7.1	
GB 907-82	Dimension, shape, weight and error allowance of cold draw hexagon steel	66. 4. 8	82. 9. 23	83.7.1	
GB 908-72	Brand of forging used round steel and square steel	66. 4. 18	72.4.20	72. 9. 1	
GB 911-66	Hot-rolled and forged flat steel products of tool steel	66. 4. 18		66. 10.	
GB 912- 8&	Thin plate of general carbon structure steel and low allo structure steel; Technical conditions		82.7.8	83.4.	

Ğ

Standard ID	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
GB 1101-79	Key used, shape steel	72.4.21	79. 6. 23	80.5.1
GB 1102-7 4	Round skein, steel wire rope	72.4.20	74.5.28	75. 1. 1
GB 117 8 -74	Rope making steel wire	72.5.28		75. 1. 1
GB 1199-75	Farming used compounded steel	75. 1. 22		75. 10. 1
GB 1200-75	Zinc coated steel twist wire	75. 1. 22		75. 10. 1
GB 1201-75	Bicycle used steel wire	75. 1. 22		75. 10. 1
GB 1220-75	Stainless acid-resist steel; Technical conditions	75. 12. 24		76. 7. 1
GB 1221-75	Thermal-resist steel; Technical conditions	75. 12. 4 4		76. 7. 1
GB 1222-75	Hot-rolled spring steel; Technical conditions	75. 12. 24	•	76. 7. 1
GB 123 4-7 6	High resistance electric heating alloy	76. 3. 27		77. 7. 1
GB 1298-77	Carbon tool steel; Technical conditions	77. 2. 12		77. 12. 1
GB 1299-77	Alloy tool steel; Technical conditions	77. 2. 12		77. 12. 1
GB 1300-77	Welding used steel wire	77. 2. 12		77. 12. 1
GB 1301-77	Hollow steel; Technical conditions	77. 2. 12		77. 12. 1
GB 1412-78	Nodular casting used pig iron	78. 8. 11		79. 6. 1

Standard ID	Standard Nama	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
GB 1465-78	Tractor plough used shape iron	78. 10. 8		79. 10. 1
GB 1466-78	Agriculture machinery used special cross section, hot-rolled shape iron	78. 10. 8		79. 10. 1
GB 1 499- 79	Hot-rolled reinforced bar	78.2.28		79. 10. 1
GB 1501-79	Car wheel fender used, hot-rolled shape steel	78. 2. 28		79. 10. 1
GB 1502-79	Car wheel locking ring used, hot-rolled shape steel	78.2.28		79. 10. 1
GB 1503-79	Casting steel roller	78.2.28		79. 10. 1
GB 1504-79	Casting iron roller	78. 2. 28		79. 10. 1
CB 1591-79	Low alloy structure; Technical conditions	79. 10. 31	•	80.8.1
GB 2270-80	Stainless seamless tube	80.12.31		81.10.1
GB 2271-80	Oil quenching chromium- vanadium valve spring steel	80. 12. 31		81. 10. 1
GB 2272-80	Ferrosilicon	80. 12. 31		81. 10. 1
GB 2517-81	General structure used, continuously hot-rolled steel plates and belts	81.3.25		81.7.1
GB 2518-81	Continuously hot-rolled, zinc coated steel plates and belts	81.3.25		81.7.1
GB 2519-81	Brand of continuously hot- rolled steel plate and belt	81.3.25		81.7.1
3B 2520-81	Electroplate tin thin steel plates and belts	81.3.25		81.7.1
GB 2521-81	Cold-rolled electrical engineering steel belts (films)	81. 3. 25		81.7.1

Section Character

Process II Control of Managed Caretters I Proceed

Standard ID	Standard Name	Draft	Rev.	Impl.
Standard ID		Year	Month	Day
GB 2585-81	Railroad used 38 ~ 50 kg/m steel rail; Technical conditions	81. 12. 16		82.10.1
GB 2597-81	Hot-rolled window frame steel	81.6.17		82.3.1
GB 2598-81	Cold-rolled stainless, thermal-resist steel belt	81.4.10		82.1.1
GB 277 4-8 1	Metal manganese	81.10.5		82.7.1
GB 2826-81	38 ~ 50 kg/m rail used; Technical conditions	81. 12. 16		82. 10. 1
GB 3077-82	Alloy structure steel; Technical conditions	82.5.10		83. 3. 1
GB 3078-82	Quality structure steel, cold draw steel products; Technical conditions	82.5.10		83.3.1
GB 3079-82	Alloy structure steel wire	82.5.10		83.3.1
GB 3080-82	High speed tool steel wire	82.5.10		83.3.1
GB 3081-82	General purpose hot zinc coated, low carbon steel wire	82.5.10		83.3.1
GB 3082-82	Armored cable used, low carbon zinc coated steel wire	82.5.10		83.3.1
GB 3083-82	Important purpose used, low carbon steel wire	82.5.10		83.3.1
GB 3084-82	Cotton packing used, low carbon zinc coated steel wire	82.5.10		83.3.1
GB 3085-82	Track plate used, hot-rolled shape steel Technical conditions	82.5.10		83.3.1
GB 3086-82	High carbon chromium stainless supporting steel; Technical conditions	82.5.10		83.3.1

Ü

Ohnmale - O TD	Chandral Mana	Draft	Rev.	lmp1.
Standard ID	Standard Name	Year	Month	Day
GB 3087-82	Low medium pressure boiler used seamless tube	82.5.10		83.3.1
GB 3088-82	Car half axle sleeve used seamless tube	82.5.10		83.3.1
3B 3089-82	Stainless, acid-resist steel extra-thin seamless tube	82.5.10		83. 3. 1
GB 3090-82	Stainless, small diameter steel tube	82.5.10		83.3.1
GB 3091-82	Low pressure flow tanspor- tation used zinc coated welding steel pipe	82.5.10		83.3.1
GB 3092-82	Low pressure flow tansportation used welding steel pipe	82. 5. 10	·	83.3.1
GB 3093-82	Diesel engine used, high pressure fuel tube	82.5.10		83. 3. 1
GB 3094-82	Cold draw seamless steel tube	82.5.10		83.3.1
GB 3203-82	Carburized bearing steel; technical conditions	82. 9. 23		83. 7. 1
SB 3204-82	Dimension, shape, weight and error allowance of cold draw square steel	82. 9. 23		83.7.1
GB 3205-82	Dimension, shape, weight and error allowance of cold draw hexagon steel	82. 9. 23		83. 7. 1
GB 3206-82	Quality carbon structure steel wire	82. 9. 23		83.7.1
3B 3207-82	Dimension, shape, weight and error allowance of silver-shining steel	82. 9. 23		83.7.1
SB 3210-82	Phosphorus iron	82.9.23		83.7.1
GB 3273-82	Car platform chassis used steel plate	82.7.8		8 3 . 4. 1

Ğ

Standard ID	Standard Name	Draft	Rev.	Impl
Standard ID	Standard Name	Year	Month	Day
GB 327 4- 82	General carbon structure steel and low alloy structure steel, hot-rolled thick steel plate; Technical conditions	82.7.8		8 3 . 4 . 1
GB 3275-82	Car manufacture used quality carbon structure iron, hot-rolled thick plate	82.7.8		84.4.1
GB 32 76-82	Thick plate of hot-rolled, carbon structure steel used in 200-liter fuel tank	82.7.8		8 3. 4. 1
GB 3277-82	Pattern steel plate	82.7.8		8 3 . 4. 1
GB 3278-82	Carbon tool steel hot-rolled plate; Technical conditions	82.7.8		8 3 . 4. 1
GB 3279-82	Spring steel hot-rolled thin plate; Technical conditions	82.7.8		8 3 . 4 . 1
GB 3280-82	Stainless, acid-resist and thermal-resist thin plate; Technical conditions	82.7.8		8 3. 4. 1
GB 3281-82	Stainless, acid-resist and thermal-resist thick plate; Technical conditions	82.7.8		8 4. 1
GB 3282-82	Titanium iron	82.7.8		8 3 . 4. 1
GB 3283-82	Vanadium oxide	82.7.8		8 3 . 4. 1
GB 3414-82	Mining used steel; Technical conditions	82. 12. 31		83.11.
GB 3415-82	Tractor platform chassis used channel steel	82.12.31		83. 11.
GB 3418-82	Electrolysis metal manganese	82.12.31		83.11.

			· · · · · · · · · · · · · · · · · · ·
Standard ID	Standard Name	Draft R	ev. Impl.
	D canada wante	Year Mo	nth Day
GB 3419-82	Silicon calcium alloy	82.12.31	83.11.1
GB 3420-82	Gray cast iron tube products	82.12.31	83.11.1
GB 3421-82	Sand shaped centrifugal casting iron tube	82.12.31	83. 11. 1
GB 3422-82	Continuously casting iron tube	82.12.31	83.11.1
GB 3 4 23-82	Diamond rock drilling used seamless tube	82.12.31	83. 11. 1
GB 3426-82	Hoister steel rail	82.12.31	83.11.1
GB 3427-82	General rules for steel nail inspection, packing, marking, quality certisfication and transportation	82.12.31	83.11.1
GB 3428-82	Steel wick aluminum twisted wire used, zinc coated steel wire	82.12.31	83. 11. 2
GB 3 4 29-82	Carbon welding rod steel plate	82.12.31	83. 11. 3
GB 3522-83	Cold-rolled, quality carbon structure steel belts	83.3.4	83. 12. 1
GB 352 4-8 3	Hot-rolled, general carbon structure steel belts	83.3.4	83. 12. 1
GB 3525-83	Spring steel, tool steel, cold-rolled belt	83.3.4	83.12.
GB 3526-83	Low carbon steel, cold-rolled belts	83.3.4	83.12.1
GB 3527-83	Shaver blade used, cold-rolled steel belts	83.3.4	83, 12,
GB 3528-83	Watch used cold-rolled, carbon tool steel belts	83.3.4	83.12.
GB 3529-83	Saw blade used, cold- 47	83.3.4	83. 12.

•

Standard ID	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
	rolled steel belts			
GB 3530-83	Thermal treated spring steel belts	83.3.4		83.12.1
GB 3531-83	Low temperature pressurized container used low alloy, thick steel plates; Technical conditions	83.3.4		83 . 12 . 1
GB 3639-83	Cold-draw or cold-rolled, precision seamless tube	83.5.2		84.3.1
GB 3640-83	General carbon steel electric wire sleeve pipe	83.5.2		84.3.1
GB 3641-83	P type zinc coated, mētal hose	83.5.2		84.3.1
SP 36 4 2- 83	S shape drill steel welding stainless steel, metal hose	83.5.2		84.3.1
GB 3643-83	Bicycle chain used, cold-rolled steel belts	83.5.2		84.3.1
GB 3644-83	Bicycle used cold-rolled, carbon wide steel belts and steel plates	83.5.2		84.3.1
GB 3645-83	Bicycle used hot-rolled, carbon wide steel belts	83.5.2		84.3.1
GB 36 46-83	Bicycle used cold-rolled, steel belts	83.5.2		84.3.1
GB 3647-83	Bicycle used hot-rolled, steel belts	83.5.2		84.3.1
GB 3648-83	Tungsten iron	83.5.2		84.3.1
GB 3649-83	molybdenum iron	83.5.2		84.3.1
GB 3650-83	General rules for iron alloy acceptance, packing, storage transportation, marking, and quality certification	83.5.2		84.3.1

C

Standard	ID Standard Name	Draft	Rev.	Impl.
Standard	TD Standard Name	Year	Month	Day
GB 3795-83	Manganese iron	83.7.7		84.6.1
GB 4007-83	Blast furnace manganese iron	83. 12. 14		84. 11. 1
GB 4008-83	Manganese silicon alloy	83.12.14		84. 11. 1
GB 4009-8:	Silicon chromium alloy	83.12.14		84. 11. 1
	[Color metal and Alloy	Products		
GB 340-76	Brand designation method for color metal and alloy products	64. 9. 5	76. 9. 8	77. 7. 1
GB 466-82	Copper classification	64. 12. 11	82.6.21	83.3.1
GB 467-82	Electrolytic copper	64. 12. 11	82.6.21	83.3.1
GB 468-82	Electric engineering used copper wire ingot	64. 12. 11	82.6.21	83. 3. 1
GB 4 69-83	Lead ingot	64. 12. 11	83.2.21	83. 12. 1
GB 470-83	Zinc ingot	64. 12. 11	83.2.21	83.12.1
GB 728-65	Tin classification and technical conditions	65. 6. 24		66. 1. 1
GB 913-66	Mercury classification and technical conditions	65. 6. 24		66. 10. 1
GB 914-66	Carmium classification and technical conditions	65. 6. 24		66, 10, 1
GB 915-66	Bisbuth classification and technical conditions	65. 6. 24		66, 10, 1
GB 1196-8	Remelting used aluminum ingot; Technical conditions	75. 1. 22	83.2.21	83. 12. 1
GB 1197-75	Aluminum wire ingot	75. 1. 22		75. 10. 1
GB 1419-78	Sponge platinum	78. 9. 29		79. 7. 1

GB 1420-78

GB 1421-78

49

Sponge palladium

Rhodium powder

78. 9. 29

78. 9. 29

79. 7. 1

79.7.1

Standard ID	Standard Name	Draft	Rev.	Impl.
Standard ID	L CONTRACTO NAME	Year	Month	Day
GB 1422-78	Iridium powder	78. 9. 29		79. 7. 1
GB 1470-79	Aluminum and aluminum- stibium alloy plate	79. 2. 1		79. 10. 1
GB 1471-79	Lead anode plate	79. 2. 1		79. 10. 1
GB 1472-79	Lead and lead- stibium alloy tube	79.2.1		79. 10. 1
GB 1473-79	Lead and lead- stibium alloy bar	79.2.1		79. 10. 1
GB 1473-79	Lead and lead- stibium alloy bar	79.2.1		79. 10. 1
GB 1474-79	Lead and lead- stibium alloy wire	79.2.1		79. 10. 1
3B 1475-79 3B 1476-79	Gallium Teilurium	79. 2. 1 3 79. 2. 1 3		. 79. 10. 1 79. 10. 1
GB 1477-79	Selenium	79. 2. 1 3		79. 10. 1
GB 1478-79	Thallium	79. 2. 1 3		79. 10. 1
GB 1527-79	Draw made copper tube	79. 4. 20		80.1.1
GB 1528-79	Squeeze made copper tube	79.4.20		80.1.1
GB 1529-79	Draw made brass tube	79.4.20		80.1.1
GB 1530-79	Squeeze made brass tube	79. 4. 20		80.1.1
GB 1531-79	Copper and copper alloy capillary	79. 4. 20		80.1.1
GB 1598-79	Industrial thermal- couple used, platinum- rhodium 13 - platinum couple thread	79. 11. 23		80. 8. 1
GB 1599-79	Stibium classification and technical conditions	79, 11, 23		80. 8. 1
GB 1773-79	Shining silver powder	79, 11, 23		80. 8. 1
GB 1774-79	Extra fine silver powder	79. 11. 23		80. 8. 1

Standard ID	Standard Name	Draft Rev.	Impl.
		Year Month	Day
GB 1775-79	Extra fine gold powder	79. 11. 23	80. 8. 1
GB 1776-79	Extra fine platinum powder	79. 11. 23	80.8.1
GB 1777-79	Extra fine palladium powder	79. 11. 23	80. 8. 1
GB 1837-80	Exclusive used, pure copper plates	80. 1. 31	80. 9. 1
GB 1977-80	Photographic plate marking used, microcrystal zinc plates	80. 6. 19	81.1.1
GB 1978-80	Battery zinc plates	80. 6. 19	81.1.1
GB 2040-80	Pure copper plates	80.11.11	81.10.1
GB 20 4 1-80	Brass plates	80. 11. 11	81. 10. 1
GB 2042-80	Complicate brass plates	80.11.11	81.10.1
GB 2043-80	Aluminum bronze plates	80.11.11	81, 10, 1
CB 2044-80	Cadminum bronze plates	80.11.11	81.10.1
GB 2045-80	Chromium bronze plates	80.11.11	81.10.1
GB 20 4 6-80	Manganese bronze plates	80.11.11	81.10.1
GB 2047-80	Silicon bronze plates	80. 11. 11	81.10.1
GB 2048-80	Tin bronze plates	80.11.11	81.10.1
GB 2049-80	Tin zinc lead bronze plates	80.11.11	81.10.1
GB 2050-80	General copper-nickel alloy	80.11.11	81. 10. 1
GB 2051-80	Aluminum copper-nickel alloy (BA1 6-1.5, BA1 13-3) plates	80.11.11	81.10.1
GB 2052-80	Manganese copper-nickel alloy	80. 11. 11	81 · 10 · 1
GB 2053-80	Zinc copper-nickel alloy	80. 11. 11	81 · 10 · 1
GB 2054-80	Nickel and nickel alloy plates	80. 11. 11	81 · 10 · 1

Standard ID	Standard Name	Draft	Rev. Impi.
Standard ID	Standard Name	Year	Month Day
GB 2055-80	Cadmium anode plates	80.11.11	81. 10. 1
GB 2056-80	Copper anode plates	80.11.11	81. 10. 1
GB 2057-80	Nickel anode plates	80.11.11	81.10.1
GB 2058-80	Zinc anode plates	80.11.11	81.10.1
GB 2059-80	Pure copper belts	80.11.11	81.10.1
GB 2060-80	Brass belts	80.11.11	81. 10. 1
GB 2061-80	Radiator fin exclusively used copper belts, brass belts	80.11.11	81. 10. 1
GB 2062-80	Aluminum bronze belts	80. 11. 11	81, 10, 1
GB 2063-80	Cadmium bronze belts	80.11.11	81. 10. 1
GB 2054-80	Manganese bronze belts	80.11.11	81, 10, 1
GE 2065-80	Silicon bronze belts	80.11.11	81. 10. 1
GB 2066-80	Tin bronze belts	80.11.11	81, 10, 1
GB 2067-80	Tin zinc lead bronze belts	80.11.11	81, 10, 1
GB 2068-80	General copper-nickel alloy belts	80.11.11	81. 10. 1
GB 2069-80	Aluminum copper-nickel alloy (BA1 6-1.5, BA1 13-3) belts	80. 11. 11	81. 10. 1
GB 2070-80	Manganese copper-nickel alloy belts	80.11.11	81. 10. 1
GB 2071-80	Zinc copper-nickel alloy belts	80. 11. 11	81. 10. 1
GB 2072-80	Nickel and nickel alloy belts	80.11.11	81.10.1
GB 2073-80	Bimetal belts	80. 11. 11	81. 10. 1
GB 2082-80	Industrial aluminum powder	80 - 11 - 11	81. 🕏. 1
GB 2083-80	Paint aluminum powder 52	80-11-11	81. 🍎. 1

•

Standard ID	Standard Name	Draft	Rev. Impl
Standard ID	Standard Ivalie	Year	Month Day
GB 2084-80	Gas making aluminum powder	80.11.11	81. 🔏.
CB 2085-80	Inflammable aluminum powder	80. 11. 11	81. 🔏.
GB - 2086-80	Inflammable aluminum fine powder	80. 11. 11	81. 26 .
GB 252 4- 81	Sponge titanium	81.3.25	82.1.1
GB 2525-81	Metal cerium	81.3.25	82.1.1
3B 2526-81	Gadolinium oxide	81.3.25	82.1.1
3B 2528-81	Tin anode plates	81.3.25	82.1.1
GB 2529-81	Copper electric conductance plates	81.3.25	82.1.1
TP 2530-81	Photographic plate marking used copper plates	81.3.25	82, 1, 1
GB 2531-61	Brass plate used as a fixing plate in heat exchanger	81.3.25	82.1.1
GB 2532-81	Water tank major plates and water chamber used, brass plates and belts	81.3.25	82.1.1
GB 2533-81	Yarn tube exclusively used brass belts	81.3.25	82.1.1
GB 2534-81	Capacitor exclusively used brass belts	81.3.25	82.1.1
GB 2535-81	Gas intake wick used brass belts	81.3.25	82.1.1
GB 2882-81	Nickel and nickel brass alloy tube; Technical conditions	81. 12. 30	82.10.
GB 12965-82	Titanium and titanium alloy bar products	82.3.22	83.1.1
GB 2966+82	Quality TC titanium alloy bar products	82 - 3 - 22	83 · 1 · 1

CONSISTENCIAL SECURICAL PROPERTY OF PROPERTY OF SECURICAL PROPERTY

Cample Th	Standard Name	Draft	Rev. Impl.
Standard ID	Standard Name	Year	Month Day
GB 2967-82	Casting tungsten carbonide	82.3.22	83.1.1
GB 2968-82	Metal samarium Technical conditions	82.3.22	83.1.1
GB 2969-82	Samarium oxide; Technical conditions	82.3.22	83.1.1
GB 3109-82	Pure copper wire	82.5.29	83.3.1
GB 3110-82	Brass wire	82.5.29	83.3.1
GB 3111-82	Tin brass wire	82.5.29	83.3.1
GB 3112-82	Lead brass wire	82.5.29	83.3.1
GB 3113-82	Nickel copper alloy wire	82.5.29	83.3.1
GB 3114-82	Brass flat wire	82.5.29	83.3.1
GB 3115-82	Screw used brass wire	82.5.29	83 · 3 · 1
GB 3116-82	Ball pencil lead used lead brass wire	82.5.29	83.3.1
GB 3117-82	Rivet used copper wire and brass wire	82.5.29	83.3.1
GB 3118-82	Bicycle wire cap used brass wire	82.5.29	83.3.1
GB 3119-82	Oxygen-free copper wire	82.5.29	83.3.1
GB 3120-82	Nickel wire	82.5.29	83.3.1
GB 3121-82	Electric vacuum apparatus used nickel and nickel alloy wire	82.5.29	83.3.1
GB 3122-82	Cadmium bronze wire	82.5.29	83.3.1
GB 3123-82	Silicon bronze wire	82.5.29	83.3.1
GB 312 4-8 2	Tin bronze wire	82.5.29	83.3.1
GB 3125-82	Nickel-copper alloy wire	82.5.29	83.3.1
GB 3126-82	Cleaner used brass wire	82.5.29	83.3.1
GB 3127-82	Gas light used triangle 54	82.5.29	83.3.1

Standard ID	Standard Name	Draft	Rev.	Impl.
2 faudato ID	Standard Name	Year	Month	Day
	brass wire			
GB 3128-82	Screen used tin bronze	82.5.29		83.3.1
GB 3129-82	Aluminum titanium alloy wire	82.5.29		83.3.1
GB 3130-82	Lock making used brass wire	82.5.29		83.3.1
GB 3131-82	Tin lead welding material	82.5.29		83.3.1
GB 3132-82	Fuse lead wire	82.5.29		83.3.1
GB 3133-82	Clock used brass wire	82.5.29		83.3.1
GB 3134-82	Beryllium bronze wire	82.5.29		83.3.1
GB 3135-82	Industrial pure beryllium oxide powder; Technical conditions	82. 5. 29		83.3.1
GB 3136-82	Capacitor used tantalum powder; Technical conditions	82.5.29		83.3.1
GB 3190-82	Chemical composition of aluminum and aluminum alloy machining products	82. 9. 16		83.6.1
GB 3191-82	aluminum and aluminum alloy squeezed bar products	82. 9. 16		83.6.1
GB 3192-82	High strength aluminum alloy squeezed bar	82. 9. 16		83. 6. 1
GB 3193-82	Aluminum and aluminum alloy hot-rolled plates	82. 9. 16		83. 6. 1
GB 3194-82	Dimensions and error allowance for aluminum and aluminum alloy plates products	82. 9. 16		83.6.1
GB 3195-82	Electric conductance used aluminum wire	82. 9. 16		83. 6. 1
GB 3196-82	Rivet used, aluminum and aluminum alloy 55	82. 9. 16		83 . 6 . 1

©

Ctondond ID	Standard Nava	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
	wire products			
GB 3197-82	Welding rod used, aluminum and aluminum alloy wire products	82. 9. 16		83. 6. 1
GB 3198-82	Industrial used pure aluminum foil	82. 9. 16		83. 6. 1
GB 3199-82	Aluminum and aluminum alloy machining products packing, marking, transportation and storage	82. 9. 16		83. 6. 1
GB 3211-82	Metal chromium	82. 9. 23		83.7.1
GB 3457-82	Tungsten oxide; Technical conditions	82.12.31		83.10.1
GB 3458-82	Tungsten powder; Technical conditions	82.12.31		83. 10. 1
GB 3459-82	Tungsten rod	82.12.31		83. 10. 1
GB 3461-82	Molybdenum powder, Technical conditions	82.12.31		83. 10. 1
GB 3462-82	Molybdenum rod and molybdenum plate base	82.12.31		83. 10. 1
GB 3463-82	Capacitor lead used tantalum wire	82.12.31		83. 10. 1
GB 3494-83	Direct method zinc oxide	83.2.21		83. 12. 1
GB 3495-83	Arsenic	83.2.21		83. 12. 1
GB 3496-83	Offset printing zinc plates	83. 2. 21		83. 12. 1
GB 3499-83	Remelting used magnesium ingot	83.2.21		83. 12. 1
GB 3501-83	Extra fine hydrated ruthenium oxide; Technical conditions	83.2.21		83. 12. 1
GB 3502-83	Extra fine palladium oxide powder;	83.2.21		83.12.1

(1)

Ŵ

Standard ID	Standard Name	Draft	Rev.	Impl.
Standard ID		Year	Month	Day
	Technical conditions	 		· · · · · · · · · · · · · · · · · · ·
GB 3503-83	Color television fluorescent yttrium oxide; Technical conditions	83.2.21		83. 12. 1
GB 3504-83	Color television fluorescent europium oxide; Technical conditions	83.2.21		83.12.1
GB 3610-83	Battery zinc disk	83. 4. 16		84.2.1
GB 3614-83	Aluminum alloy foil	83.4.16		84.2.1
GB 3615-83	Electrolytic capacitor used aluminum foil	83. 4. 16		84.2.1
GB 3616-83	Electric power and general organic medium capacitor used aluminum foil	83.4.16		84.2.1
6E 3617-83	Watch disk and decoration used aluminum and aluminum plates	83.4.16		84.2.1
GB 3618-83	Aluminum and aluminum alloy figured plates	83. 4. 16		84.2.1
GB 3619-83	Textile warp knitting machine disk used, aluminum alloy forged products	83. 4. 16		84.2.1
GB 3620-83	Brand and chemical composition of titanium and titanium alloy	83.4.16		84.2.1
GB 3621-83	Titanium and titanium alloy plate products	83. 4. 16		84.2.1
GB 3622-83	Titanium belt products	83 . 4 . 16		84.2.1
GB 3623-83	Titanium and titanium alloy wire	83. 4. 16		84.2.1
GB 3624-83	Titanium and titanium alloy seamless tube	83. 4. 16		84.2.1
GB 3625-83	Heat exchanger and freezer used seamless tube	83. 4. 16		84.2.1

2234 1000000000 10026530

CONTROL OF THE PROPERTY OF THE

Ç.

Standard ID	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month Day	
GB 3626-83	Tantalum oxide; Technical conditions	83. 4. 16	84	2.1
GB 3627-83	Niobium oxide; Technical conditions	83. 4. 16	84	2.1
SB 3628-83	Capacitor used aluminum foil	83. 4. 16	84	2.1
SB 3629-83	Tantalum and tantalum alloy plate products, belt products, and foil products	83. 4. 16	84.	2.1
3630-83	Niobium plate products belt products, and foil products	83. 4. 16	84	2.1
SB 3875-83	Tungsten plates	83. 10. 10	84	10.1
\$B აგ76−83	Molybdenum and molybdenum alloy plates	83. 10. 10	. 84	10.1
GB 3877-83	Molybdenum foil	83. 10. 10	84	10.1
GB 3880-83	Aluminum and aluminum alloy plates	83. 10. 10	84	10. 1
GB 3881-83	Connecting used aluminum alloy plates	83. 10. 10	84	. 10. 1
3989-83	Nickel coat aluminum compound powder	83. 12. 12	84	. 11. 1
SB 3990-83	Nickel coat aluminum oxide compound powder	83. 12. 12	84	. 11. 1
3B 3991-83	Cobalt coat tungsten carbide compound powder	83. 12. 12	84	. 11. 1
;R 3 99 2-83	Nickel coat chromium compound powder	83. 12. 12	84	. 11. 1
GB 3993-83	Nickel coat copper compound powder	83. 12. 12	84	11.1
GB 4062-83	Stibium oxide	83.12.20	84	. 12. 1

Ğ

Mg.

Ctondend ID	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
	[Powder Metallurgy	']		
GB 2075-80	Classification, categorization and designation for cutting machining used hard alloy	80.11.11		81. 9. 1
GB 2076-80	Type designation rules for cutting tool used rotatable blade	80.11.11		81. 9. 1
GB 2076-80	Cutting tool used rotatable blade type	80.11.11		81. 9. 1
GB 2077-80	Round angle radius for hard alloy, rotatable blade	80.11.11		81. 9. 1
GB 2078-80	Round hole, hard alloy rotatable blade	80.11.11		81.9.1
GB 2079-80	Holeless, hard alloy rotatable blade	80.11.11	·	81.9.1
GB 2080-80	Deep hole, hard alloy rotatable blade	80.11.11		81. 9. 1
GB 2081-80	Rotatable blade of hard alloy used in milling cutter tool	80.11.11		81. 9. 1
GB 2527-81	Hard alloy tooth used in mine and oil field drilling tool	81.3.25		82.1.1
GB 3456-82	Hard alloy hammer and pressurized cylinder	82.12.31		83. 10. 1
GB 3488-83	Hard alloy - micro- structure metallographic examination	83.2.21		83.12.1
GB 3 489-83	Hard alloy - porosity and non-chemical compounded carbon metallographic examination	83.2.21		83. 12. 1
GB 3500-83	Powder metallurgy terminology	83.2.21		83 . 12 . 1

Standard ID	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
GB 3611-83	Hard alloy blank used in standard cold upsetting mold	83. 4. 16		84 . 2. 1
3B 3612-83	Hard alloy blank used in measuring tool	83. 4. 16	•	84.2.1
GB 3613-83	Steel ball, cold-dieing mold, hard alloy blank	83.4.16		84.2.1
GB 3848-83	Measurement of strong (magnetic) force for hard alloy	83. 9. 8		84. 9. 1
GB 3849-83	Test of Rockwell hardness for hard alloy	83. 9. 8		84. 9. 1
GB 3850-83	Density measurement for compact sintering metal material and hard alloy	83. 9. 8		84. 9. 1
GB 3851-83	Measurement of the cross section breaking strength for hard alloy	83, 9, 8		84. 9. 1
GB 3878-83	Inner discharging, deep hole drilling used hard alloy blade	83. 10. 10		84. 10. 1
GB 3879-83	Steel agglutinated, hard alloy material blank	83. 10. 10		84. 10. 1
	[Semiconductor Mate	riall		
GB 2881-81	Industrial silicon; Technical conditions	81.12.30		82.10.1
GB 4057-83	Examination of chemical erosion for micro-defect of silicon single crystal	83. 12. 20		84. 12. 1
GB 4058-83	Thermal oxidation - examination of chemical erosion for micro-defect of silicon single crystal	83. 12. 20		84. 12. 1

C

(8)

C4 made and Th	Standard Name	Draft	Rev.	Imp1.
Standard ID	Standard Name	Year	Month	Day
GB 4059-83	Examination of melted phosphorus for silicon multiple-crystal in its gas zone	83. 12. 20		84. 12. 1
GE 4060-83	Examination of melted boron for silicon multiple-crystal in its vacuum zone	83. 12. 20		84. 12. 1
GB 4061-83	Examination of chemical erosion for cracking layers of silicon multiple-crystal	83.12.20		84. 12. 1

Standard ID	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day

J MACHINERY

[Machinery Synopsis]

GB	126-74	Mechanical drawing; General rules	59. 6. 5	74. 12. 13	75. 5. 1
GB	128-74	Mechanical drawing; Draft drawing method	59. 6. 5	74. 12. 13	75. 5. 1
GB	129-74	Mechanical drawing; Dimension indication	59. 6. 5	74. 12. 13	75. 5. 1
GB	130-74	Mechanical drawing; Dimension tolerance indication	59. 6. 5	74. 12. 13	75.5.1
GB	131-83	Surface characteristic code name (symbol) and its indication	59. 6. 5	83.2.22	85.5.1
GB	133-74	Mechanical drawing; Drawing method for thread, gear, key and spring	59. 6. 5	74. 12. 13	75.5.1
GB	138-74	Mechanical drawing; Designated symbols for mechanism illustration	59. 6. 5	74. 12. 13	75.5.1
GB	140-59	Mechanical drawing; Designated symbols for liquid and gas transporting pipe	59. 6. 5		60.4.1
GB	141-59	Mechanical drawing; Designated symbols in illustrations for pipe parts, accessories and thermal engineering, sanitation engineering, equipment and apparatus	59. 6. 5		60.4.1
GB	145-59	Central hole	59. 6. 3		60.10.1
GB	157-83	Taper and tapper angle series	59. 6. 3	83. 12. 27	85.1.1
GB	158-59	T shape channel	59. 6. 3		60.10.1

(

Standard 1	D Standard Name	Draft	Rev.	Impl.
Stelling 1	5 Standard Name	Year	Month	Day
GB 192-81	General thread; Basic tooth pattern	63.11.1	81.3.14	83.1.1
GB 193-81	General thread; Diameter and pitch series (diameter 1 ~ 600 mm)	63.11.1	81.3.14	83.1.1
GB 194-63	General thread; Diameter 0.25 ~ 0.9 mm Basic dimension	63.11.1		65.7.1
3B 195-63	General thread; Diameter 0.25 ~ 0.9 mm Tolerance	63.11.1		65.7.1
GB 196-81	General thread; Basic dimension (diameter 1 ~ 600 mm)	63.11.1	81.3.14	65.7.1
GB 197-81	General thread; Tolerance and fitting (diameter 1 ~ 355 mm)	63.11.1	81.3.14	65. 7. 1
GB 324-80	Welding gap code name	64. 7. 29	80.5.15	81.1.1
GB 784-65	Trapezoid thread; Tooth pattern and basic dimension	65.11.30		66. 7. 1
GB 785-65	Trapezoid thread; Tolerance	65. 11. 30		66.7.1
GB 786-76	Hydraulic and gas driven drawing symbols	65.12.3	76. 10. 13	3 77.7.1
GB 1031-83	Surface roughness parameters and its value	68. 5. 7	83.2.22	85, 1, 1
GB 1167-74	<pre>Interim fit thread; (Screw into cast iron, steel block)</pre>	74. 10. 26		75. 5. 1
GB 1180-74	<pre>Interim fit thread; (Screw into aluminum block)</pre>	74. 10. 26		75. 5. 1
GB 1181-74	Over fit thread; (Screw into aluminum block)	74. 10. 26		75. 5. 1

Standard ID	Standard Name	Draft	Rev.	Impl.
Standard in	Standard Name	Year	Month	Day
GB 1182-80	Shape and location tolerance; Code name and its designation	74. 12. 13	80. 5. 20	81.7.1
GB 1183-80	Shape and location tolerance; Terminology and definition	74. 12. 13	80.5.20	81.7.1
GB 1184-80	Shape and location tolerance; Rule for non-designated tolerance	74. 12. 13	80.5.20	81.7.1
38 1356-78	Gradually open line cylindrical gear; Basic tooth pattern	78.2.6		79. 1. 1
3B 1357-78	Gradually open line cylindrical gear; Modulus	78.2.6		79. 1. 1
\$ <u>1414-76</u> •	General thread used in pipe screw in end; Dimension series	78. 8. 15		80, 5, 1
3B 1415-78	Metric conical thread	78. 8. 15		80.5.1
SB 1800-79	Tolerance and fitting; General discussion; Standard tolerance and basic bias	79. 12. 13		80.7.1
35 1801-79	Tolerance and fitting; Tolerance margin and fitting for dimension upto 500 mm hole, axle	79. 12. 13		80.7.1
3B 1802-79	Tolerance and fitting; Tolerance margin for dimension greater than 500 less than 3150 mm common used hole and axle	79. 12. 13		80.7.1
3B 1803-79	Tolerance and fitting; Tolerance margin for dimension upto 18 mm hole and axle	79. 12. 13		80.7.1
GB 1804-79	Tolerance and fitting	79. 12. 13		80.7.1

Standard ID	Standard Name	Draft	Rev.	Impl.
		Year	Month	Day
	Non-designated tolerance bias limit			
GB 1840-80	Arc cylindrical gear modulus	80.1.31		80, 10, 1
GB 1859-80	Internal combustion engine noise determination method	80.3.3		80. 9. 1
GB 1958-80	Shape and location tolerance; Inspection rules	80.5.20		81.7.1
GB 2362-80	Small modulus gradually open line cylindrical gear basic tooth pattern	80. 12. 31		81, 10, 1
GB 2363-80	Small modulus gradually open line cylindrical gear precision standard	80, 12, 31		81, 10, 1
3B 25 5-81	General thread terminology	81.3.14		83, 1, 1
GB 2516-81	General thread bias table (diameter 1 ~ 355 mm)	81.3.14		83, 1, 1
GB 2821-81	Gear geometrical key elements code name	81, 12, 16		82, 10, 1
GB 2822-81	Standard size	81. 12. 16		82, 10, 1
GB 3478.1-83	Cylindrical straight tooth gradually open pattern key (tooth side fitting) modulus, basic tooth pattern, tolerance	81 · 1 · 31		84.1.1
GB 3478.2-83	Cylindrical straight tooth gradually open pattern key (tooth side fitting) dimension table	81.1.31		84 . i. i
GB 3 48 0-83	Gradually open line cylindrical gear loading capability calculation method	81.1.31		84.1.1
GB 3481-83	Gear tooth damage terminology, characteristic and cause	81, 1, 31		84.1.1

()

Standard ID	Standard Name	Draft	Rev.	Imp:
		Year	Month	Day
GB 3505-83	Surface roughness; Terminology for surface and its parameters	83 · 2 · 22		85.1.1
GB 40%-83	Pyramid angle and slop series	83 · 12 · 27		85.1.1
	(Common Use Part	1		
GB 2-76	Dimension of bolt, screw and double end bolt.	58. 10. 7 7	76, 10, 13	77. 10. 1
(₽ ±-79	Thread ending, pitch, knife removing slot and chamfer	58, 10, 7, 7	79, 12, 16	80.7.1
(B) 5~76.	Hexagonal head tap bolt (unfinished)	58. 10. 7-7	76. 10. 13	77. 10. 1
¹⁷ (,	Square head tap bolt funfinished:	58.10.7	76. 10. 13	77 10.1
√B 10+76	Socket head square neck bolt unfinished:	58, 10, 7	76. 10. 13	77. 10. 1
Ø B (11−76	Socket head square bolt with tenon (unfinished)	58, 10, 7	76. 10. 13	7 7. 10. 1
3P 12 - 7F	Round head square neck bolt unfinished)	58, 10, 7, 7	76. 10. 13	77. 10. 1
GB 13+76	Round head carriage bolt with tenson (unfinished)	58. 10. 7	76. 1% 1	5 7 7. 10. 1
GE 14-76	Round head, square neck step boit (unfinished)	58. 10. 7	76. 10. 13	77. 10. 1
6B 16-76	Round head step bolt with tenson (unfinished)	58, 10, 7, 3	76. 10. 13	77. 10. 1
GB 21-76	Small hexagonal head tap	56, 10, 7	76. 10. 13	77. 10. 1
GR 22-76	Small hexagonal head tap bolt with guided neck	58, 10, 7, 3	76. 10. 13	77. 10-1
GB 23-76	Small hexagonal head boit with hole in rod	58.10.7	76, 10, 13	77.10.1

C+ and and It	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
oB4-76	Small hexagonal nead bolt with guided neck and hole in rod	58. 10. 7	76. 10. 13	77. 10. 1
GB 176-76	Small hexagonal head boit with hole in head	58. 10. 7	76. 10. 13	77. 10. 1
SB (26) 76	Small hexagonal head bolt with guided neck and hole in head	58. 10. 7	76. 10. 13	77. 10. 1
F . /= /r.	Machine cut small hexagonal nole use bolt	58. 10. 7	76. 10. 13	77. 10. 1
.3 - <u>2</u> -4+ 7•,	Machine cut small hexagonal noie use bolt with hole in rod	58. 10. 7	76. 10. 13	77. 10. 1
4. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	Hexagon slotted head blot	58, 10, 7	76. 10. 13	77. 10. 1
je o o o o o o o o o o o o o o o o o o o	Hexagonal head tap bolt	58, 10, 7	76. 10. 13	77. 10. 1
	mexagonal nead tap boit with hole in rod	58, 10, 7	76. 10. 13	77. 10. 1
7 p. 3 2 7 p.	Hexagonal head tap bolt with hole in head	58. 10. 7	76. 10. 13	77. 10. 1
P → F = 7P	Small square head bolt	58. 10. 7	76. 10. 13	77. 10. 1
B 7-76	Groove use T shaped bolt	58. 10. 7	76. 10. 13	77. 10. 1
r 18 76	Nut Technical conditions	58, 10, 7	76. 10. 13	77. 10. 1
Francisco	Square nut (unfinished)	58. 10. 7	76. 10. 13	77. 10. 1
E 4. 1m	Hexagon nut (unfinished)	58, 10, 7	76. 10. 13	77. 10. 1
E F. 76	Small nexagon nut	58, 10, 7	76. 10. 13	77. 10. 1
ignature Sept	Hexagon nut	58, 10, 7	76. 10. 13	77. 10. 1
J. F. + 16,	Small nexagon thin nut	58, 10, 7	76. 10. 13	77. 10. 1
# +4 /r	Hexagon than nut	58, 10, 7	76, 10, 13	77. 10. 1
B + 1. 16	Hexagon thick nut	58, 10, 7	76, 10, 13	77. 10. 1
B 14 7F	Hexagon extra thick nut	58. 10. 7	76, 10, 13	77. 10. 1

PECCESSION.

Standard ID	Standard Name		Draf		Rev.		Impl.
Standard ID	Standard Name		Yea	ar	Month	D,	ау
GB 57-76	Small hexagon slotted nut	58	3. 10. 7	76.	10.13	77	10.1
GB 58-76	Hexagon slotted nut	58	3. 10. 7	76.	10.13	77	. 10. 1
GB 59-76	Small hexagon slotted nut	58	3. 10. 7	76.	10.13	77	10.1
GB 60-76	Hexagon slotted thin nut	5	8. 10. 7	76.	10.13	77	. 10. 1
GB 61-76	Nut; Technical conditions	58	3. 10. 7	76.	10. 13	77	. 10. 1
GB 62-76	Butterfly nut	58	3. 10. 7	76.	10.13	77	. 10. 1
GB 63-76	Annular nut	58	8. 10. 7	76.	10. 13	77	. 10. 1
GB 65-76	Cylindrical head screw	58	3. 10. 7	76.	10.13	77	10.1
GB 66-76	Round surface cylindrical head screw	58	3. 10. 7	76.	10.13	77	. 10. 1
GB 67-76	Round head screw	5	8. 10. 7	76.	10.13	77	. 10. 1
3B 56-76	Socket head screw	58	3. 10. 7	76.	10.13	77	. 10. 1
3B 69-76	Semi socket head screw	51	B. 10. 7	76.	10.13	77	. 10. 1
GB 70-76	Hexagon socket head screw	58	3. 10. 7	76.	10.13	77	. 10. 1
GB 71-76	Cone end pressed screw	58	3. 10. 7	76.	10.13	77	10.1
GB 72-76	Cone end fixed screw	58	3. 10. 7	76.	10.13	77.	10.1
GB 73-76	Flat end pressed screw	58	3. 10. 7	76.	10.13	77	10.1
GB 74-76	Cup end pressed screw	58	3. 10. 7	76.	10.13	77	10.1
GB 75-76	Half dog end pressed screw	58	3. 10. 7	76.	10.13	77	10.1
GB 77-76	Hexagon socket flat end pressed screw	58	3. 10. 7	76.	10. 13	77.	10.1
GB 78-76	Hexagon socket cone end pressed screw	58	3. 10. 7	76.	10.13	77	. 10. 1
GB 79-76	Hexagon socket half dog end pressed screw	58	8. 10. 7	76.	10.13	77	. 10. 1
GB 80-76	Hexagon socket cup end pressed screw	58	8. 10. 7	76.	10.13	77	. 10. 1

Control of the contro

Standard ID	Standard Name		Draft		Rev.	Ţ	Impl.
Standard ID	Standard Name		Yea	ir	Month	D	ay
GB 83-76	Square head cone end pressed screw	58	. 10. 7	76	. 10. 13	77	. 10. 1
GB 84-76	Square head cup end pressed screw	58	. 10. 7	76	. 10. 13	77	. 10. 1
GB 85-76	Square head half dog end, pressed screw	58	. 10. 7	76	. 10. 13	77	. 10. 1
GB 86-76	Square head step end, pressed screw	58	. 10. 7	76	. 10. 13	77	. 10. 1
GB 89-76	Screw Technical conditions	58	. 10. 7	76	. 10. 13	7 7	. 10. 1
GB 90-76	Tight elements; Acceptance rule, packing and marking	58	. 10. 7	76	. 10. 13	77	. 10. 1
GB 91-76	Split pin	58	. 10. 7	76	. 10. 13	77	. 10. 1
GB 93-76	Spring lock washer	58	. 10. 7	76	. 10. 13	7 7	. 10. 1
GB 94-76 .	Spring lock washer; Technical conditions	58	. 10. 7	76	. 10. 13	77	. 10. 1
GB 95-76	Washer (unfinished)	58	. 10. 7	76	. 10. 13	77	. 10. 1
GB 96-76	Large washer (unfinished)	58	. 10. 7	76	. 10. 13	77	. 10. 1
GB 97-76	Washer	58	. 10. 7	76	. 10. 13	77	. 10. 1
GB 98-76	Washer; Technical conditions	58	. 10. 7	76	. 10. 13	77	. 10. 1
GB 99-76	Round head wood screw	58	. 10. 7	76	. 10. 13	77	. 10. 1
GB 100-76	Socket head wood screw	58	. 10. 7	76	. 10. 13	77	. 10. 1
GB 101-76	Semi-socket head wood screw	58	. 10. 7	76	. 10. 13	77	. 10. 1
GB 102-76	Hexagonal head screw head	58	. 10. 7	76	. 10. 13	77	. 10. 1
GB 109-76	Flat-top rivet	58	. 10. 7	76	. 10. 13	77	. 10. 1
GB 116-76	Rivet; Technical conditions	58	. 10. 7	76	. 10. 13	77	. 10. 1
GB 117-76	Taper pin	58	. 10. 7	76	. 10. 13	77	. 10. 1
GB 118-76	Taper pin with internal	58	. 10. 7	76	. 10. 13	77	. 10. 1

Standard ID	Standard Name		Draft		Rev.		Impl.
Standard ID	Standard Name		Yea	ar	Month	D	вy
	thread						·8_ ·· · · · · · · · · · · · · · · · · ·
GB 119-76	Cylindrical pin	58	. 10. 7	76	10.13	77	. 10. 1
GB 118-76	Cylindrical pin with internal thread	ì	58, 10,	7	76. 10.	13	77. 10. 1
GB 121-76	Pins; Technical conditions	58	. 10. 7	76	10.13	77	. 10. 1
3B 152-76	Dimensions of tight element holes and socket head	59	. 6. 3	76	10.13	77	. 10. 1
3B 271-64	Roller bearing; Crassification	64	. 4. 8			ს 5	. 1. 1
4B 1172-64	Roller bearing Index	64	4.8			65	. 1. 1
4B 273:1-81	Standard external dimension of the tapered type roller tearing	64	. 4 . 8	81	6.24	82	. 1. 1
ਜ਼ 1.3 % ਹ= ਰ 1 ਹ	standard external dimension of the thrust bearing	64	. 4. 6	вi	. 6. 24	ġ"	. 1. 1
SB 273, 3-81	Roller bearing; General plan of the radial bearing external dimensions	64	. 4 . 8	82	. 12. 30	83	. 11. 1
(B. 27 4 - <i>8</i> 2	Roller bearing; Limit of assembling chamfer	64	4.8	82	. 12. 30	83	. 11. 1
B 276-64	Roller bearing; Fitting	64	. 4 . 8			65	. 1 . 1
-6-276-82	spherical roller bearing; External dimensions	64	. 4. 8	82	. 8. 26	83.	8. 1
(E.,77 B≥	External dimensions of a spherical roller bearing whose outside ring has stopping slot	64	. 4. 8	82	. 8. 26	83.	8. 1
Æ .73-нд	external dimensions of a spherical roller bearing with dust cover	64	. 4 . 8	82	. 8. 26	83.	B-1
JB J/794- J4	Single row spherical bearing with seal ring; Structure type and basic	h4	. 4. н	79	. 8. 29	80.	7 1

		T			·	· · · · · · · · · · · · · · · · · · ·
Standard	ID	Standard Name		Draft	Rev.	Impì
				Year	Month	Day
	•	dimension		· - ·		<u>-</u>
SB 280-64	1	Single row spherical bearing with felt seal ring; Structure type and basic dimension	64	. 4. 8	65	5. 1. 1
B 281-64		Double row radial round surface ball bearing; Structure type and basic dimension	64	. 4. 8	65	5. 1. 1
B .:82-81	,	Adjustable ball bearing which mounts on a pressed case: Structure type and basic dimension	€.4	.4.8 8	1, 11, 30 (32 . 5 . 1
E 253-M1		Cylindrical roller bearing; Structure type and basic dimension	64	. 4 . 8 8	1 6 24 82	2.1.1
2 2 114 114		y.indrical roller bearing without inner and outside collers; Structure type and basic dimension	64	.4.ਏ ਲ	1. to. 24 8.	2 - 1 - 1 - j
B . 85 81		Double row cylindrical roller bearing; Structure type and basic dimension	64	. 4 . 8	1 . 6 . 24 82	2.1.1
n meese4		Double row radial round surface roller bearing; Structure type and basic dimension	64	. 4 . 8	65	5. 1. 1
h .e∹⊹ei		Adjustable roller bearing which mounts on a pressed sase: Structure type and basic dimension	64	. 4. ଖ ଖ	1 · 11 · 30 · 3	32 - 5 - 1
i wa mi		Adjustable roller bearing. Structure type and basic dimension	+,4	.4 н в	1 11 50 1	821511
ngti ji bi di bidi.		Newd,e bearing. Structure type and basic	64	. 4 н	€s!	1 1

Standard ID	Standard Name		Draft		Rev.	Impl.
Standard ID	Standard Name	ľ	Yea	ir	Month	Day
	dimension					
GB 290-82	Needle bearing with only punching outer ring	64	. 4. 8	82	. 8. 26 8.	3. 8. 1
GB 291-64	Screw roller bearing; Structure type and basic dimension	64	. 4. 8	82	. 8. 26 8.	3. 8. 1
GB 292-83	Radial bearing; Angle contact ball bearing External dimensions	64	. 4. 8	83	. 11. 25	84. 9. 1
. Y _ 43=64	Single row radial thrust ball bearing whose lock opening located at inner ring; Structure type and basic dimension	64	. 4. 8		,	65. 1. 1
r , -14 = 0.5	Radial bearing; Four points contact Dall bearing; External dimensions	64	. 4. 8	83	. 11. 25	84. 9. 1
ign jown 65	Radial bearing; Pair assembled, angle contact ball bearing; External dimensions	64	. 4. 8	83	. 11. 25	84. 9. 1
	Double row, radial thrust hall bearing; Structure type and basic dimension	64	. 4. 8		•	65. 1. 1
÷ , - 4 - 4-,4	Single row, tapered roller nearing, structure type and basic dimension	64	. 4. 8		,	65.1.1
. Sec. 1. 14 (4) 4.1 4	Large come angle, single row, tapered roller bearing; Structure type and basic Gimension	64	. 4. ช		,	65/1/1
المراجعة المراجعة	Double Inner ring, double row, tapered roller bearing, structure type and basic oldersion	+,4	4 H			65 ⁶) 1 1

(†

Standard I	D Standard Name	Draft	Rev.	Impl.
Standard 1	Standard Name	Year	Month	Day
GB 300-64	Four row, tapered roller bearing; Structure type and basic dimension	64.4.8		65.1.1
GB 301-64	Single direction, thrust bearing; Structure type and basic dimension	64.4.8		65.1.1
GB 302-64	Dual direction, thrust ball bearing; Structure type and basic dimension	64.4.8		65. 1. 1
GB 303-6 4	Radial, axis-symmetry, round surface, thrust roller bearing; Structure type and basic dimension	64. 4. 8		65.1.1
.% 304.1÷81	Joint bearing crassification	64.4.8	81.6.24	82.1.1
oB 304, 2+81	Joint bearing index	64.4.8	81.6.24	82: 1: 1
GB 304.3-81	Joint bearing fits	64.4.8	81.6.24	82.1.1
GB 304, 4- 81	Radial joint bearing standard external dimensions	64. 4. 8	81. 6. 24	82 · 1 · 1
CB 304, 5-81	E, ES and DS type radial joint bearing; Structure type and basic dimension	64.4.8	81. 6. 2 4	82 · 1 · 1
⊴5 ×04, 6+81	ES-2RS type radial joint bearing; Structure type and basic dimension	64. 4. 8	81. 6. 24	82 · 1 · 1
GB 304, 7-81	C type self lubrication radial joint bearing; Structure type and basic dimension	64.4.8	81. 6. 24	82.1.1
GB 304. 9-81	Radial joint bearing; Technical conditions	64.4.8	81. 6. 24	82 · 1 · 1
08 305-82	Roller bearing;	64.4.8	82. 8. 26	83. 8. 1

Standard ID	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Maine	Yea	r Month	Day
	Dimension and tolerance of the stopping groove and the stopping ring which located at outer ring			
GB 306-81	Roller bearing; Major dimension of the fitting liner nut and lock ring	64.4.8	81.11.30	82.5.1
GB 307-77	Roller bearing; Technical conditions	64.4.8	77.2.26 7	8. 1. 1
SB 308-77	Steel ball	64.4.8	77.2.26 7	8.1.1
SB 309-77	Rolling needle	64.4.8	77.2.26 7	8. 1. 1
3B 310-64	Roller bearing Fixed liner, locknut and stopping ring; Technical conditions	64. 4. 8	€	55. 1. 1
SE 094-67	Type and dimension of the enforced round head, square neck bolts	67.3.6	6	57.7.1
SB 798-76	Moveable joint bolt (unfinished)	66. 11. 17	76. 10. 13	77. 10. 1
GB 799-76	Stud bolt (unfinished)	67. 3. 6	76. 10. 13	77. 10. 1
SB 800-77	Double head, double tenon bolt (unfinished)	77. 5. 22		77. 10. 1
3B 801-77	Semi round head, low square neck bolt (unfinished)	77. 5. 22		77. 10. 1
GB 802-76	Assembly cap nut	67.3.6	76. 10. 13	77. 10. 1
GB 804-76	Round surface hexagon nut	67.3.6	76. 10. 13	77. 10. 1
SB 805-76	Jam nut	67.3.6	76. 10. 13	77. 10. 1
SB 806-76	High knurl nut	67.3.6	76. 10. 13	77. 10. 1
SB 807-76	Thin knurl nut	67. 3. 6	76. 10. 13	77. 10. 1
GB 808-76	Small hexagon, extra thin	67.3.6	76. 10. 13	77. 10. 1

©

Ğ

Standard ID	Standard Name		Draft		Rev.		Impl.
stdudata in	Standard Name		Year		Month	Day	,
	fine thread nut						
GB 809-76	Embed assemble circular nut	67	7.3.6	76	. 10. 13	77.	10.1
GB 810-76	Small circular nut	67	7.3.6	76	. 10. 13	77.	10.1
SB 812-76	Circular nut	67	7.3.6	76	. 10. 13	77.	10.1
GB 815-76	Small circular nut with holes at end surface	67	7.3.6	76	. 10. 13	77.	10.1
SB 816-76	Small circular nut with holes at side surface	67	7.3.6	76	. 10. 13	77.	10.1
SB 817-76	Slotted circular nut	67	7.3.6	76	. 10. 13	77.	10.1
SB 818-76	Cross recess, oval head screw	67	7.3.6	76	. 10. 13	77.	10.1
B 819-76	Cross recess, socket head screw	67	7.3.6	76	. 10. 13	77.	10.1
3B 820-76	Cross recess, semi socket head screw	67	7.3.6	76	. 10. 13	77.	10.1
GB 821-76	Square head, flat end pressed screw	66	5. 11. 17	7	'6. 10. 13	3 7	7. 10. 1
SB 822-76	Cross recess, cylindrical head screw	67	7. 10. 13			7	7. 10. 1
GB 823-76	Cross recess, round surface cylindrical head screw	67	7. 10. 13			7	7. 10. 1
GB 824-76	Spline socket screw	6	7. 10. 13			7	7. 10. 1
SB 825-76	Hanging used screw	67	7.3.6	76	. 10. 13	77	10.1
GB 827-76	Marking used screw	6	7.3.6	76	. 10. 13	77	10.1
GB 828-76	Round surface, cylindrical head fixed screw	67	7.3.6	76	5. 10. 13	77	10.1
GB 829-76	Cylindrical end fixed screw	61	7.3.6	76	5. 10. 13	77	10.1
SE 830-76	Cylindrical end axial screw	67	7.3.6	76	. 10. 13	77.	10.1
SB 831-76	Axial screw without head	67	7.3.6	76	5. 10. 13	77	10.1
SB 832-76	Round surface cylindrical	67	7. 3. 6	7€	. 10. 13	77.	10.1

Standard ID	ard ID Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Walle	Year	Month	Day
	head screw with holes			
GB 833-76	Large cylindrical head screw	67.3.6	76. 10. 13	77. 10. 1
SB 834-76	High knurl head screw	67.3.6	76. 10. 13	77. 10. 1
GB 835-76	Flat knurl head screw	67.3.6	76. 10. 13	77. 10. 1
GB 836-76	Small knurl head screw	67.3.6	76. 10. 13	77. 10. 1
GB 837-76	Round surface, cylindrical head, self locking screw	67.3.6	76. 10. 13	77. 10. 1
GB 838-76	Hexagonal head, self locking screw	67.3.6	76. 10. 13	77. 10. 1
GB 839-76	knurl head, self locking screw	67.3.6	76. 10. 13	77. 10. 1
GB 840-79	Plastic knurl head, self locking screw	69. 12. 18		80.7.1
3B 845-76	Cross recess, oval nead	67.3.6	76, 10, 13	77. 10. 1
SB 846-76	Cross recess, socket head, self tapping screw	67.3.6	76. 10. 13	77. 10. 1
GB 847-76	Cross recess, semi socket head, self tapping screw	67.3.6	76. 10. 13	77. 10. 1
SB 848-76	Small washer	66. 11. 17	76. 10. 13	77. 10. 1
SB 849-76	Round surface washer	66. 11. 17	76, 10, 13	77. 10. 1
3B 850-76	Cone surface washer	66. 11. 17	76. 10. 13	77. 10. 1
GB 851-76	Snap washer	66. 11. 17	76. 10. 13	77. 10. 1
GB 852-76	Steel I beam used, square oblique washer (unfinished)	66. 11. 17	76. 10. 13	77. 10. 1
FB 853-76	Channel iron used, square oblique washer (unfinished)	66. 11. 17	76. 10. 13	77. 10. 1
GB 8 54-7 6	Single ear, locking washer	67. 3. 6	76. 10. 13	77. 10. 1
GB 855-76	Double ear, locking washer	67.3.6	76. 10. 13	77. 10. 1

©

Ç 1	Standard ID		Standard Name	į	Draft	Rev.	Impl
 		10	Standard Name		Year	Month	Day
GB	856-76		External tongue locking washer	67.	3.6	76. 10. 13	77 . 1 0. 1
GB	858-76		Round nut used locking washer	67.	3.6	76. 10. 13	77. 10. 1
GB	859-76		Light spring washer	66.	11.17	76. 10. 13	77. 10. 1
ЗВ	860-79		Saddle spring washer	67.	3.6	76, 10, 13	77. 10. 1
6B	Hin1-79		Internal tooth spring washer	67.	3.6	76, 10, 13	77. 10. 1
ΞŖ	862-79		External tooth spring washer	67.	3.6	76, 10, 13	77. 10. 1
GF.	863-76		Button head rivet (unfinished)	67.	3.6	76. 10. 13	77. 10. 1
GB.	864-76		Cone head rivet (unfinished)	67.	3,6	76. 10. 13	77. 10. 1
÷*			Countersunk nead rivet cunfinished)	67.	3.6	76, 10, 13	77. 10. 1
· 5	meng – 7 és		Semi countersunk head rivet (unfinished)	67.	3,6	76, 10, 13	77. 10. 1
GP.	Hr 7- 7h		Button head rivet	67.	3.6	76, 10, 13	77. 10. 1
ŀΒ	866 - 76		Cone head rivet	67.	3.6	76, 10, 13	77. 10. 1
GB	ньу-74		Countersunk head rivet	67.	3.6	76, 10, 13	77. 10. 1
, B	e70-76		Semi countersunk head rivet	67.	3.6	76. 10. 13	77. 10. 1
E ,	874-76		Flat top button head rivet	67.	3.6	76, 10, 13	77, 10, 1
ς <u>μ</u>	677-76.		Flat nead rivet	67.	3.6	76, 10, 13	77. 10. 1
3E	873-76		Mushroom head semi hollow rivet	67.	3.6	76, 10, 13	77, 10, 1
Ψ,	1074 - 715		120 degree countersunk head semi hollow rivet	ь7.	3.6	76, 10, 13	77, 10 4
ŀ	374,- 74,		Flat head semi hollow rivet	₽7.	3.6	76, 10, 13	77 10 1
, <u>B</u>	H 10, = 10,		Hollow rivet	₽ 7.	₹ 6	76. 10. 13	77.10-1
E,	H 1 76		Spilt tapered pin	Б Ф.	11.1	76 10.15	· · · · · · · · · · · · · · · · · · ·

*

(ē

Standard ID	Standard Name	Ì	Draft		Rev.	I	mpl.
Standard ID	Standard Name		Year	· N	onth	Day	
GB 878-76	Thread cylindrical pin	66	. 11. 17	76.	10.13	77. 1	.0.1
GB 879-76	Spring cylindrical pin	74	. 10. 31	76.	10.13	77. 1	0.1
GB 880-76	Pin with holes	66	. 11. 17	76.	10. 13	77. 1	0.1
3B 881-76	Thread end tapered pin	67	. 3. 6	76.	10.13	77. 1	0.1
JB 882-76	Pin axle	67	. 3. 6	76.	10.13	77. 1	0.1
OB 883-76	Locking ring of the tapered pin	66	. 11. 17	76.	10.13	77. 1	.0.1
E 884-76	Locking ring of the screw	66	. 11. 17	76.	10.13	77. 1	0.1
3B 885-76	Blocking ring of the screw with locking ring	66	. 11. 17	76.	10.13	77. 1	.0.1
3b 886-76	Axle shoulder blocking ring	66	. 11. 17	76.	10.13	77. 1	0.1
المرسعة فريد النج	Hexagon nylon ring jam nut	80	. 4. 2			81.1	. 1
7£ 890-30	Hexagon nylon ring thin jam nut	80	. 4. 2			81.1	. 1
3B 891-76	Blocking ring at axle end of screw	66	. 11. 17	76.	10.13	77. 1	.0.1
3B 892-76	Blocking ring at axle end of bolt	66	. 11. 17	76.	10.13	77. 1	.0.1
-B =+3−7 n	Hole used spring blocking ring	67	. 3. 6	76.	10.13	77. 1	.0.1
√B 594-76	Axie used spring blocking ring	67	. 3. 6	76.	10.13	77. 1	.0.1
্য ব্যাস-76	Steel blocking ring	67	. 3. 6	76.	10.13	77. 1	0.1
√£ £-1h-7h	Snap blocking ring	67	. 3. 6	76.	10. 13	77. 1	.0.1
-H -474-76	Stud (L ₁ =1d)	74	. 10. 31	76.	10.13	77. 1	.0.1
्रीत् चलासम् ^क र्	Stud (L ₄ =1,25d)	74	. 10. 31	76.	10. 13	77. 1	.0.1
} Hadarin	Stud (L _g =1.5d)	74	. 10. 31	76.	10.13	77. 1	.0.1
13: -4(n) - 745	Stud (L.=2d)	74	. 10. 31	76.	10.13	77. 1	0.1

SECTION STATES OF MANNESS STATES STATES STATES STATES STATES STATES STATES STATES

C+ am	Standard ID		ndard ID Standard Name			Draft	T	Rev.		Impi
Stair	Jaru	·	Standard Name		Year	r 1	Month	Day	,	
SB 90	1-76		Equivalent length stud	6	7.3.6	76.	10.13	77.	10.1	
3B 902	2-76		Welding single end stud	67	7.3.6	76.	10.13	77.	10.1	
GB 92	1-76		Locking ring	66	5. 11. 17	76.	10.13	77.	10.1	
GB 92:	2-76		Wood screw and self tapping screw; Technical condition	61	7. 12. 30	76.	10. 13	77.	10.1	
GB 92	3-76		Capped nut	6	7. 3. 6	76.	10.13	77.	10.1	
GB 92	5-7 %		Light hexagon self locking nut	67	7. 12. 30	76.	10.13	7 7.	10.1	
GB 921	7-7 %		Round surface hexagon self locking nut	61	7. 12. 30	77.	7. 22	78.	1.1	
GB 928	8- 80		Nylon ring locking nut; Technical conditions	80	0.4.2			81.	1.1	
VF (42)	7 9		Single lug supported self locking nut	6	7. 12. 30	77.	7.22	78.	1.1	
Gr 930	D-7 4		Double lug supported self locking nut	6	7. 12. 30	77	7. 22	78.	1.1	
GB 93.	i-7 4		Angular supported self locking nut	61	7. 12. 30	77.	7.22	78.	1.1	
Œ 93.	2-7		Air tight single lug supported self locking nut	6′	7. 12. 30	77	7. 22	78.	1.1	
3B 35	3-7		Air tight double lug supported self locking nut	6	7. 12. 30	77.	7.22	78.	1.1	
Fr +5"	7 - 7 7		Floating support set, self locking nut	61	7. 12. 30	77	7.22	78.	1.1	
; a	: 1		Floating support, self locking nut	6′	7. 12. 30	77	. 7. 22	78.	1.1	
•	•		Guard of a single lug support, self locking nut	6	7. 12. 30	77.	7.22	78.	1.1	
٠.	,		Nard of a double lug support, self locking nut	61	7. 12. 30	77.	7. 22	78.	1.1	
•			- ard of an angular rupper, self locking mut	67	7. 12. 30	77.	7.22	78.	1.1	

Control of the section of the sectio

Standard ID	Standard Name	brait	Hev	. mp.
Standard Ip	Standard Name	Y ← 21	r M onth	Day
UB 943-77	Self locking; Technical conditions	67 12:30	77 7 22	78 1 1
3B 944-76	Cross slot; Dimensions	67 3.6	76 10 13	77 10 1
3B 945-76	Cross slot, round surface, central column head screw	67.3.6	/+ 10 15	77 19 1
3B 946-76	Round surface, cylindrical head axial screw	67 3 E	76, 10, 13	77.10.1
3B 947-76	Round surface, large cylindrical head screw	67.3.6	76. 10. 13	77. 16. 1
SB 948-76	Countersunk jam screw	67. 3. 6	76, 10, 13	77. 10. 1
3E 949-76	Semi countersunk jam screw	67.3.6	76, 10, 13	77. 10. 1
SB 950-76	Cross groove, oval wood screw	67.3.6	76, 10, 13	77. 10. 1
18 yf 1-76	cross groove, countersunk . wood screw	67. s. b	76, 10, 13	77.10.1
SB 952-76	Cross groove, semi counter- sunk wood screw	67.3.6	76, 10, 13	77. 10. 1
GB 953-76	Equivalent length stud (unfinished)	67.3.6	76. 10. 13	77, 10, 1
3B 954-76	120 degree countersunk rivet	67.3.6	76, 10, 13	77. 10. 1
SB 955-76	Wave shaped spring washer	67.3.6	76, 10, 13	77. 10. 1
SB 956-76	Cone shaped spring washer	67.3.6	76. 10. 13	77. 10. 1
GB 957-76	Spring washer; Technical conditions	67.3.6	76. 10. 13	77. 10. 1
GB 959-76	Spring guard ring; Technical conditions	67.3.6	76. 10. 13	77. 10. 1
GB 960-76	Clamping guard ring	67.3.6	76, 10, 13	77. 10. 1
GB 961-7 %	Single lug support, self locking nut shim	67. 12. 30	77. 7. 22	78.1.1
GB 962-7 4	Double lug support, self locking nut shim	67. 12. 30	77.7.22	78. 1. 1

C

standard ib	Standard Name		Draft	Rev.	Impl.
andard In	Staridard Name		Year	Month	Day
is 1465 78	Angular support, self locking nut shim	67	7. 12. 30	77. 7. 22	78. 1. 1
H =1 16	Cross slot, oval head screw	67	7.3.6	76. 10. 13	77. 10. 1
.F → 74 - 7m	Cross slot, 120 degree semi countersunk rivet	67	7. 3. 6	76. 10. 13	77. 10. 1
st of the Ir	Tube type rivet	67	7.3.6	76, 10, 13	77. 10. 1
E 100 / 76	Small nexagon, flat nut	67	7, 12, 30	76, 10, 13	77. 10. 1
* 1 . 1 - 7 m	Sarge mushroom rivet	67	7. 12. 30	76. 10. 13	77. 10. 1
H . 12 12 - 14	120 degree semi countersunk nead rivet	67	7. 12. 30	76. 10. 13	77. 10. 1
(F. 1. 18-76)	Frat come nead, semi nollow rivet	67	7. 12. 30	76. 10. 13	7 7. 10. 1
\$ 240 75	Mushroom nead, semi norrow rivet	, 67	7.12.30	76, 10, 13	77.10.1
E 1015-76	Countersunk head, semi	67	7. 12. 30	76. 10. 13	7 7. 10. 1
th 1016-76	Headless rivet	67	7. 12. 30	76. 10. 13	77. 10. 1
В 1021-76	Angular, vertical single ear, locking washer	67	7. 12. 30	76. 10. 13	77. 10. 1
H 1022-76	Angular, single ear locking washer	67	7. 12. 30	76, 10, 13	77. 10. 1
:B 4005 36		,	1 10 20	76 40 40	77 1/1
B 1023-76	Angular, vertical external tongue, locking washer	6	7.12.30	76. 10. 13	77. 10. 1
SB 102 4-7 6	Angular, external tongue locking washer	67	7. 12. 30	76. 10. 13	77. 10. 1

Standard ID	Standard Name	Draft	Rev.	Impl.
Standard IV	Standard Name	Year	Month	Day
GB 1030-77	Inner round surface washer	67.12.30	77. 7. 22	78. 1. 1
GB 1047-70	Nominal dimension of the pipe and piping accessory	70. 11. 16		71.1.1
38 10 48-7 0	Nominal pressure and testing pressure of the pipe and piping accessory	70. 11. 16		71.1.1
GB 10 95-79	Cross section dimension of the flat key, key and keyway	72. 4 . 21	79. 6. 23	80.5.1
GB 1096-79	Plain flat key; Type and dimension	7 2. 4 . 21	79. 6. 23	80.5.1
SB 1097-79	Guided flat key; Type and dimension	72.4.21	79. 6. 23	80.5.1
GR 1098-79	Cross section dimension of the woodruff key, key and keyway	72.4.21	79. 6. 23	80.5.1
SB 1099-79	Woodruff key; Type and dimension	72.4.21	79. 6. 23	80.5.1
3B 1144-74	Square key fitting	74. 2. 14		74. 8. 1
SB 1152-79	Direct, press feed oil cup; Basic type and dimension	74. 4. 3	79. 12. 25	80.1.1
3B 1153-79	Connected type, press feed oil cup; Basic type and dimension	74. 4. 3	79. 12. 25	80.7.1
JB 1154-79	Oil cup with rotary cap; Basic type and dimension	74. 4. 3	79. 12. 25	10.7.1
OB 1155-79	Press fit, press feed oil cup; Basic type and dimension	74. 4. 3	79. 12. 25	PO.1.1
GB 1:56-79	Rotary fit, oil cup; Basic type and dimension	74. 4. 3	79. 12. 25	90.7-1
GB 1157-79	Spring cap oil cup;	74. 4. 3	79. 12. 25	80.7.1

•

Standard ID	Standard Name	Draft	Rev.	Impi.
Standard ID	Standard Name	Year	Month	Day
	Basic type and dimension			
GB 1158-79	Needle valve oil cup cup; Basic type and dimension	74. 4. 3	79, 12, 25	80. 7. 1
SB 1159-79	Oil cup technical requirement, acceptance rules, marking, and packing	74. 4. 3	79, 12, 25	80.7.1
SB 1160-79	Round oil scale; Basic type and dimension	74. 4. 3	79. 12. 25	80.7.1
GB 1161-79	Long type oil scale; Basic type and dimension	74. 4. 3	79. 12. 2	25 80.7.1
GB 1162-79	Tube type oil scale; Basic type and dimension	74. 4. 3	79 , 12, 2	25 80.7.]
3B 116⊍-79	Oil scale technical requirement, acceptance rules, marking, and packing	74. 4. 3	79, 12, 25	90.7.1
GB 1164-79	Rod type oil gun; Basic type and dimension	74.4.3	79, 12, 25	80.7.1
GB 1165-79	Hand type oil gun; Basic type and dimension	74.4.3	79. 12. 25	80.1.1
GB 1166-79	Oil scale technical requirement, acceptance rules marking and packing	74. 4. 3	79. 12. 25	80.7.1
GB 1168-76	Stud; Technical conditions	76. 10. 13		77. 10. 1
3B 1 2 28-76	High strength large hexagon bolt used in steel structure; Type and dimension	76. 2. 10		76. 9. 1
GB 1 2 29-76	High strength large hexagon nut used in steel structure; Type and dimension	76. 2. 10		76. 9. 1
GB 1 2 30-76	High strength large hexagon washer used in steel structure; Type and dimension	76. 2. 10		76. 9. 1

(

٠.	andard ID	Standard Name		Draft	Rev	i mig-
	andard ID	2 (Andaro Mank.		Year	r Month	Day
ĢВ	12 31 - 76.	High strength large hexagon bolt, large hexagon nut, and washer which used in steel structure; Technical conditions	76.	2.10		/b 4 1
В	1 2 (7 - 76)	Marking method of tighten elements	7 6	9. 1		77 B. 1
ijΡ	1 2 5%-76	General core spring	7 6.	9.1		77 8 1
GB	124 (1-83	Short pitch, driving used precision roller chain	76.	9. 3	83, 12, 26	84 10 1
ЗΒ	1 24 3.2~83	Short pitch, driving used, precision roller chain and transportation used accessory	76.	1. 1	83, 12, 26	H4 . 1 · 0 · 1
	2	Steeve rotter drive chain: Chain wheel	7 6	€ 4 , §		e de la companya della companya della companya de la companya della companya dell
ت.	LS 57-77	Hexagon jam nut	77.	7.22		78 1 1
ЭB	1338-77	Small hexagon flat jam nut	77.	7. 22		78-1-1
GB	1339-77	Small hexagon jam nut	77.	7.22		78.1.1
;e	1340-77	Floating support jam nut bracket	7 7.	7. 22		78. 1. 1
GB	1358- 78	General core spring; Dimension series	78.	2, 22		79. 1. 1
GB	1563-79	Cross section dimension of taper key, key and keyway	79.	6. 23		80.5.1
GB	1564-79	General taper key; Type and dimensions	7 9 .	6. 23		80.5.1
GB	1565-79	Gib head taper key; Type and dimensions	79.	6. 23		80.5.1
GB	1566-79	Cross section dimension of thin parallel key, key and keyway	79.	6, 23		80, 5, 1
GB	1567-79	Thin parallel key;	79.	6. 23		80.5.1

TANKS OF THE PARTY OF THE PARTY

(i

	· · · · · · · · · · · · · · · · · · ·	T 	[irait	Ŕ₩V	: ms	S i .
of the second section of the	Standard Name	†	Year	Month	Day	
	Type and dimensions					
E Market	key. Technical conditions	74), Fr. 21.5		H(i *	1
1 10 10 10 10	ylindrical axim Hommation	74	res de		Ht (*)	1
e de la companya de l	one axic erongation	714	1.4% 2.4		Hi - Fi	ï
1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	Spring terminology	14	12 13		HO 7	ì
; · · · · · · · · · · · · · · · · · · ·	matterfly spring	HO	€ , €)		H1 4	1 4
, e	Small general coil spring. Technical conditions	НО	· •, •,		ні 4	•
\$ 10 P \$ 10 P	Tangentiii key and its Peyway	80	(. 6). *)		H1 4	ì
ation of the terms of the term	emeral coil tension spring numeration:	ĦΟ	0.11 20		Bi 10	. i
च	General coil tension spring Gumension; Central pressed, circular ring)	BO	. 11. 20		81.1 0	
<u>†</u> 1994 († 1944)	General coil compression spring dimension; closed end coils, squared by grinding)	80	. 11. 20		81.10	. 1
- E _MANUSE-HI	Copper alloy single unit axle sleeve of slide bearing; Type, dimension and tolerance	вo	. 3. 3		81. 10	. 1
GB 2510-81	Copper alloy single unit with guard ring axle sleeve of slide bearing; Type, dimension and tolerance	80	. 3. 3		81.10	. 1
4B 2509-81	Copper alloy single unit axle sleeve of slide bearing; Technical conditions	80	. 3. 3		81.10	. 1

(

standard 110	Standard Name	Draft	Kev	i imp
No contract of the	3 (and a walke	Y⊬ar	Month	Day
A Part of the Part	Assemble plane of a four oil holes, plate type direction control hydraulic valve	81 4.14		81.9.1
Single Company	eneral used, piping onnection dimension	81 4 6		B 2 (4 - 1
State of the state	seal cover shape and dimension of general died pipe	81.4.6		82 (1-1)
*	Hexagon knurl dimension	81.4.2		82 7.1
e e e	inner hexagon knur: screw	81.4.2		82 / 1
* 1.4 % ***	Inner hexagon knurt round surface screw	81.4.7		82.7.1
	Inner hexagon knuri counter- sunk screw	81 (4) 2		82.7.1
	trer bewagen knur, semi Timtersunk screw	81.4.2		8.07.1
	Ninde bearing; Fowder metallurgic tube type bearing; Type, dimension and tolerance	81. 6. 17		82 (1) 1
aB 266 86 081	Slide bearing; Powder metallurgic tube type with guard ring bearing; Type, dimension and tolerance	81. 6. 17		82.1.1
6B 2687-81	Slide bearing Powder metallurgic ball bearing; Type, dimension and tolerance	81.6.17		82.1.1
GB 2688-81	Slide bearing; Powder metallurgic bearing; Technical conditions	81. 6. 17		82 · 1 · 1
GB 2876-81	Oil tank nominal volume series of hydraulic pump station	81.12.31		83. 3. 1

Standard ID	Standard Name		Draft	Rev.	Imp1.
Standard ID	Standard Name		Year	Month	Day
-(B-2877-81	Assemble connection dimension of a two way inserted type hydraulic valve	81	1.12.31		83, 3, 1
GB ∵879-81	Connecting thread dimension of hydraulic gas dynamic system and its oil tubes	81	1.12.31		83.3.1
GB 2879-81	Dimension series and tolerance of a hydraulic piston and the sealed groove of piston rod at the wide end	81	1. 12. 31		83, 3, 1
B 1580581	Dimension series and tolerance of a hydraulic piston and the sealed groove of piston rod at narrow end	81	1. 12. 31		83.3.1
	Slide bearing terminology	82	2.2.3		82, 10, 1
98 (1941-8).	Slide bearing; Type, dimension and tolerance of winding made shaft bush	82	2. 3. 16		82.11.1
08 2932-8 2	Slide bearing; Technical condition of winding made shaft bush	82	2. 3. 16		82.11.1
GB 3098, 1-82	Mechanical performance of tight element; Bolt, screw and stud	82	2. 5. 22		83. 7. 1
OB 3098.2-82	Mechanical performance of tight element;	82	. 5. 22		83. 7. 1
GB 3098.3-82	Mechanical performance of tight element; Jam screw	82	. 5. 22		83.7.1
GB 3099-82	Terminology of bolt, screw nut and its accessory	82	. 5. 22		83. 7. 1
GB 3103, 1-82	Tolerance of tight element; Bolt, screw and nut	82	. 5. 22		83.7.1

Standard ID	Standard Name	Draft	Rev.	Impl
Standard ID	Standard Name	Year	Month	Day
GB 3103.2-82	Tolerance of tight element; Bolt, screw and nut used in precision machinery	82.5.22		83.7.1
GB 3103.3-82	Tolerance of tight element; Plain washer	82.5.22		83. 7. 1
GB 3104-82	Relative width of tight element; Hexagonal products	82.5.22		83. 7. 1
3B 3105-82	Low round angle radius of bolt and nut head	82.5.22		83.7.1
3B - 3106- 82	Nominal length of blot, screw and stud, and thread length of general bolt	82.5.22		83. 7. 1
SB 3162-82	Thin wall dimension, structure element and tolerance of slide bearing	82. 8. 10		83.7.1
-B 3267-62	Technical condition of forgeable cast iron tube connection element	82, 11, 25		85, 10, 1
0B 3288-82	Acceptance rule of forgeable cast iron tube connection element	82 - 11 - 25		83. 10. 1
9B 3289, 1-82	Type and dimension of connecting elements of forgeable cast iron tube; Dimension table of tubing structure	82.11.25		83.10.1
R 3289, 2-82	Type and dimension of connecting elements of forgeable cast iron tube; Bend; Bend with inner-outer threact	82.11.25		83.10.1
3B 3289.3-82	Type and dimension of connecting elements of forgeable cast iron tube; 45 degree bend 45 degree inner-outer thread bend	82.11.25		83.10.1
GB 3289.4-82	Type and dimension of connecting elements of	82.11.25		83. 10. 1

Standard ID	Standard Name	Draft	Rev.	Impl.
standard in	Standard Name	Year	Month	Day
	forgeable cast iron tube; Reducer bend			
SB 3289.5-82	Type and dimension of connecting elements of forgeable cast iron tube; Reducer inner-outer thread bend	82.11.25		83. 10. 1
SB 3289.6-82	Type and dimension of connecting elements of forgeable cast iron tube; Side hole bend	82.11.25		83. 10. 1
8B 3289. 7-82	Type and dimension of connecting elements of forgeable cast iron tube; Moon shaped bend Inner-oute thread moon shaped bend Inner thread moon shaped bene			83.10.1
5. :2099.4-81	Type and dimension of connecting elements of forgeable cast iron tube; 45 deg. moon shaped bend, 45 deg. inner-outer thread moon shaped bend, 45 deg. inner thread moon shaped bend	82.11.25		83, 10, 1
(B. 32 89, 9-82	Type and dimension of connecting elements of forgeable cast iron tube; U shaped bend	82.11.25		83.10.1
ia 3289, 10-82	Type and dimension of connecting elements of forgeable cast iron tube; Three-way fitting; Three-way inner-outer thread fitting	82.11.25		83. 10. 1
R 3289,11-82	Type and dimension of connecting elements of forgeable cast iron tube; Three-way reducer; Three-way inner-outer thread reducer	82.11.25		83. 10. 1
B 3289, 12-82	Type and dimension of	82.11.25		83. 10. 1

(•

Standard ID	Standard Name	Draft	Rev.	Imp.
Standard ID	Standard Name	Year	Month	Day
	connecting elements of forgeable cast iron tube; Medium-Large three-way reduc	er		
3B 3289,13- 8 2	Type and dimension of connecting elements of forgeable cast iron tube; Large side diameter, three-way fitting	82, 11, 25		83, 10, 1
RB 3289, 14-82	Type and dimension of connecting elements of forgeable cast iron tube; Medium-Small diameter, three-way fitting	82, 11, 25		83, 10, 1
35 3389, 15-82	Type and dimension of connecting elements of forgeable cast iron tube; Small side diameter, three-way fitting	82, 11, 25		85.10 r
dito an Imabl	Type and dimension of connecting elements of forgeable cast iron tube; Medium-Small side diameter, eccentric three-way fitting	82.11.25		53/18 L
3B 3289.17-82	Type and dimension of connecting elements of forgeable cast iron tube; 45 degree three-way fitting Y shaped three-way fitting	82 - 11 - 25		83, 10, 1
38 3289, 18-82	Type and dimension of connecting elements of forgeable cast iron tube; Y shaped different diameter three-way fitting	82: 11: 25		83, 10, 1
GB 3289.19-82	Type and dimension of connecting elements of forgeable cast iron tube; Side hole three-way fitting	82.11.25		83. 10. 1
GB 3289.20-82	Type and dimension of connecting elements of forgeable cast iron tube; Four-way fitting	82.11.25		83, 10, 1


	Standard Näme	ı	Bratt	₩	· mt
Standard Lb		+- -	Year	Montr	Layv
	Type and dimension of connecting elements of torgeable cast from tube. Four way, different diameter titting			and the second s	
∯	Type and dimension of connecting elements of torgeatile cast from tube. Guter connector Inner-outer thread connector		• · · · · •		700
to some some	Type and dimension of connecting eventers of the table of the connection of the conn	٠.	· · · · -		
e e e e e e e e e e e e e e e e e e e	Oype and timension of onne ling elements of times as tron luter content of an element of the content of the con	7-	· · · · •		- 、 、
	Type and dimension, to connecting elements of torgeanle dast iron tube. Inner connector	D.			
	Type and dimension of connecting elements of forgulable dast from tube. Different diameter inner sinector	3 -	.i .f		55 X .
E 3.3 + 25 Mg	Type and dimension of connecting elements of corgeable cast from tube. Inner-outer thread	8.	11 75		#8 I
ଞ୍ଚ ଓଡ଼ିଶ୍ୟ ଅବକ୍ଷିଥ	Type and dimension of connecting elements of forgeable cast iron tube: Thread out outer connector	82	. 11. 25		ds: 10
ස 3289,30-82 -	Type and dimension of connecting elements of forgeable cast iron tube; Jam nut	8.	. 11. 2%		H.S. 105.
B 3289, 31-82	Type and dimension of	82.	. 11, 25		83, 10,


**	Standard Name		Draft	Rev.	Impl.
standard			Year	Month	Day
	connecting elements of congestie cast iron tube; sixternal tube blinding	<u>+</u> ,			
· · · · · · · · · · · · · · · · · · ·	Type and dimension of connecting elements of forgeable cast iron tube; External tube blinding with trange	82	. 11. 25		83. 10. 1
en e	Type and dimension of onne ting elements of ting elements of tingestie cast iron tube; otternal tube blinding	82	. 11. 25		83. 10. 1
r ⊕ r in ,	Type and dimension of the ting elements of the ramable least iron tube:	6 2	. 11. 25		83. 10. 1
	Tipe and dimension of the form of the form of the enemis of the two of tw	82	. 11. 25	·	83 . 10 . 1
	Type and dimension of connecting elements of remark elements tube; Moveable three-way fitting	82	- 11 - 25		83. 10. 1
	Type and dimension of chilecting elements of cast iron tube; Flain type moveable three-way fifting	82	11 25		83. 10. 1
E Solver Solver	Type and dimension of connecting elements of torgeable cast iron tube; conical moveable three-way fitting	82	. 11. 25		83. 10. 1
postant samp	Type and dimension of connecting elements of forgeable cast iron tube; Flame type movemble three-way titting washer	82	. 11, 25		83.10.1
GB 3374-82	Basic terminology of gears	82	.12.29		83.10.1

THE STATE OF STATES STATES

Ģ

*****};





MICROCOPY RESOLUTION TEST CHART NATIONAL BUREAU OF STANDARDS-1963-A

Standard ID	Standard Name		Draft	Rev.	Impl.
	Standard Name	Year		Month	Day
GB 3452.1-82	Dimension series and tolerance of hydraulic used rubber O ring	82	2. 12. 31		83. 10. 1
GB 3507-83	Nominal torque series of mechanical axle connector	82	2.2.3		83. 12. 1
GB 3733, 1-83	Straight end flanged fitting	82	2. 6. 17		84. 3. 1
GB 3733.2-83	Straight end flanged connector body	82	2. 6. 17		84.3.1
GB 3734.1-83	Conical thread, straight flanged fitting	82	2. 6. 17		84.3.1
GB 3734.2-83	Conical thread, straight flanged connector body	82	. 6. 17		84.3.1
GB .3735, 1-83	Long straight flanged fitting	82	. 6. 17		84.3.1
35 3735.2-83	Long straight flanged connector body	83	. 6. 17		84.3.1
GB 3736.1-83	Conical thread, long straight flanged fitting	83	. 6. 17		84.3.1
3B 3736.2-83	Conical thread, long straight flanged connector body	83	. 6. 17		84.3.1
GB 3737.1-83	Straight flanged fitting	83	. 6. 17		84.3.1
GB 3737.2-83	Straight flanged connector body	83	. 6. 17		84. 3. 1
GB 3738.1-83	Rectangular end, flanged fitting	83	. 6. 17		84.3.1
GB 3738.2-83	Rectangular end, flanged connector body	83	. 6. 17		84.3.1
SB 3739.1-83	Conical thread, rectangular fitting	8	3. 6. 17		84.3.1
GB 3739.2-83	Conical thread, rectangular connector body	83	. 6. 17		84.3.1
SB 3740.1-83	Rectangular flanged	83	. 6. 17		84.3.1

Ø,

Chambers ID	Standard Name		Draft	Rev.	Impl.
Standard ID	Standard Name		Year	Month	Day
	fitting	•			
GB 3740.2-83	Rectangular flanged connector body	83.	6. 17		84. 3. 1
GB 3741.1-83	Three-way, flanged end fitting	83.	6. 17		84.3.1
GB 3741, 2-83	Three-way, flanged end connector body	83.	6. 17		84. 3. 1
GB 3742.1-83	Three-way, conical thread flanged fitting	83.	6. 17		84.3.1
GB 3742.2-83	Three-way, conical thread flanged connector body	83.	6. 17		84.3.1
GB 3743.1-83	Three-way, rectangular flanged fitting	83.	6. 17		84.3.1
GB 3743.2-83	Three-way, rectangular flanged connector body	83.	6. 17		84.3.1
GB 3744.1-83	Three-way, conical thread rectangular flanged fitting		6. 17		84.3.1
GB 3744.2-83	Three-way, conical thread rectangular flanged connector body	83.	6. 17		84.3.1
GB 3745, 1-83	Three-way, flanged fitting	83.	6. 17		84.3.1
GB 3745.2-83	Three-way, flanged connector body	83.	6. 17		84.3.1
GB 3746.1-83	Four-way, flanged fitting	83.	6. 17		84.3.1
GB 3746.2-83	Four-way, flanged connector body	83.	6. 17		84.3.1
GB 3747.1-83	Flanged welding fitting	83.	6. 17		84.3.1
GB 3747.2-83	Flanged welding connector body	83.	6. 17		84.3.1
GB 3748.1-83	Wall divided, flanged straight fitting	83.	6. 17		84.3.1
GB 3748.2-83	Wall divided, flanged straight connector body	83.	6. 17		84.3.1

Standard ID	Standard Name	İ	Draft	Rev.	Impl.
	Standard Name		Year	Month	Day
GB 3749.1-83	Wall divided, flanged rectangular fitting	83.	6. 17		84. 3. 1
GB 3749.2-83	Wall divided, flanged rectangular connector body	83.	6. 17		84.3.1
GB 3750.1-83	Flanged fitting with hinge joint	83.	6. 17		84. 3. 1
GB 3750.2~83	Flanged connector body with hinge joint	83.	6. 17		84. 3. 1
GB 3750.3~83	Flanged hexagon bolt with hinge joint	83.	6. 17		84.3.1
GB 3751.1-83	Pressure meter flanged tube fitting	83.	6. 17		84. 3. 1
GB 3751.2-83	Pressure meter flanged connector body	83.	6. 17		84. 3. 1
GB 3752.1~83	Combined, flanged rectangular fitting	83.	6. 17		84.3.1
GB 3752.2-83	Combined, flanged rectangular connector body	83.	6. 17		84.3.1
GB 3753.1~83	Combined, three-way flanged fitting	83.	6. 17		84.3.1
GB 3753.2-83	Combined, three-way flanged connector body	83.	6. 17		84.3.1
GB 3754.1-83	End-to-end, flanged straight fitting	t 83	. 6. 17		84.3.1
GB 3754.2-83	End-to-end, flanged straight connector body	t 83	. 6. 17		84.3.1
GB 3755.1-83	Thread-to-thread, flanged straight fitting	83.	6. 17		84.3.1
GB 3755.2-83	Thread-to-thread, flanged straight connector body	83.	6. 17		84.3.1
SB 3756.1-83	Butt end, flanged straight fitting	83.	6. 17		84.3.1
SB 3756.2-83	Butt end, flanged straight	83.	6. 17		84.3.1

Standard ID	Standard Name		Draft	Rev.	Impl.
			Year	Month	Day
-	connector body				
GB 3757.1-83	End-to-end, flanged rectangular fitting	83	3. 6. 17		84.3.1
GB 3757.2-83	End-to-end, flanged rectangular connector body	83	3. 6. 17		84. 3. 1
GB 3758.1-83	Thread-to-thread, flanged rectangular fitting	83	3. 6. 17		84. 4. 1
GB 3758.2-83	Thread-to-thread, flanged rectangular connector body	83	3. 6. 17		84. 4. 1
GB 3759-83	Flanged tube fitting used nut	83	3. 6. 17		84. 4. 1
GB 3760-83	Flanged tube fitting used butt joint nut	83	3. 6. 17		84. 4. 1
GB 3761-83	Flanged tube fitting used conical ring	83	3. 6. 17		84. 4. 1
GB 3762-83	Flanged tube fitting used sharp angle sealing gasket	83	3. 6. 17		84. 4. 1
GB 3763-83	Flanged tube fitting used hexagon thin nut	83	3. 6. 17		84. 4. 1
GB 3764-83	Clamping sleeve	83	6. 6. 17		84.4.1
GB 3765-83	Flanged tube fitting; Technical conditions	83	. 6. 17		84. 4. 1
GB 3766-83	Hydraulic system; General technical conditions		. 6. 22		84.4.1
GB 3852-83	Type and dimension of axle connecting hole and keyway	83	. 9. 8		84. 5. 1
GB 3858- 83	Hydraulic transmission terminology	83	. 9. 12		84.7.1
GB 3867.1-83	Hydraulic; Type and dimension of divided type energy storage rubber container (Type A)	83	. 9. 22		84. 7. 1
GB 3868-83	Hydraulic; Technical conditions of	83	. 9. 22		84.7.1

Standard ID	Standard Name		Draft	Rev.	Impl
Standard ID	Standard Name		Year	Month	Day
	divided type energy storage rubber container				
GB 3882.1-83	External dimension of radial arranged ball bearing with outer thread	83	3. 10. 7		84. 8. 1
GB 3882.2-83	External dimension of radial arranged ball bearing with eccentric sleeve	83	3. 10. 7		84. 8. 1
GB 3882.3-83	Eccentric sleeve used in radial arranged ball bearing	83	3. 10. 7		84. 8. 1
GB 3882.4-83	Vertical seat of ball bearing with external round surface	83	. 10. 7		84. 8. 1
GB 3882.5-83	Square seat for ball bearing with external round surface	83	. 10. 7		84. 8. 1
GB 3882.6-83	Diamond shaped seat for ball bearing with external round surface	83	. 10. 7	•	84. 8. 1
GB 3882. 7-8 3	Slide block seat for ball bearing with external round surface	83	. 10. 7		84. 8. 1
GB 3882.8-83	Shock impact, round seat for ball bearing with external round surface	83	. 10. 7		84. 8. 1
GB 3882.9-83	Shock impact diamond-shape seat for ball bearing with external round surface	83	. 10. 7		84. 8. 1
GB 3931-83	Mechanical axle connector terminology	83	. 11. 4		84. 10. 1
SE 3944-83	Joint bearing vocabularies	83	. 11. 25		84. 9. 1
SB 3945-83	Radial joint bearing; Large inner ring ES-2RS type; External dimension	83	. 11. 24		84. 9. 1

Ç+	Standard ID		Standard Name	Draft	Rev.	Impl.
			Standard Name	Year	Month	Day
GB	3 946- 83		Radial joint bearing; (d=320 ~ 2000 mm); Dimension series C; External dimension scheme	83. 11. 2 4		84. 9. 1
			[Machining Technolog	y]		
GB	976-67	(Grey iron cast; Classification and technical conditions	67. 3. 4		68. 1. 1
GΒ	977-67	3	Grey iron cast; Mechanical performance testing method	67.3.4		68.1.1
GB	978-67	(Forgeable cast; Classification and technical conditions	67. 3. 4		68.1.1
ЗЪ	979-67	(Carbon steel cast; Classification and technical conditions	67.3.4	٠	68.1.1
3B	980-76	8	Welding rod classification and its type numbering method	67. 3. 4	76. 3. 17	68.1.1
БВ	981-76	a	Welding rod for low carbon and low alloy high strength steel	67.3.4	76. 3. 17	76.10.1
GB ·	982-76	5	Welding rod for molybdenum steel and molybdenum-chrome neat resistant steel	67.3.4	76. 3. 17	76.10.1
B ·	983-76		Welding rod for stainless	67.3.4	76. 3. 17	16.16.1
SB ·	984-76	I	Brazing welding rod	67.3.4	76. 3. 17	
B '	985-80		Basic joint type and dimension for arc welding	67.3.4	80. 5. 15	81.1.1
3B (986-80	:	Basic joint type and dimen- sion for submerged-arc welding	67. 3. 4	80. 5. 15	81 · 1 · 1
;B	1173-74	C	Casting aluminum alloy	74. 10. 24		75, 10, 1

Ü

Standard ID	Standard Name	Draft	Rev. Imp	1.
	Standard Name	Year	Month Day	
GB 1174-74	Casting bearing alloy	74. 10. 24	75. 10.	. 1
GB 1175-74	Casting zirconium alloy	74. 10. 24	75. 10.	. 1
GB 1176-74	Casting copper alloy	74. 10. 24	75. 10.	. 1
GB 1177-74	Casting magnesium alloy	74. 10. 24	75. 10.	. 1
GB 1225-76	Welding rod inspection, packing and marking	76. 3. 17	76. 10.	. 1
GB 1238-76	Representation method for metal coating and chemical	76. 9. 1	77. 8. 1	L
GB 1238- 7 6	Representation method for metal coating and chemical process	76. 9. 1	77. 8. 1	1
GB 13 48-7	Spheroidal graphite cast iron	78. 1. 25	78. 12.	1
GB 1954-80	Measurement of iron content for chrome-nickel stainless steel welding joint	80. 5. 15	81. 1. 1	ì
OB 2100-80	Technical conditions of Stainless acid-resisting steel cast	80. 12. 13	81, 7, 1	L
3B 2649-81	Sampling method of the mechanical testing for welding joint	81. 5. 19	82.1.1	L
SB 2650-81	Impact testing method for welding joint	81.5.19	82.1.1	L
GB 2651-81	Tensile testing method for welding joint	81.5.19	82.1.1	•
SB 2652-81	Welding gap (and stack welding) metal tensile testing method	81.5.19	82.1.1	
OB 2653-81	Welding joint bending and pressing test method	81.5.19	82.1.1	,
3B 2654-81	Welding joint and stack metal hardness test method	81.5.19	82.1.1	•

EXCERCE O BESTER OF SECTION OF SE

	CA cadand Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
GB 2655-81	Welding joint cold work timing sensitivity test method	81.5.19		82.1.1
GB 2656-81	Test for welding gap metal and welding joint fatigue	81. 5. 19		82.1.1
GB 2684-81	Test for casting used sand and mixture	.81.6.19		82.1.1
GB 3138-82	Common used electroplate terminology	82.7.15		83.5.1
GB 3180-82	Medium-magnganese anti- milling spheroidal graphite cast; Technical conditions	82.8.30		83.7.1
GB 3323-82	Steel welding gap radiation photograph and film classification	82.12.22		83. 10. 1
GB 3375-82	Welding terminology	82.12.29		83. 10. 1
GB 3669-83	Aluminum and Aluminum alloy welding rod	83.5.10		84.3.1
GB 3670-83	Copper and Copper alloy welding rod	83. 5. 10		84. 3. 1
GB 3731-83	Measurement of efficiency of coating welding rod, rate of recovery and melting coefficient	83.6.21		84.3.1
GB 3965-83	Hydrogen diffusion measure- ment of melting metal of the electrical welding rod	83.12.8		84. 10. 1
GB 4054-83	Coating material marking	83. 12. 19	,	84. 10. 1
	[Technology Equipme	ent]		
GB 967-83	Short handle nut tap	67.3.4	83.1.29	83. 10. 1
GB 968-83	Tap thread; Tolerance	67.3.4	83.1.29	83. 10. 1

Č

0.	tandard ID	Standard Name	Draft	Rev.	Impl.
2	tandard ID	Standard Name	Year	Month	Day
GB	969-83	Tap thread; Technical conditions	67.3.4	83.1.29	83. 10. 1
GB	970-83	Hand and machine used round screw bit	67.3.4	83.1.29	83.10.1
GB	971-83	Hobbing wheel	67.3.4	83. 1. 29	83.10.1
GB	972-83	Thread winding plate	67.3.4	83.1.29	83. 10. 1
GB	1106-73	Coarse thread, conical handle, vertical milling cutter	73.12.6		74.6.1
GB	1107-73	Fine thread, conical handle, vertical milling cutter	73.12.6		74.6.1
GB	1108-73	Long blade, conical handle, vertical milling cutter	73.12.6		74.6.1
GB	1109-73	Coarse thread, short conical handle, vertical milling cutter	73.12.6		74.6.1
GB	1110-73	Coarse thread, straight handle, vertical milling cutter	73.12.6		74. 6. 1
GB	1111-73	Fine thread, straight handle, vertical milling cutter	73.12.6		74.6.1
GB	1112-81	Straight handle, keyway milling cutter	73. 12. 6	81. 11. 26	82.8.1
GB	1113-81	Conical handle, keyway milling cutter	73. 12. 6	81.11.26	82.8.1
GB	1114-73	Shell end mill	73.12.6		74.6.1
GB	1115-73	Coarse tooth, cylindrical milling cutter	73. 12. 6		74. 6. 1
GB	1116-73	Fine tooth, cylindrical milling cutter	73. 12. 6		74. 6. 1
GB	1117-73	Straight tooth, three-blade milling cutter	73.12.6		74.6.1

Ć

Standard ID	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
GB 1118-73	Staggered tooth, three-blade milling cutter	73. 12. 6		74. 6. 1
GB 1119-73	Fluted milling cutter	73.12.6		74. 6. 1
GB 1120-73	Coarse tooth, shell end milling cutter	73.12.6		74. 6. 1
GB 1121-73	Fine tooth, shell end milling cutter	73. 12. 6		74. 6. 1
3B 1122-73	Coarse tooth, corner- rounding milling cutter	73. 12. 6		74. 6. 1
GB 1123-73	Fine tooth, corner-rounding milling cutter	73. 12. 6		74.6.1
GB 112 4- 73	Convex milling cutter	73.12.6		74.6.1
SB 1125-73	Concave milling cutter	73. 12. 6		74.6.1
GB 1126-73	T-slot milling cutter	73.12.6		74:6.1
GB 1127-81	Half circle keyway milling cutter	73. 12. 6	81. 11. 26	82.8.1
3B 1128-73	Tooth-inlaid three-flute milling cutter	73. 12. 6		74. 6. 1
SB 1129-73	Tooth-inlaid shell end milling cutter	73. 12. 6		74.6.1
GB 1130-73	High speed steel tooth used in tooth-inlaid three-flute mill and tooth-inlaid shell end mill	73.12.6		74. 6. 1
SB 1131-73	Hand reamer	73. 12. 6		74. 6. 1
SB 1132-73	Straight shank chucking reamer	73.12.6		74. 6. 1
SB 1133-73	Taper shank chucking reamer	73. 12. 6		74.6.1
SB 1134-73	Fluted taper shank chucking reamer	73.12.6		74.6.1
GB 1135-73	Sleeve type machine used	73.12.6		74.6.1

Standard ID	Standard Name	Draft	Rev.	Impl
	Standard Name	Year	Month	Day
	reamer			
GB 1136-73	1:50 tapper pin reamer reamer	73.12.6		74. 6. 1
GB 1137-73	Long blade 1:50 tapper pin reamer	73. 12. 6		74. 6. 1
SB 1138-73	Taper shank 1:50 tapper pin reamer	73.12.6		74. 6. 1
GB 1139- 7 3	Morse tapper reamer	73.12.6		74. 6. 1
GB 1140-73	Taper shank Morse tapper reamer	73.12.6		74. 6. 1
5B 1141-73	Taper shank counterbore cuter	73.12.6		74. 6. 1
GE 1142-73	Sleeve type counterbore cuter	73.12.6		74. 6. 1
GB 1143-73	Taper shank twist drill	73.12.6		74.6.1
GB 1214-73	Vernier caliper	75. 9. 30		76.4.1
GB 1215-73	Depth vernier caliper	75. 9. 30		76.4.1
GB 1216-73	Micrometer	75. 9. 30		76. 4. 1
SB 1217-73	Normal micrometer	75. 9. 30		76.4.1
GB 1218-73	Depth micrometer	75. 9. 30		76. 4. 1
SB 1219-73	Hendred-mark table	75. 9. 30		76. 4. 1
GB 1432-73	Plain screw driver	78. 9. 29		79. 7. 1
GB 1433-73	Cross head screw driver	78. 9. 29		79. 7. 1
SB 1435-73	Straight shank short twist	78. 9. 29		79. 7. 1
GB 1219-73	Hundred-mark table	75. 9. 30		76. 4. 1
B 1432-78	Plain screw driver	78. 9. 29		79. 7. 1
SB 1433-78	Cross head screw driver	78. 9. 29		79. 7. 1
SB 1435-78	Straight shank short twist drill	78. 10. 20		79. 7. 1

(i

C+ a mala mal Th	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month I	ay
GB 1436-78	Straight shank twist drill	78. 10. 20		79. 7. 1
GB 1437-78	Straight shank long twist drill	78. 10. 20		79. 7. 1
GB 1438-78	Taper shank twist drill	78. 10. 20		79. 7. 1
GB 1439-78	Taper shank long twist drill	78. 10. 20		79. 7. 1
GB 1440-78	Taper shank, extra long twist drill	78, 10, 20		79. 7. 1
3B 1441-78	Large taper, shank twist drill	78. 10. 20		79. 7. 1
3B 1442-78	Flat end dimension and tolerance of straight shank tool	78. 10. 22		79. 7. 1
GB 1443-78	Cone dimension and tolerance of Morse tool	78. 10. 20		79. 7. 1
GB 1483-79	Ball head thread plug gaging	79. 2. 2		79. 5. 1
GB 1484-79	Ball head plain plug gaging	79. 2. 2		79. 5. 1
3B 1577-79	Metric conical thread; Conical hole reamer	79. 8. 21		80.5.1
OB 1578-79	Metric conical thread tap	79. 8. 21		80.5.1
SB 1579-79	Metric conical thread hobbing wheel	79. 8. 21		80.5.1
GB 1580-79	Thread winding plate for metric conical thread	79. 8. 21		80.5.1
GB 1581-79	Metric conical thread gage	79. 8. 21		80.5.1
SE 1957-81	Smooth limit gage	80.12.26		82 . 8 . 1
3B 2101-80	Steel bar acceptance, packing, marking and the general rule of its quality certification	80.12.9		81. 10. 1



Standard ID	Standard Name	Draft	Rev.	Imp1.
	b tander a rame	Year	Month	Day
GB 2102-80	Steel tube acceptance, packing, marking and the general rule of its quality certification	80.12.9		81. 10. 1
GB 2103-80	Steel wire acceptance, packing, marking and the general rule of its quality certification	80.12.9		81. 10. 1
GB 2104-80	Steel wire rope acceptance, packing, marking and the general rule of its quality certification	80. 12. 9		81.10.1
GB 2148-80	Hexagon washer faced nut	80. 12. 27		81. 10. 1
3B 21 49- 80	Round surface, washer faced nut	80.12.27		81. 10. 1
SB 2150-80	Joint nut	80. 12. 27		81.10.1
GB 2151-80	Regulating nut	80.12.27		81. 10. 1
GB 2152-80	Knurl nut with hole	80. 12. 27		81.10.1
GB 2153-80	Diamond shape nut	80.12.27		81. 10. 1
GB 2154-80	Inner hexagon nut	80. 12. 27		81. 10. 1
SB 2155-80	Handle nut	80. 12. 27		81. 10. 1
GB 2156-80	Rotary handle nut	80.12.27		81. 10. 1
SB 2157-80	Multi-handle nut	80.12.27		81. 10. 1
SB 2158-80	Press type screw bush	80.12.27		81. 10. 1
SB 2159-80	Rotary type screw bush	80.12.27		81. 10. 1
SB 2160-80	Press screw	80.12.27		81. 10. 1
B 2161-80	Hexagonal head press screw	80.12.27		81.10.1
B 2162-80	Fixed handle press screw	80.12.27		81. 10. 1
B 2163-80	Moveable handle press screw	80.12.27		81. 10. 1

SA TD	Standard Name	Draft	Rev. Impl.
Standard ID	Standard Name	Year	Month Day
GB 2164-80	Button head bolt	80.12.27	81. 10. 1
GB 2165-80	T slot, quick release bolt	80. 12. 27	81.10.1
GB 2166-80	Hook bolt	80.12.27	81.10.1
GB 2167-80	Hanging type washer	80. 12. 27	81.10.1
GB 2168-80	Cruiciform washer	80.12.27	81.10.1
GB 2169-80	Cruiciform washer used washer	80. 12. 27	81.10.1
GB 2170-80	Rotary washer	80.12.27	81.10.1
GB 2171-80	Smooth press block	80. 12. 27	81.10.1
GB 2172-80	Grooved press block	80.12.27	81. 10. 1
GB 2173-80	Round press block	80.12.27	81. 10. 1
GB 1174-80	Arc press block	80. 12. 27	81, 10, 1
GB 2175-80	Shifting press plate	80. 12. 27	81. 10. 1
GB 2176-80	Rotary press plate	80.12.27	81.10.1
GB 2177-80	Shifting bent press plate	80. 12. 27	81. 10. 1
GB 2178-80	Rotary bent press plate	80. 12. 27	81. 10. 1
GB 2179-80	Shifting wide head press plate	80. 12. 27	81.10.1
GB 2180-80	Rotary wide head press plate	80. 12. 27	81. 10. 1
GB 2181-80	Eccentric wheel used press plate	80. 12. 27	81.10.1
GB 2182-80	Eccentric wheel used wide head press plate	80. 12. 27	81.10.1
GB 2183-80	Flat press plate	80. 12. 27	81. 10. 1
GB 2184-80	Bent head press plate	80. 12. 27	81. 10. 1
GB 2185-80	U shaped press plate	80. 12. 27	81. 10. 1
GB 2186-80	Saddle press plate	80.12.27	81. 10. 1

Ğ

0.4	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
GB 2187-80	Straight press plate	80.12.27		81. 10. 1
GB 2188-80	Hinge press plate	80.12.27		81. 10. 1
GB 2189-80	Reversed press plate	80.12.27		81. 10. 1
GB 2190-80	Bidirectional press plate	80.12.27		81. 10. 1
GB 2191-80	Circular eccentric wheel	80.12.27		81. 10. 1
GB 2192-80	Fork shaped eccentric wheel	80.12.27		81. 10. 1
SB 2193-80	Single side eccentric wheel	80.12.27		81. 10. 1
GB 2194-80	Double side eccentric wheel	80.12.27		81. 10. 1
GB 2195-80	Eccentric wheel used shim	80. 12. 27		81. 10. 1
3B 2196-80	Hook press plate	80.12.27		81. 10. 1
JB 219 7-8 0	Hook press plate (assembled)	80.12.27		81. 10. 1
GB 2198-80	Vertical hook press plate (assembled)	80. 12. 27		81.10.1
OB 2199-80	End hook press plate (assembled)	80. 12. 27		81. 10. 1
GB 2200-80	Side hook press plate (assembled)	80. 12. 27		81. 10. 1
GB 2201- 8 0	Locating shaft bushing	80. 12. 27		81. 10. 1
GB 2202-80	Small locating pin	80.12.27		81. 10. 1
GB 2203-80	Fixed type locating pin	80.12.27		81. 10. 1
GB 2204-80	Changeable locating pin	80. 12. 27		81. 10. 1
GB 2205-80	Locating insert pin	80. 12. 27		81. 10. 1
GB 2206-80	Locating key	80.12.27		81. 10. 1
3B 2207-80	Direction locating key	80. 12. 27		81. 10. 1
GB 2208-80	V shaped block	80. 12. 27		81. 10. 1

(i

G1	Standard Name	Draft	Rev. Impl.
Standard ID	Standard Name	Year	Month Day
GB 2209-80	Fixed V shaped block	80. 12. 27	81.10.1
GB 2210-80	Adjustable V shaped block	80. 12. 27	81. 10. 1
GB 2211-80	Moving V shaped block	80.12.27	81.10.1
GB 2212-80	Guiding plate	80.12.27	81.10.1
GB 2213-80	Thin block	80.12.27	81. 10. 1
GB 221 4-8 0	Thick block	80. 12. 27	81. 10. 1
GB 2215-80	Hand pull clamp	80.12.27	81. 10. 1
GB 2216-80	Bolted clamp	80. 12. 27	81.10.1
GB 2217-80	Inner expander	80.12.27	81. 10. 1
GB 2218-80	Knurl handle	80. 12. 27	81. 10. 1
GB 2219-80	Star handle	80. 12. 27	81.10.1
GB 2220-80	Moving handle	80.12.27	81.10.1
GB 2221-80	Fixed handle	80.12.27	81. 10. 1
GB 2222-80	Gripe	80. 12. 27	81. 10. 1
GB 2223-80	Welding handle	80.12.27	81. 10. 1
GB 2224-80	Level handle	80. 12. 27	81. 10. 1
GB 2225-80	Jack bolt	80.12.27	81. 10. 1
GB 2226-80	Supporting screw	80. 12. 27	81. 10. 1
GB 2227-80	Hexagon head support	80.12.27	81. 10. 1
GB 2228-80	Top press support	80. 12. 27	81.10.1
GB 2229-80	Cylindrical head regulating support	80.12.27	81. 10. 1
GB 2230-80	Regulating support	80. 12. 27	81.10.1
GB 2231-80	Button head support	80. 12. 27	81. 10. 1
GB 2232-80	Screw support	80. 12. 27	81. 10. :
GB 2233-80	Pillar	80.12.27	81.10.2

Chandand ID	Standard Name	Draft	Rev. Impi.
Standard ID	Standard Name	Year	Month Day
GB 2234-80	Low pillar leg	80. 12. 27	81. 10. 1
GB 2235-80	High pillar leg	80. 12. 27	81.10.1
GB 2236-80	Support plate	80. 12. 27	81.10.1
GB 2237-80	Supporting plate	80. 12. 27	81.10.1
GB 2238-80	Automatic adjusting support	80. 12. 27	81 . 10 . 1
GB 2239-80	Universal pillar	80. 12. 27	81.10.1
GB 22 40-8 0	Round grinding block	80. 12. 27	81.10.1
GB 2241-80	Square grinding block	80. 12. 27	81.10.1
GB 2242-80	Rectangular grinding block	80.12.27	81.10.1
GB 22 4 3-80	Side mounted grinding block	80. 12. 27	81.10.1
OB 1244-80	Grinder flat plug gage	80. 12. 27	81. 10. 1
GB 2245-80	Grinder cylindrical plug gage	80. 12. 27	81. 10. 1
GB 2246-80	Hinge axis	80.12.27	81.10.1
GB 2247-80	Hinge support	80.12.27	81.10.1
GB 2248-80	Hinge plug seat	80. 12. 27	81.10.1
GB 2249-80	Screw support	80. 12. 27	81.10.1
GB 2250-80	Screw plug	80. 12. 27	81.10.1
GB 2251-80	Lock button	80.12.27	81.10.1
GB 2252-80	Tangential clamping sleeve	80.12.27	81.10.1
GB 2253-80	Disassemble pad	80. 12. 27	81.10.1
GB 225 4-8 0	Blocking plate	80. 12. 27	81.10.1
GB 2255-80	Screw used shim	80. 12. 27	81.10.1
GB 2256-80	Plastic clamp used hexagon screw	80.12.27	81. 10. 1
GB 2257-80	Plastic clamp used inner	80. 12. 27	81.10.1

	CA cadand Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
	hexagon screw			
GB 2258-80	Plastic clamp used plug	80. 12. 27		81. 10. 1
GB 2262-80	Fixed drill sleeve	80.12.27		81. 10. 1
GB 2263-80	Drill sleeve used bushing	80.12.27		81.10.1
GB 2264-80	Changeable drill sleeve	80. 12. 27		81. 10. 1
GB 2265-80	Quick change drill sleeve	80. 12. 27		81.10.1
GB 2266-80	Boring sleeve	80.12.27		81. 10. 1
GB 2267-80	Boring sleeve used bushing	80.12.27		81.10.1
GB 2268-80	Drill sleeve screw	80. 12. 27		81. 10. 1
GB 2269-80	Boring sleeve screw	80. 12. 27		81. 10. 1
GB 2476-8 3	Grinding material index	81.2.17	83.1.31	84.1.1
GB 2477-8 3	Grinding material grain size and its compound	81.2.17	83. 1. 31	84.1.1
GБ 2 478-8ў	Brown corundum; Technical conditions	81.2.17	83.1.31	84.1.1
GB 2479-8 5	White corundum; Technical conditions	81.2.17	83.1.31	84.1.1
GB 2480-8 5	Carborundum; Technical conditions	81.2.17	83.1.31	84.1.1
GB 2481-8 3	Grinding material grain compound measuring method	81.2.17	83. 1. 31	84.1.1
GB 2482-8 3	Grinding material magnetic compound content measuring method	81. 2. 17	83.1.31	84.1.1
GB 2483-8 5	Grinding material marking and packing regulation	81.2.17	83. 1. 31	84. 1. 1
GB 2484-81	Grinding tool index	81. 2. 17		81.10.1
GB 2485-81	Grinding wheel	81.2.17		81.10.1
GB 2486-81	Small grinding wheel and grinding head	81.2.17		81. 10. 1

	CA dared N	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
GB 2487-81	Oilstone	81.2.17		81. 10. 1
SB 2488-81	Grinding plate	81.2.17		81. 10. 1
SB 2489-81	Grinding wheel for thin plate	81. 2. 17		81. 10. 1
SB 2490-81	Inspection of hardness for sand spray	81.2.17		81.10.1
B 2491-81	Rockwell hardness inspection method	81.2.17		81. 10. 1
SB 2492-81	Grinding wheel static balance inspection and static unbalance value	81.2.17		81 . 10 . 1
B 2493-81	Inspection of rotation strength for grinding wheel	81.2.17		81. 10. 1
L 2494-81	Safety rule for grinding tool	81. 2. 17		81, 10, 1
B 2495-81	Grinding tool marking and packing regulation	81.2.17		81. 10. 1
SB 2804-81	Structural factors of assembled clamp parts	81. 11. 17		82.7.1
SP 2851.1-81	Sliding-guided die holder for cold moulding; Type A diagonal guiding post die holder	81. 12. 29		8 4 . 1. 1
SB 2851.2-81	Sliding-guided die holder for cold moulding; Type B diagonal guiding post die holder	81. 12. 29		84. 1. 1
GB 2851.3-81	Sliding-guided die holder for cold moulding; Die holder with side rear guiding post	81.12.29		84. 1. 1
GB 2851. 4- 81	Sliding-guided die holder for cold moulding; Die holder with side rear narrow guiding post	81.12.29		84. 1. 1

Ø.

Standard ID	Standard Name	Draft	Rev.	Impl.
standard in	Standard Name	Year	Month	Day
GB 2851.5-81	Sliding-guided die holder for cold moulding; Die holder with central guiding post	81. 12. 29		84.1.1
GB 2851.6-81	Sliding-guided die holder for cold moulding; Die holder with central round guiding post	81. 12. 29 d		84.1.1
GB 2851. 7-8 1	Sliding-guided die holder for cold moulding; Die holder with four guiding posts	81. 12. 29		84.1.1
GB 2852.1-81	Rolling-guided die holder for cold moulding; Die holder with diagonal guiding post	81. 12. 29		84.1.1
GB 2852-2-81	Rolling-guided die holder for cold moulding; Die holder with central guiding post	81. 12. 29		84.1.1
GB 2852.3-81	Rolling-guided die holder of for cold moulding; Die holder with four guiding posts	81. 12. 29		84.1.1
3B 2853,1-81	Die holder with guiding plate for cold moulding; Die holder with diagonal guiding post	31. 12. 29		84.1.1
3B 2853.2-81	Die holder with guiding 8 plate for cold moulding; Die holder with central guiding post	31. 12. 29		84.1.1
SB 2854-81	Die holder for cold moulding;	81. 12. 2	9	84.1.1
	Technical conditions			
¥B 2855.1-81	Sliding-guided die bed for cold moulding; Upper die seat of Type A diagonal guiding post	31. 12. 29		84. 1. 1
SB 2855.2-81	Sliding-guided die bed for cold moulding; 112	31. 12. 29		84. 1. 1

Standard ID	Standard Name	Draft	Rev.	Impl
Standard ID	Standard Name	Year	Month	Day
	Lower die seat of Type A diagonal guiding post			
GB 2855.3-81	Sliding-guided die bed for cold moulding; Upper die seat of Type B diagonal guiding post	81.12.29		84. 1. 1
GB 2855.4-81	Sliding-guided die bed for cold moulding; Lower die seat of Type B diagonal guiding post	81.12.29		84.1.1
GB 2855.5-81	Sliding-guided die bed for cold moulding; Upper die seat of rear side guiding post	81. 12. 29		84.1.1
GB 2855.6-81	Sliding-guided die bed for cold moulding; Lower die seat of rear side guiding post	81.12.29		84. 1. 1
OB 2855.7-81	Sliding-guided die bed for cold moulding; Narrow upper die seat of rear side guiding post	81. 12. 29	•	84. 1. 1
GB 2855.8-81	Sliding-guided die bed for cold moulding; Narrow lower die seat of rear side guiding post	81.12.29		84. 1. 1
GB 2855-9~81	Sliding-guided die bed for cold moulding; Upper die seat of central guiding post	81.12.29		84.1.1
GB 2855.10-81	Sliding-guided die bed for cold moulding; Lower die seat of central guiding post	81. 12. 29		84.1.1
SB 2855.11-81	Sliding-guided die bed for cold moulding; Round upper die seat of central guiding post	81.12.29		84.1.1
GB 2855.12-81	Sliding-guided die bed for cold moulding;	81.12.29		84.1.1

(

Standard ID	Standard Name	Draft	Rev.	Impl
Standard ID	Standard Name	Year	Month	Day
	Round lower die seat of central guiding post			
GB 2855.13-81	Sliding-guided die bed for cold moulding; Upper die seat of four guiding posts	81. 12. 29		84. 1. 1
GB 2855.14-81	Sliding-guided die bed for cold moulding; Lower die seat of four guiding posts	81. 12. 29		84.1.1
SB 2856.1-81	Rolling-guided die bed for cold moulding; Upper die seat of diagonal guiding post	81. 12. 29		8 4 . 1. 1
SB 2856.2-81	Rolling-guided die bed for cold moulding; Lower die seat of diagonal guiding post	81. 12. 29		84.1.1
SB 2856.3-81	Rolling-guided die bed for cold moulding; Upper die seat of central guiding post	81. 12. 29		8 4 . 1. 1
GB 2856. 4~ 81	Rolling-guided die bed for cold moulding; Lower die seat of central guiding post	81.12.29		84.1.1
GB 2856.5-81	Rolling-guided die bed for cold moulding; Upper die seat of four guiding posts	81.12.29		84.1.1
SB 2856.6-81	Rolling-guided die bed for cold moulding; Lower die seat of four guiding posts	81.12.29		84. 1. 1
B 2857.1-81	General purpose die bed used in cold moulding Round upper die seat with shank	81. 12. 29		84. 1. 1
SB 2857.2-81	General purpose die bed used in cold moulding	81. 12. 29		84. 1. 1

Œ.

Canadana ID	Standard Name	Draft	Rev.	Imp1.
Standard ID	Standard Name	Year	Month	Day
	Square upper die seat with shank			
GB 2857.3-81	General purpose die bed used in cold moulding Steel plate die seat	81.12.29	·	84.1.1
GB 2857.4-81	General purpose die bed used in cold moulding Upper die seat	81. 12. 29		84.1.1
GB 2857.5-81	General purpose die bed used in cold moulding Type A lower die seat	81. 12. 29		84.1.1
GB 2857.6-81	General purpose die bed used in cold moulding Type B lower die seat	81. 12. 29		84.1.1
GB 2857.7-81	General purpose die bed used in cold moulding Die seat	81. 12. 29		84.1.1
GR 2857.8-81	General purpose die bed used in cold moulding Lower die seat of bent die	81.12.29		84.1.1
GB 2858.1-81	Mould-board used in cold moulding; Square concave mould-board	81. 12. 29		84.1.1
GB 2856.2-81	Mould-board used in cold moulding; Square mould-board	81. 12. 29		84.1.1
GB 2858.3-81	Mould-board used in cold moulding; Square bearing plate	81.12.29		84.1.1
GB 2858.4-81	Mould-board used in cold moulding; Round concave mould-board	81.12.29		84.1.1
GB 2858.5-81	Mould-board used in cold moulding; Round mould-board	81. 12. 29		84.1.1
GB 2858.6-81	Mould-board used in cold moulding; Round bearing plate	81. 12. 29		84. 1. 1

Ç.

Standard ID	Standard Name	Draft	Rev.	Impl.
		Year	Month	Day
GB 2859.1-81	Mould-board of single convex mould for cold moulding; Fixing board of single convex mould	81.12.29		84.1.1
GB 2859.2-81	Mould-board of single convex mould for cold moulding; Single convex bearing plate	81.12.29		84.1.1
GB 2859.3-81	Mould-board of single convex mould for cold moulding; Type A shift mounted, single convex fixing plate	81. 12. 29		84.1.1
GB 2859.4-81	Mould-board of single convex mould for cold moulding; Type A shift mounted, single convex bearing plate	81.12.29		84.1.1
GB 2859.5-81	Mould-board of single convex mould for cold moulding; Type B shift mounted, single convex fixed plate	81.12.29		84.1.1
3B 2859.6-81	Mould-board of single convex mould for cold moulding; Type B shift mounted, single convex bearing plate	81.12.29		84.1.1
GB 2860.1-81	Guiding plate of guiding- mould for cold moulding; Diagonal guiding post guide plate	81.12.29		84.1.1
3B 2860.2-81	Guiding plate of guiding- mould for cold moulding; Central guiding post guide plate	81.12.29		84.1.1
GB 2861.1-81	Guiding device for cold moulding; Type A guiding post	81.12.29		84.1.1

(

Standard ID	Standard Name	Draft	Rev.	Impl
Standard ID	Standard Name	Year	Month	Day
GB 2861.2-81	Guiding device for cold moulding; Type B guiding post	81, 12, 29		84.1.1
GB 2861.3-81	Guiding device for cold moulding; Type C guiding post	81. 12. 29		84.1.1
GB 2861.4-81	Guiding device for cold moulding; Type A small guiding post	81, 12, 29		84. 1. 1
SB 2861.5-81	Guiding device for cold moulding; Type B small guiding post	81, 12, 29		84. 1. 1
SB 2861.6-81	Guiding device for cold moulding; Type A guiding sleeve	81. 12. 29		84. 1. 1
SB 2861.7-81	Guiding device for cold moulding; Type B guiding sleeve	81. 12. 29		84.1.1
SB 2861.8-81	Guiding device for cold moulding; Type C guiding sleeve	81. 12. 29		84.1.1
SB 2861.9-81	Guiding device for cold moulding; Small guiding sleeve	81. 12. 29		84.1.1
SB 2861.10-81	Guiding device for cold moulding; Steel ball retainer ring	81. 12. 29		84. 1. 1
SB 2861.11-81	Guiding device for cold moulding; Compression coil spring	81. 12. 29		84 · 1 · 1
SB 2861.12-81	Guiding device for cold moulding; Type A removable guiding pillar	81. 12. 29		84.1.1
FB 2861:13-81	Guiding device for cold moulding; Type B removable guiding pillar	81. 12. 29		84.1.1

Œ

Standard ID	Standard Name	Draft	Rev. Impl.
Standard ID	Standard Name	Year	Month Day
GB 2861.14-81	Guiding device for cold moulding; Shaft bushing	81. 12. 29	84. 1. 1
3B 2861.15-81	Guiding device for cold moulding; Washing	81.12.29	84.1.1
3B 2861,16-81	Guiding device for cold moulding; Pressing board	81. 12. 29	84.1.1
GB 2861.17-81	Guiding device for cold moulding; Assemble dimension of die bed with removable guiding post	81.12.29	84.1.1
GB 2861.18-81	Guiding device for cold moulding; Pressing ring fixed guiding pillar	81.12.29	84. 1. 1
OB 2861.19-81	Guiding device for cold moulding; Pressing ring fixed guiding sleeve	81, 12, 29	84.1.1
3B 2861,20-81	Guiding device for cold moulding; Pressing ring	81. 12. 29	84. 1. i
0B 2862, 1-81	Die shank for cold moulding Press-in shank	81.12.29	84.1.1
3B 2862.2-81	Die shank for cold moulding Rotate-in shank	81. 12. 29	84.1.1
GB 2862.3-81	Die shank for cold moulding Flanged shank	81. 12. 29	84. 1. 1
GB 2862.4-81	Die shank for cold moulding Grooved shank	81, 12, 29	84. 1. 1
GB 2862.5-81	Die shank for cold moulding General used shank	81, 12, 29	84.1.1
GB 2862.6-81	Die shank for cold moulding Floating shank	81, 12, 29	84.1.1

	Chandand Nama	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
GB 2862.7-81	Die shank for cold moulding Push-in, moveable shank	81. 12. 29		84. 1. 1
GB 2863.1-81	Convex, concave die for cold moulding; Type A, round convex die	81. 12. 29		84. 1. 1
GB 2863.2-81	Convex, concave die for cold moulding; Type B, round convex die	81. 12. 29		84.1.1
GB 2863.3-81	Convex, concave die for cold moulding; Quick change round convex di	81. 12. 29 e		84. 1. 1
GB 2863.4-81	Convex, concave die for cold moulding; Round concave die	81. 12. 29		84. 1. 1
GB 2863.5-81	Convex, concave die for cold moulding; Round concave die with colla	81.12.29 r		84. 1. 1
GB 2864.1-81	Guiding pin for cold moulding; Type A guiding pin	81. 12. 29		84.1.1
GB 2864.2-81	Guiding pin for cold moulding; Type B guiding pin	81. 12. 29		84. 1. 1
GB 2864.3-81	Guiding pin for cold moulding; Type C guiding pin	81. 12. 29		84.1.1
GB 2864.4-81	Guiding pin for cold moulding; Type D guiding pin	81. 12. 29		84. 1. 1
GB 2865.1-81	Side blade and feeding device for cold moulding; Side blade	81.12.29		84.1.1
GB 2865.2-81	Side blade and feeding device for cold moulding; Block of Type A side blade	81.12.29		84.1.1
GB 2865.3-81	Side blade and feeding device for cold moulding; Block of Type B side blade	81. 12. 29		84.1.1

● 次のかから 「水の水が、」なるかがある。 Mana Mana であるから

G

Standard ID	Standard Name	Draft	Rev. Impl
Standard ID	Standard Name	Year	Month Day
GB 2865.4-81	Side blade and feeding device for cold moulding; Block of Type C side blade	81.12.29	84. 1. 1
GB 2865.5-81	Side blade and feeding device for cold moulding; Feeding plate	81.12.29	84.1.1
GB 2865.6-81	Side blade and feeding device for cold moulding; Retaining plate	81. 12. 29	84.1.1
GB 2866,1-81	Fender and spring device for cold moulding; Initial used fender device	81. 12. 29	84.1.1
GB 2866,2-81	Fender and spring device for cold moulding; Spring wick pillar	81. 12. 29	84. 1. 1
3D 2868.3-81	Fender and spring device for cold moulding; Spring side pressing device	81, 12, 29	84.1.1
GB 2866.4-81	Fender and spring device for cold moulding; Side pressed spring	81. 12. 29	84.1.1
3B 2866,5-81	Fender and spring device for cold moulding; Fender device with spring	81. 12. 29	84.1.1
SB 2866.6-81	Fender and spring device for cold moulding; Fender device with twisting spring	81. 12. 29	84. 1. 1
5B 2866.7-81	Fender and spring device for cold moulding; Rubber fender spring	81.12.29	84.1.1
B 2866.8-81	Fender and spring device for cold moulding; Round belt type fender device	81. 12. 29	84.1.1
SB 2866.9-81	Fender and spring device for cold moulding; Steel ball, spring device	81, 12, 29	84.1.1

Ø,

Chamber Th	Charles Nove	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
3B 2866 10-81	Fender and spring device for cold moulding; Spring device	81. 12. 29		84. 1. 1
GB 2866.11-81	Fender and spring device for cold moulding; Fixed fender pin	81. 12. 29		84. 1. 1
GB 2867.1-81	Discharging device for cold moulding; Pushing pole with shoulder	81.12.29		84. 1. 1
3B 2867.2-81	Discharging device for cold moulding; Pushing pole with screw	81. 12. 29		84. 1. 1
SB 2867.3-81	Discharging device for cold moulding; Supporting bar	81. 12. 29		84. 1. 1
Sp. 2867.4-81	Discharging device for cold moulding; Supporting plate	81. 12. 29		84.1.1
GB 2867.5-81	Discharging device for cold moulding; Cylindrical head discharging screw	81. 12. 29		84.1.1
3B 2867.6- 81	Discharging device for cold moulding; Cylindrical head inner hexagodischarging screw	81.12.29 on		84. 1. 1
GB 2867.7-81	Discharging device for cold moulding; Extension sleeve of discharging screw	81.12.29		84.1.1
35 2867.8-81	Discharging device for cold moulding; Regulating washer	81.12.29		84.1.1
TB 2867.9-81	Discharging device for cold moulding; Polyurethane elastic	81. 12. 29		84. 1. 1
SB 2868, 1-81	Waste cutter for cold moulding;	81. 12. 29		84. 1. 1

Standard ID	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
	Round waste cutter			
GB 2868,2-81	Waste cutter for cold moulding; Square waste cutter	81.12.29		84. 1. 1
GB 2869.1-81	Supporting device for cold moulding; Stopping Key	81.12.29		84. 1. 1
GB 2869.2-81	Supporting device for cold moulding; Fositioning stock	81. 12. 29		84.1.1
SB 2869.3-81	Supporting device for cold moulding; Supporting ring	81. 12. 29		84. 1. 1
GB 2869.4-81	Supporting device for cold moulding; Hinge type supporting device	81. 12. 29		84.1.1
3B 2870-81	Parts for cold moulding; Technical conditions	81. 12. 29		84.1.1
SB 2871.1-81	Typical assembly of fixed discharging device for cold moulding; Typical assembly for guideless, longitudinal feed	81.12.29		84. 1. 1
SB 2871.2-81	Typical assembly of fixed discharging device for cold moulding; Typical assembly for guideless, lateral feed	81.12.29		84.1.1
SB 2871.3-81	Typical assembly of fixed discharging device for cold moulding; Typical assembly for longitudinal feed	81.12.29		84.1.1
GB 2871.4-81	Typical assembly of fixed discharging device for cold moulding; Typical assembly for	81. 12. 29		84.1.1

©

Standard ID	Standard Name	Draft	Rev.	Impl.
	b tandara name	Year	Month	Day
	lateral feed			
GB 2872.1-81	Typical assembly of spring pressed discharging device for cold moulding; Typical assembly for longitudinal feed	81.12.29		84.1.1
SB 2872.2-81	Typical assembly of spring pressed discharging device for cold moulding; Typical assembly for lateral feed	81.12.29		84.1.1
OB 2873.1-81	Typical assembly of die set for cold moulding; Typical assembly for square thick, concave die	81.12.29		84.1.1
GB 2873.2-81	Typical assembly of die set for cold moulding; Typical assembly for square thin, concave die	81. 12. 29		84.1.1
GB 2873.3-81	Typical assembly of die set for cold moulding; Typical assembly for round thick, concave die	81. 12. 29		84. 1. 1
SB 2873.4-81	Typical assembly of die set for cold moulding; Typical assembly for round thin, concave die	81.12.29		84.1.1
SB 2874.1-81	Typical assembly of guiding- plate die for cold moulding; Typical assembly of longitudinal feed	81.12.29		84. 1. 1
SB 2874.2-81	Typical assembly of guiding- plate die for cold moulding; Typical assembly of lateral feed	81.12.29		84.1.1
6B 2874.3-81	Typical assembly of guiding- plate die for cold moulding; Typical assembly of spring pressed, longitudinal feed	81.12.29		84. 1. 1

Standard ID	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
GB 2874.4-81	Typical assembly of guiding- plate die for cold moulding; Typical assembly of spring pressed, lateral feed	81. 12. 29		84.1.1
GB 2875-81	Typical assembly for cold moulding; Technical conditions	81. 12. 29		84.1.1
3B 3043-82	Chemical analysis of brown corundum	82.4.23		83. 1. 1
3B 3044-82	Chemical analysis of white corundum, chrome-corundum	82.4.23		83.1.1
3B 3045-82	Chemical analysis of carborundum	82.4.23		83.1.1
SB 3177-82	Dimension inspection for smooth workpieces	82. 8. 26		83.5.1
GR 3227-82 '	Rotation range of machine driven socket wrenches	82.10.22		83.7.1
3B 3228-82	Universal socket of machine driven socket wrenches	82.10.22		83.7.1
GB 3229-82	Hexagon driving end of machine driven tools	82.10.22		83.7.1
GB 3390.1-82	Socket of hand driven socket wrenches	82.12.30		83. 9. 1
SB 3390.2-82	Driving tenon and square hole of hand driven socket wrenches	82.12.30		83. 9. 1
GB 3390.3-82	Driving accessories of hand driven socket wrenches	82. 12. 30		83. 9. 1
GB 3390. 4 ~82	Connecting accessories of hand driven socket wrenches	82.12.30		83. 9. 1
GB 3390.5-82	Inspection rule, packing marking of hand driven socket wrenches	82.12.30		83. 9. 1
GB 3464-83	Machine used and hand used	83.1.29		83. 10. 1

Standard ID	Standard Name	Draft	Rev.	Impì.
standara in	Standard Name	Year	Month	Day
	thread taps	***		
GB 3465-83	Long shank, machine used thread taps	83.1.29		83 . 10 . 1
GB 3466-83	Long shank, nut thread tap	83. 1. 29		83. 10. 1
GB 3467-83	Round plate tooth holder type and interchanging dimension	83.1.29		83. 10. 1
GB 3479-83	Categorizing method for grinding tool indexing	83.1.31		84.1.1
GB 3506-83	Helical fluted screw taps	83.2.22		84.1.1
GB 3601-83	Bolt tightened flat grinding wheel	83.4.6		84. 6. 1
GB 3602-83	PH value testing method for general grinding material	83.4.6		84.2.1
3R 3603-83	Density test for general grinding material	83.4.6		84.2.1
3B 3604-83	Test of grain density for general grinding material	83.4.6		84. 2. 1
3B 3605-83	Test of water affinity for general grinding material	83.4.6		83. 2. 1
GB 3831-83	Round broach; Technical conditions	83. 8. 16		84.6.1
GB 3832.1-83	Round broach square shank; Type and basic dimension	83. 8. 16		84. 6. 1
GB 3832.2-83	Round broach cylindrical front end; Type and basic dimension	83. 8. 16		84. 6. 1
B 3832.3-83	Round broach cylindrical rear end; Type and basic dimension	83. 8. 16		84 . 6 . 1
B 3934-83	General thread gage	83.11.9		84. 8. 1

Standard ID	Standard Name	Draft	Rev.	Impl.
	Standard Name	Year	Month	Day
	[Metal Cutting Machine	Tooll		
SB 1582-79	General lathe parameters	79. 9. 1		80.7.1
GB 2259-80	Lathe chuck parts and elements; Technical conditions	79. 9. 1		80.7.1
SB 2553-81	Dividing attachment parameters	81.3.30		81. 10. 1
B 2554-81	Precision of dividing attachment	81.3.30		81.10.1
3B 2813- 8 1	Bench drilling machine parameters	81. 12. 11		82. 8. 1
GB 2814-81	Vertical drilling machine parameters	81.12.11		82.8.1
6B 2815-81	Axle end dimension of drilling machine	81.12.11		82.8.1
SB 3167-82	Indication symbol for the operation of metal cutting machine tools	82. 8. 18		83.5.1
SB 3168-82	Indication symbol for the operation of numerical control machine tools	82. 8. 18		83.5.1
SB 3668, 1-83	General parts of assembled machine tools; Headstock box and driving axle dimensions	83.5.9		84.3.1
3B 3668, 2-83	General parts of assembled machine tools; Bed dimension	83. 5. 9		84.3.1
TB 3668.3-83	General parts of assembled machine tools; Rotary working bench and its polygon central base dimension	83.5.9		84.3.1
3B 3668. 4-8 3	General parts of assembled machine tools; Slide dimension	83.5.9		84.3.1

Standard ID	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
GB 3668.5-83	General parts of assembled machine tools; Switch box dimension	83. 5. 9		84.3.1
OB 3668.6~83	General parts of assembled machine tools; Slide base dimension	83. 5. 9		84.3.1
3B 3668, 7~8 3	General parts of assembled machine tools; Slide side base dimension	83.5.9		84.3.1
3 <u>8</u> 3668, 8-83	General parts of assembled machine tools; Central base and tailstock dimension	83. 5. 9		84.3.1
33 3668, 9-83	General parts of assembled machine tools; Major axle elements dimensions	83.5.9		84.3.1
3E 3668, 9-8 3	General parts of assembled machine tools; Major axle elements dimensions	83.5.9	•	84.3.1
3668.10− 83	General parts of assembled machine tools; Dimension of headstock major axle end and adjustable connecting pole	83.5.9		84.3.1
OB 3668-11-83	General parts of assembled machine tools; Tailstock dimension	83. 5. 9		84.3.1
GB 3668.12- 83	General parts of assembled machine tools; Floor type tailstock dimension	83.5.9		84. 3. 1
3B 3668,13-83	General parts of assembled machine tools; Dimensions of flanged plate and end driving key used in assembling headstock	83.5.9		84. 3. 1

(<u>e</u>

Standard ID	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
GB 3837.3-83	7:24 conical connection of machine tools; Major axle end portion	83 9.2		84. 10. 1
GB 3837.3-83	7:24 conical connection of machine tools; Major axle cross section key	83. 9. 2		84. 10. 1
GB 3837.3-83	7:24 conical connection of machine tools; Conical tool shank	83. 9. 2		84. 10. 1
GB 3932-83	Precision of milling machine with un-elevating working bench	83.11.9		84. 10. 1
GB 3933-83	Precision of milling machine with elevating working bench	83.11.9		84. 10. 1
GB 4017-83	Precision of radial drilling machine	83, 12, 15		84. 10. 1
GB 4018-83	Cylindrical vertical drilling machine	83. 12. 15		84. 10. 1
GB 4019-83	Square vertical drilling machine	83. 12. 15		84. 10. 1
GB 4020-83	General lathe precision	83. 12. 15		84. 10. 1
GB 4021-83	Precise lathe precision	83. 12. 15		84.10.1
GB 4022-83	Precision of plane grinder with horizontal axle square working bench	83. 12. 15		84. 10. 1
	[General Machine Too	013		
GB 1469-78	Electrical welding terminology	78. 12. 14		79. 5. 1
GB 1571-79	Multi-layer heat presser Basic parameters	79. 6. 23		80.5.1

Chambers I.T.	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
	[General Facility]	<u> </u>		
GB 782-79	Fixed, reciprocating piston type air compressor Basic parameters	65. 11. 30	79. 8. 24	80.5.1
GB 1236-76	Air ventilator Performance test method	76. 6. 5		77. 1. 1
GB 2358-80	Crack Opening Displacement (COD) test method	80.12.31		81.7.1
GB 2658-81	Small axial fan	81.5.20		82.1.1
GB 2888-82	Noise detecting method for fans and Russ air blowers	82.2.1		83. 1. 1
GB 3214-82	Measurement of flow rate of water pump	82.10.8		83. 6. 1
23. 32.15+62	dentrifugal pump used in refinery, chemical and petrochemical flow; General technical conditions	82.10.8		83. to 1
GB 3216-82	Centrifugal pump, mixing flow pump, axial pump, vortex pump Testing method		8	83.6.
GB 3235- 8 2	Air ventilator basic types, dimensions, parameters and performance curves	82.11.6		83.7.1
GB 3835-83	Performance test method for general used, volumetric air compressor	83. 9. 8		84. 5. 1
GB 3943-83	Round holes and long holes screen mesh	83. 11. 24		84. 10.
	[Power Facility]			
GB 724-65	Part name of internal- combustion engines	65. 5. 5		66. 1. 1
GB 725-82	Indexing rule for the name and type of internal-combustion engines	65. 5. 5	82.7.6	83.3.1

Standard ID	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year Month Day		
GB 725-65	Index for rotating direction and cylinder of internal-combustion engine	65. 5. 5		66. 1. 1
SB 727-65	Indexing rule for turbo- charger used in diesel engines	65. 5. 5		66.1.1
3B 753-65	Steam boilers; Parameter series	65. 11. 30		66. 5. 1
3B 754-65	Steam engines; Parameter series	65. 11. 30		66. 5. 1
FB 755-81	Electrical machinery; Basic technical requirements	65.11.30	81.12.18	82.8.1
3B 1105-74	Test of frame for internal-combustion engines	74. 5. 4		74. 11. 1
3B 1147-74	Internal-combustion engine; Technical conditions	74. 2. 12		74. 8. 1
VB 1148-82	Aluminum piston of internal-combustion engines; Technical conditions	74. 2. 12	82.12.21	83. 10. 1
GB 1148-82	Piston ring of internal-combustion engines;	74. 2. 12	82.12.21	83. 10. 1
GB 1150-82	Cast iron cylinder block of internal-combustion engines; Technical conditions	74.2.12	82.7.6	83.3.1
GB 1151-82	crankshaft and connecting rod shaft of internal- combustion engines; Technical conditions	74.2.12	82.7.6	83.3.1
3B 1576-79	Low pressure boiler water quality standard	79. 7. 31		80.5.1
SB 1882-80	Test for centrifugal cooling pump used for internal-combustion engine	80.3.29		80. 10. 1
GB 1883-80	Reciprocating piston type of internal-combustion engine;	80.3.29		80.10.1

O

, j

		Draft Rev.	Impl.
Standard ID	Standard Name	Year Month	Day
	Terminology		
GB 1921-80	Industry used steam boiler; Parameter series	80.4.4	80. 10. 1
3B 2784-81	Intake and exhaust valves of internal-combustion engines; Technical conditions	81.10.22	82.8.1
GB 2785-81	Valve spring of internal- combustion engines; Technical conditions	81. 10. 22	82.8.1
GB 2805- 81	Metallographic examination for single casting piston ring of internal-combustion engines	81.11.17	82.8.1
SB 2940-82	Fuel injector, speed regula- tor, fuel injector spring of diesel engine; Technical conditions	82.3.16	82.11.1
GB 3166-82	Hot water boiler parameter series	82.8.11	83. 5. 1
GB 3269-82	Internal-combustion engine timing gear; Technical conditions	82.7.6	83.3.1
GB 3270-82	Reciprocating Internal- combustion engines; Engine orientation	82.7.6	83.3.1
OB 3271-82	Connectintg-rod bolts of internal-combustion engines; Technical conditions	82.7.6	83.3.1
GB 3272-82	Connectintg-rod nuts of internal-combustion engines; Technical conditions	82.7.6	83.3.1
GB 3308-82	GF Type impeller powder feeder	82. 12. 16	83. 10. 1
GB 3508-83	Metallographic examination standard for casting aluminum piston of internal-combustion engines	83. 2. 22	84.1.1

	CA - a damed Name	Draft	Rev.	Impl.
Standard II	Standard Name	Year	Month	Day
GB 3509-83	Metallographic examination standard for casting cylindrical piston ring of internal-combustion engines	83. 2. 22		84. 1. 1
JB 3539-83	Basic type and technical conditions for high pressure fuel tube fitting used in diesel engine	83.3.5		84. 1. 1
3B 3540+83	Low pressure fuel tube fit- ting used in diesel engines; Spherical tube fitting	83.3.5		84.1.1
3B 3541-83	Low pressure fuel tube fit- ting used in diesel engines; Hinge type tube fitting	83.3.5		84.1.1
si stal pi	Low pressure rubber fuel tube and fittings used in diesel engine	83.3.5		84.1.1
3B 38L1-83	Cleanness test for median-small internal-combustion engines	83.7.30		84. 5. 1
[1	ifting, Transportation, Constru	uction Mac	hineryl	
SB 783-65	Lifting weight series of crane	65, 11, 30		66. 7.
3B 790-65 -	3~250 tons electrical, bridge type crane; Span series	65.12.7		66.7.
0B 791-65	3°250 tons electrical, bridge type crane; Lifting height series	65. 12. 7		66.7.
GB (98 7-65	TD type belt conveyer; Basic parameter and dimension	67.3.4	77. 9. 13	78. 1.
3B 988-77	TD type belt conveyer transmission roller; Basic parameter and dimension	67.3.4	77. 9. 13	78. 1.
GB 989-77	TD type belt conveyer	67.3.4	77. 9. 13	78.1.

C4 = 1 1 - TD	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month I)ay
	direction changing roller; Basic parameter and dimension			
GB 990-77	TD type belt conveyer grooved supporting roller; Basic parameter and dimension	67.3.4	77. 9. 13	78. 1. 1
GB 991-77	TD type belt conveyer grooved adjusting roller; Basic parameter and dimension	67.3.4	77. 9. 13	78. 1. 1
GB 992-77	TD type belt conveyer flat supporting roller; Basic parameter and dimension	67.3.4	77. 9. 13	78. 1. 1
GB 993-77	TD type belt conveyer flat adjusting roller; Basic parameter and dimension	67.3.4	77. 9. 13	78. 1. 1
GB 994-77	TD type belt conveyer spiral tightening device; Basic parameter and dimension	67.3.4	77. 9. 13	78. 1. 1
GB 995-77	TD type belt conveyer vertical tightening device; Basic parameter and dimension	67.3.4	77. 9. 13	78.1.1
GB 996-77	TD type belt conveyer motor tightening device; Basic parameter and dimension	67.3.4	77. 9. 13	78. 1. 1
GB 1955-80	Construction hoister	80.5.15		80.12.1
GB 2657-81	Fog reamer	81.5.21		82.1.1
GB 3225-82	Hydraulic excavator bucket capacity demarcation	82.10.22		83.7.1
GB 3226-82	Mechanical excavator bucket capacity demarcation	82.10.22		83.7.1
GB 3732-83	Bag type air cushion plate;	83.6.22		84.4.1
GB 3811-83	Basic parameters Crane design standard	83.7.30		84.5.1
GB 3981-83	DDC belt type electro- magnetic iron cleaner	83. 12. 10		84. 10. 1
GB 3982-83	ZG type electro-magnetic vibrating coal feeder	83.12.10		84. 10. 1

Chambers Th	Chandend Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
	K ELECTRICAL ENGINE	ERING		
	(Electrical Engineering	Summary)		
GB 156-80	Rated voltage	59. 5. 25	80. 12. 22	81. 8. 1
GB 312-64	Electrical engineering system schematics; Schematic symbol	64.4.24		65. 10.
3B 313-64	Electrical engineering and lighting plane schematics; Schematic symbol	64.4.24		65. 10.
3B 314-64	Telecommunication plane schematics; Schematic symbol	64.4.24		65. 10.
3B 315-64	Character, symbol compiling rules for electrical engineering equipment	64.4.24		65. 10.
SB 316-64	Return loop symbol of power system	64. 4. 24		65. 10.
3B 762-80	Electrical equipment; Rated current	65.11.30	80. 11. 10	81.5.1
GB 999-67	Direct current power draw voltage series	67.3.4		68. 1. 1
SB 1002-80	Type of single phase plug and sockets; Basic parameters and dimensions	67. 3. 4	80.12.9	68. 1. 1
SB 1003-80	Type of three-phase plug and sockets; Basic parameters and dimensions	67.3.4	80.12.9	68. 1. 1
GB 1203-75	Common used character symbol of power equipment	75. 7. 1		76. 2. 1
GB 1245-76	Basic dimensions of parts of electrical equipment; Plate, adjusting plate and wire housing	76. 10. 16		77. 10.

Standard ID	Standard Name	Draft	Rev. Impl.
Standard ID	Standard Name	Year N	Month Day
GB 1498-79	Shell protection class of low voltage appliance	79. 2. 28	79. 10. 1
GB 1980-80	Electrical equipment Rated frequency	80. 6. 27	81.1.1
GB 2099-80	Single phase, three phase plug, socket; Technical condition	80.12.9	81.7.1
GB 2681-81	Wire colors of electrical engineering equipment	81. 6. 12	81.7.1
SB 2682-81	Indicator light and button colors of electrical engineering equipment	81. 6. 12	81.7.1
SB 2900, 1-82	Terminology of electrical engineering; Basic terminology	82. 2. 12	82. 10. 1
te 2900.5-ja 3	Terminology of electrical engineering; Electrical equipment insulation material	83.10.28	84. 6.1
GB 2900.8-8 3	Terminology of electrical engineering; Insulator	93.10.28	84.6.1
3B 2900.9-8 3	Terminology of electrical engineering; Plug	<i>§3.16.28</i>	P4. 6.
3B 2900.12-8	Terminology of electrical engineering; Lighting arrestor	13.10.28	94.6.1
GB 2900.15-82	Terminology of electrical engineering; Transformer, inductor, regulator, reactor	82.2.12	82.10.1
SB 2900.16-8	Terminology of electrical engineering; Power capacitor	83.10,28	94.6.1
3B 2900.17-8	Terminology of electrical engineering; Relay and relay protection	83, 10, 28	84.6.1

•

Standard ID	Standard Name	Draft	Rev.	Impl.
		Year	Month	Day
	device			
5B 2900.18-82	Terminology of electrical engineering; Low voltage appliance	82.2.12		82. 10. 1
SB 2900.19-82	Terminology of electrical engineering; High voltage testing technology and insulation coupling	82. 3.14		82. 10.1
SB 2900.23-8 3	Terminology of electrical engineering; Industry electrical heating equipment	83.10.28		P4.6.1
GB 2900.25-82	Terminology of electrical engineering; Flectrical machinery	82. 334		82. []- [
3B 2900, 26−8 3	Terminology of electrical engineering; Controllable micro electrical machinery	93.12.11	,	84. 10. 1
3B 2900,28-82	Terminology of electrical engineering; Power tool	P2.3.20	f	82.11.1
GB 2900.32 -8 2	engineering; Electrical semiconductor	82.3.24	t	82. 1).
SB 2900.33-82	Terminology of electrical engineering; Convertor	82.3.24		82. [[,]
SB 2900.34-8	Terminology of electrical engineering; Electric transmission and its automatic control	83.10.28	9	84.6.1
≨B 2900.35-8 3		83. 8. 29)	851.1

Ctandand ID	Standard Name	Draft	Rev.	Impl.	
Standard ID	Standard Name	Year Month		Day	
	environment				
B 2900.36-8	Terminology of electrical engineering; Power drawing	93.10.21	P	84.6.1	
в 2900.37-8	Terminology of electrical engineering; Battery specialized equipment	83. 6 0.2	y	84.6.1	
B 2900.39-8 9	Terminology of electrical engineering; Electrical machinery, transformer specialized equipment	83.10.	> 8	84.6.1	
B 2900. 4 5-8 3	Terminology of electrical engineering; Water wheel machine, water pump and energy storage pump	§3.10.28 82.2.12		94.6.1	
: I Truck 46-8 3	Terminology of electrical engineering; Steam wheel machine and its accessory devices	\$3.10.28 82-2-12		54.6. 1 8 2. 10. 1	
3 2900.47-8 3	Terminology of electrical engineering; Gas turbine	83.10.28 82.2.12		94, 6./ 02:10:1	
в 2900. 48-83		P3. 10.28 02.2.12		M. 6. 1 02. 10. 1	
B 3805-83	Safety voltage	83.7.20		84. 5. 1	
B 3926-83	Rated voltage of medial frequency equipment	83.11.11		84. 10. 1	
B 4026-83	General rules for distinction of the wire connection end of appliance and its marking by using characters and symbols	83. 12. 17		84.10.1	
B 4064-83	Safety design guides for electrical equipment	83. 6. 22		84. 10. 1	

E

Chambers ID	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
	[Electrical Engineering N	Materiall		
GB 767-65	Measurement tangential value for power cable medium loss angle; (Alternating high voltage current bridge method)	65.12.3		66. 7. 1
3B 1169-7 4	Common used rubber-covered cable	74.4.3		74. 11. 1
3B 1170-7 4	Mining used rubber-covered cable	74.4.3		74. 11. 3
GB 1179-83	Aluminum twisted wire and steel wick aluminum twisted wire	74. 10. 21	83. 12. 16	84.12.
SB 1193- 74	Polyester enamel-insulated round wire; (copper, aluminum)	74. 12. 3		75. 6. 1
3B 1302-77	3020, 3021 phenolic layer pressed cardboard	77.2.10		7 9 . 12.
GB 1303-77	3240 epoxy phenolic layer pressed cardboard	77. 2. 10		7 % . 12.
GB 1304-77	Products of thermo- hardening, layer-pressed. electrical engineering used insulation; General testing method	77.2.10		7 9 . 12.
GB 1305-77	Products of thermo- hardening, layer-pressed. electrical engineering used insulation; General rules for acceptance, packing, marking storage and transportation	77.2.10		7 3 . 12.
GB 1306- 77	2210, 2212 oil varnished silk	77. 2. 10		7 6. 12.
GB 1307-77	2430 asphalt alcohol glass varnished cloth	77. 2. 10		7 9 . 12.
GB 1308-77	2432 alcohol glass varnished cloth	77. 2. 10		7 9 . 12.

0.4	andoma ID	Standard Name	Draft	Rev.	Imp1.
57	andard ID	Standard Name	Year	Month	Day
GB	1309-77	Electrical engineering insulation varnished cloth; Test method	77. 2. 10		7 9 . 12. 1
GB	1310-77	Varnished cloth used in electrical engineering insulation; General rules for acceptance, packing, marking storage and transportation	77. 2. 10		7 4 . 12. 1
GB	1313-77	Condensed aldehyde enamel- insulated, round copper wire	77. 2. 24		7 \$, 12, 1
GB	1342-77	Glass fiber wire	77. 9. 10		78.4.1
GB	1343-77	Wind wrapped, electro- magnetic wire; Testing method	77. 9. 10		78.4.1
GB.	1408-78	Test for working frequency, breaking voltage, breaking strength, and voltage-resistancy of insulating material used in solid electrical engineering	78. 7. 21		79. 3. 1
GB	1409-78	Relative dielectric constant and medium loss angle tangent of solid electrical engineer- ing insulating material under working frequency, audio fre- quency, high frequency condi- tion; Testing method			79.3.1
ី ២	1410-78	Test of insulation resist- ance, volumetric resistance coefficient and surface resistance for solid electrical engineering insulation material	78. 7. 21		79. 3. 1
GB	1411-76	Test of high voltage, small current, intermittent arc resistance for solid electrical engineering insulation material	78. 7. 21		79. 3. 1

O

0.	tandard ID	Chandand Maria	Draft	Rev.	Impl
3	tandard ID	Standard Name	Year	Month	Day
ĞВ	1981-80	Solvent-contained paint of electrical engineering insulation; Testing method	80.7.1		81.1.1
GB	1994-80	Physicochemical analysis for electrical carbon products	80. 8. 4		81.3.1
GB	2346-80	Hydraulic gasdynamic system and its elements nominal pressure series parameters	80.12.31		81.7.1
GB	2347-80	Series parameters of nominal output volume of hydraulic pump and motor	80.12.31		81.7.1
GВ	2348-80	Hydraulic, gas-driven system and its elements; Cylinder diameter and piston rod external diameter series	80.12.31		81.7.1
GB	2349-80	Hydraulic, gas-driven system and its elements; Piston displacement series	80. 12. 31		81. 7: 1
GB	2350-80	Hydraulic, gas-driven system and its elements; Piston rod thread type and dimension series	80.12.31		81. 7. 1
GB.	2351-80	Hydraulic, gas-driven system and its elements; Hose nominal inner diameter series	80.12.31		81. 7. 1
GB	2352-80	Hydraulic; Nominal pressure and volume series of divided type, energy storage container	80.12.31		81.7.1
GB.	2353, 1-80	Dimension series and marking of hydraulic pump and motor flange and axle extension; (1)	80.12.31		81.7.1
3 B	2421-81	Procedures of basic environment test for	81. 8. 10		82.4.1

CA colomal TD	Standard Nama	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
	electronic products of electrical engineering; General rules			
3B 2422-81	Procedures of basic environment test for electronic products of electrical engineering; Terminology	81. 8. 10		82.4.1
SB 2423.1-81	Procedures of basic environment test for electronic products of electrical engineering; Test A: Low temperature testing method	81. 8. 10		82. 4 .1
GB 2423.2-81	Procedures of basic environment test for electronic products of electrical engineering; Test B: High temperature test	81. 8. 10		82.4.1
3B 2423.3-81	Procedures of basic environment test for electronic products of electrical engineering; Test Ca: Constant damp and hot test	81. 8. 10		82.4.1
GB 2423.4-81	Procedures of basic environment test for electronic products of electrical engineering; Test Db: Alternative damp an hot test	81. 8. 10 d		82.4.1
3B 2423.5-81	Procedures of basic environment test for electronic products of electrical engineering; Test Ea: Impacting test	81. 8. 10		82 . 4 . 1
GB 2423.6-81	Procedures of basic environment test for electronic products of electrical engineering; Test Eb: Collision test	81. 8. 10		82.4.1

Standard III	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
GB 2423.7-81	Procedures of basic environment test for electronic products of electrical engineering; Test Ec: Topple and flip over test	81. 8. 10		82.4.1
GB 2423.8-81	Procedures of basic environment test for electronic products of electrical engineering; Test Ed: Free fall test	81. 8. 10		82. 4 .1
GB 2423.10−81	Procedures of basic environment test for electronic products of electrical engineering; Test Fe: Vibration (sine) test	81. 8. 10		82.4.1
GB 2425.11-8 2	Procedures of basic environment test for electronic products of electrical engineering; Test Fd: Wide band random vibration test; General requirements	81. 8. 10		83.6.7 82.4.1
GB 2423.12-8 2	Procedures of basic environment test for electronic products of electrical engineering; Test Fd: Wide band random vibration test; High repeat probability	81. 8. 10		82-4-1 13 6 1
GB 2423.13-8 1	Procedures of basic environment test for electronic products of electrical engineering; Test Fdb: Wide band random vibration test; Middle repeat probability	81. 8. 10		83.6.1 82.4.1
GE 2423.14-8 1	Procedures of basic environment test for electronic products of electrical engineering; Test Fdc: Wide band random vibration test;	81.8.10		13.6.1 82.4.1

Ų,

Standard ID	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Hame	Year	Month	Day
	Low repeat probability			
GB 2423.15~81	Procedures of basic environment test for electronic products of electrical engineering; Test Ga: Constant accele- ration test	81. 8. 10		82 · 4 · 1
5B 2 4 23, 16-81	Procedures of basic environment test for electronic products of electrical engineering; Test J: Mildew test	81. 8. 10		82 · 4 · 1
В 2423, 17-81	Procedures of basic environment test for electronic products of electrical engineering; Test Ka: Salt mist test	81. 8. 10		82.4.1
5 1413.19-81	Procedures of basic environment test for electronic products of electrical engineering; Test Kc: Sulphur dioxide test for contacting points and connecting parts	81. 8. 10		82 . 4 . 1
B 2423,20-81	Procedures of basic environment test for electronic products of electrical engineering; Test Kd: Sulphurated hydrogen test for contacting points and connecting parts	81. 8. 10		82.4.1
5B 2423.21-81	Procedures of basic environment test for electronic products of electrical engineering; Test M: Low atmospheric pressure test	81. 8. 10		82.4.1
B 2423.22-81	Procedures of basic environment test for electronic products of electrical engineering; Test N: Temperature variation test	81. 8. 10		82.4.1

Ü

Standard ID	Standard Name	Draft	Rev.	Impl.
Standard Ip	Standard Name	Year Month Day		
GB 2423.23-8 2	Procedures of basic environment test for electronic products of electrical engineering; Test Q: Seal	82.8.17 81.8.10		83.9.1
SB 2423.24-81	Procedures of basic environment test for electronic products of electrical engineering; Test Sa: Simulated surface solar radiation test	81. 8. 10		82.4.1
SB 2423.25-81	Procedures of basic environment test for electronic products of electrical engineering; Test Z/AM: Synthetic test of low temperature/ low atmospheric pressure	81. 8. 10		82.4.1
B 2423.26-81	Procedures of basic environment test for electronic products of electrica. engineering; Test Z/BM: Synthetic test of high temperature/ low atmospheric pressure	81. 8. 10		82.4.1
B 2423.27-81	Procedures of basic environment test for electronic products of electrical engineering; Test Z/BM: Continuous, synthetic test of low temperature/low atmospheric pressure/dump heating	81. 8. 10		82.4.1
FB 2423, 28~8 2	Procedures of basic environment test for electronic products of electrical engineering;	98.9.23 81.8.10		93.6.1 82-4-1
3B 2 4 23, 29~82	Test T: Tin welding Procedures of basic environment test for electronic products of electrical engineering;	12.9.23 81.8.10		13.6.1 82.4.1

Standard ID	Standard Name	Draft	Rev.	Impl
Standard in	Standard Name	Year	Month	Day
	Test U: Leading end and unit installation strength	02 9 23		83.6.1
SB 2423.30-8 2.	Procedures of basic environment test for electronic products of electrical engineering; Test XA: Soaking in cleaning solution	91. 8. 10		82.4.1
3B 3424.1-81	Procedures of basic environment test for electronic products of electrical engineering; Guide lines for high temperature, low temperature test	81. 8. 10		82.4.1
IB 2424.2-81	Procedures of basic environment test for electronic products of electrical engineering; Guide lines for damp hot test	81. 8. 10		82.4.1
SB 2424.3-81	Procedures of basic environment test for electronic products of electrical engineering; Guide lines for impact test	81. 8. 10		82.4.1
GB 2424.4-81	Procedures of basic environment test for electronic products of electrical engineering; Guide lines for collision test	81. 8. 10		82 · 4 · 1
3B 2424.5-81	Procedures of basic environment test for electronic products of electrical engineering; Guide lines for Topple and flip over test	81. 8. 10		82 · 4 · 1
3B 2424.6-81	Procedures of basic environment test for electronic products of electrical engineering;	81. 8. 10		82.4.1

Standard ID	Standard Name	Draft	Rev.	Imp1.
Standard ID		Year	Month	Day
	Guide lines for Free fall test			
GB 2424.7-81	Procedures of basic environment test for electronic products of electrical engineering; Guide lines for Vibration (sine) test	81. 8. 10		82.4.1
GB 2424.8-81	Procedures of basic environment test for electronic products of electrical engineering; Guide lines for Constant acceleration test	81. 8. 10		82.4.1
GB 2424.9-81	Procedures of basic environment test for electronic products of electrical engineering; (Guiding documentation); Guide lines for mildew test	81. 8. 10		82.4.1
3B 2424.10-81	Procedures of basic environment test for electronic products of electrical engineering; General guide lines for atmospheric erosion acceleration test	81. 8. 10		82.4.1
JB 2424, 11-8 2	Procedures of basic environment test for electronic products of electrical engineering; Sulphur dioxide test guide lines for contacting points and connecting elements	129.23 -81.8.10		3.6.1 82.4.1
SB 2424.12-8 2	Procedures of basic environment test for electronic products of electrical engineering; Sulphurated hydrogen test guide lines for contacting points and connecting elements	82.9.23 01.8.10		83.6.1 82.4.1

Standard In	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
SB 2424.13-81	Procedures of basic environment test for electronic products of electrical engineering; Guide lines for temperature variation test	81. 8. 10		82.4.1
SB 2424.14-81	Procedures of basic environment test for electronic products of electrical engineering; Guide lines for solar radiation test	81. 8. 10		82. 4 . 1
B 2424.15-81	Procedures of basic environment test for electronic products of electrical engineering; Guide lines for temperature/Low atmospheric pressure combination test	81. 8. 10		82.4.1 02 <i>A</i> /
(B 2424, 16-8 2	Procedures of basic environment test for electronic products of electrical engineering; Guide lines for seal test	92.8.17 *1-8-10		83.9.1 82.4.1
F 2424.17-8 7.	Procedures of basic environment test for electronic products of electrical engineering; Guide lines for tin welding test	81. 8. 10		85.6.7
B 2424.18-81	Procedures of basic environment test for electronic products of electrical engineering; Guide lines for Soaking in cleaning solution test	12.9.23 21.8.10		3.6.1
SB 2643-81	Electrical engineering insulation solvent-free paint; Testing method	81.5.12		81.12.1
3B 2951.1-82	Electric wire and cable;	82.3.22		83.3.1

Standard ID	Standard Name	Draft	Rev.	lmp1.
Standard II	Standard Name	Year	Month	Day
	General rules for mechanical physical performance test			
GB 2951.2-82	Electric wire and cable; Measurement of insulation thickness	82.3.22		83.3.1
GB 2951.3-82	Electric wire and cable; Measurement of Protection cover thickness	82.3.22		83.3.1
GB 2951.4-82	Electric wire and cable; Measurement of outer diameter	82.3.22		83.3.1
GB 2951.5-82	Electric wire and cable; Insulation mechanical per- formance testing method	82.3.22		83.3.1
GB 2951.6-82	Electric wire and cable; Frotection cover mechanical performance test	82.3.22		83.3.1
98 2951.7-82	Electric wire and cable; Air box heat ageing test	82.3.22		83.3.1
GB 2951.8-83	Electric wire and cable; Air elastic ageing test	83.11.24		84. 7. 1
GB 2951.9-83	Electric wire and cable; Oxygen elastic ageing test	83.11.24		84. 7. 1
GB 2951.10-82	Electric wire and cable; Polyvinyl chloride insula- tion thermal weight loss test	82.3.22		83.3.1
GB 2951.11-82	Electric wire and cable; Test of thermal weight loss of polyvinyl chloride protection cover	82.3.22		83.3.1
GB 2951.12-82	Electric wire and cable; Low temperature winding test	82.3.22		83, 3, 1
GB 2951.13-82	Electric wire and cable;	82.3.22		83.3.1

A PROPERTY AND PRO

Ø.

Standard ID	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
	Low temperature tensile test			
GB 2951.14-82	Electric wire and cable; Low temperature impact test	82.3.22		83. 3. 1
GB 2951.15-82	Electric wire and cable; Oil soaking test	82.3.22		83.3.1
GB 2951.16-82	Electric wire and cable; High temperature and pressure test for insulation	82.3.22		83.3.1
GB 2951.17-82	Electric wire and cable; High temperature and pressure test for protection cover	82.3.22		83.3.1
GB 2951.18-82	Electric wire and cable; Therma: extension test	82.3.22		83.3.1
GB 2951.19-82	Electric wire and cable; Burning test	82.3.22		83.3.1
GB 2951.21-82	Electric wire and cable; Soft wire and soft cable; curve winding test	82.3.22		83.3.1
GB 2951.23- 82	Electric wire and cable; Bending test	82.3.22		83.3.1
GB 2951.24-82	Electric wire and cable; Naphtheic acid copper content test for outer protection cover	82.3.22		83. 3. 1
GB 2951.25-82	Electric wire and cable; Anaerobe erosion test for outer protection cover	82.3.22		83.3.1
GB 2951, 26-82	Electric wire and cable; Salt bath test	82.3.22		83.3.1
GB 2951.27-82	Electric wire and cable; Erosion spread test	82.3.22		83.3.1
GB 2951.28-82	Electric wire and cable;	82.3.22		83.3.1

Standard ID	Standard Name	Draft	Rev.	Impl
Standard ID	Standard Name	Year	Month	Day
	Squeezing scrap test		·	
GB 2951.29-83	Electric wire and cable; Water absorption test; Weight method	83.11.24		84. 7. 1
3B 2951.30-83	Electric wire and cable; Water absorption test; Voltage method	83.11.24		84. 7. 1
GB 2951.31-83	Electric wire and cable; Anti-cracking test for Polyvinyl chloride insulation	83. 11. 24		84.7.1
3B 2951,32-83	Electric wire and cable; Anti-cracking test for polyvinyl chloride protection cover	83. 11. 24		84.7.1
3B 2951.33-83	Electric wire and cable; Contraction test	83.11.24		84.7.1
3B 2951.34-83	Electric wire and cable; Anti-tear test	83. 11. 24		84. 7. 1
3B 2951,35-83	Electric wire and cable; Anti-ozone test	83.11.24		84. 7. 1
3B 2951.36-83	Electric wire and cable; Carbon black content test	83.11.24		84.7.1
38 2951.37-83	Electric wire and cable; Oxidization induce period test	83.11.24		84. 7. 1
GB 2952-82	Electric cable; External protection layer	82.3.22		83.3.1
GB 3048.1-83	Electric wire and cable; General rules for electric performance test	83.11.24		84.7.1
GB 3048.2-83	Electric wire and cable; Metal conductor specific resistance test	83.11.24		84.7.1
GB 3048.3-83	Electric wire and cable; Semi-conducting rubber plastic material specific	83.11.24		84.7.1

Standard ID	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
	resistance test			
GB 3048.4-83	Electric wire and cable; Wire wick direct current resistance test	83. 11. 24		84. 7. 1
GB 3048.5-83	Electric wire and cable; Insulation resistance test; Detector comparison method	83.11.24		84.7.1
GB 3048.6-83	Electric wire and cable; Insulation resistance test; Voltage-current method	83.11.24		84. 7. 1
3B 3048.7-83	Electric wire and cable; Anti electric mark test	83.11.24		84. 7. 1
GB 3048,8-83	Electric wire and cable; Alternating voltage test	83.11.24		84. 7. 1
9E 3048, 9-83	Electric wire and cable; Insulated wire wick working frequency spark test	83.11.24		84.7.1
GB 3048.10-82	Electric wire and cable; Squeezed out anti-erosion protection cover spark test	82.3.22		83.3.1
GB 3048 11-83	Electric wire and cable; Test of tangent of loss angle for medium	83. 11. 24		84.7.1
3B 3048.12-83	Electric wire and cable; Local discharge test	83.11.24		84. 7. 1
GB 3952- 8 3	Electrical engineering Round copper post	83. 11. 26		84. 10.
GB 3953-83	Electrical engineering Round copper wire	83. 11. 26		84. 10.
GB 3954-83	Electrical engineering Round aluminum post	83. 11. 26		84. 10.
GB 3955-83	Electrical engineering Round aluminum wire	83.11.26		84. 10.

Ctondowd ID	Standand Nove	Draft	Řev.	Imp1.
Standard ID	Standard Name	Year	Month	Day
GB 3956-83	Copper, aluminum wire wick of wire and electric cable used in electric equipment	83. 11. 26		84. 10. 1
GB 3957-83	Copper, aluminum wire wick of power cable	83.11.26		84. 10. 1
GB 3958-83	Rubber insulating, weaved, soft electric wire	83.11.26		84. 10. 1
GB 3969-83	35 kV and under transformer ceramic sleeve	83.12.9		84. 10. 1
GB 3970-83	Power and communication circuit, needle type insulator, steel foot	83. 12. 9		84. 10. 1
GB 4004.1-83	Electric wire, electric cable machine used wire plate; Types and dimensions	83. 12. 13		84. 12. 1
GB 4004.2-83	Electric wire, electric cable machine used wire . plate; Technical requirement	β3, 12, 13		84. 12. 1
GB 4005.1-83	Electric wire, electric cable delivery plate; Types and dimensions	83. 12. 13		84. 12. 1
GB 4005.2-83	Electric wire, electric cable delivery plate; Technical requirement	83. 12. 13		84. 12. 1
GB 4006.1-83	Winding wire, cylindrical wire plate; Types and dimensions	83. 12. 13		84. 12. 1
GB 4006.2-83	Winding wire, conical wire plate; Types and dimensions	83. 12. 13		84. 12. 1
GB 4006.3-83	Winding wire, wire bucket; Types and dimensions	83.12.13		84. 12. 1
GB 4006.4-83	Winding wire, wire plate; Technical requirement	83 - 12 - 13		84. 12. 1
GB 4006.5-83	Test for winding wire,	83 . 12 . 13		84. 12. 1

**

©

Standard ID	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
	wire plate	•	· · · · · · · · · · · · · · · · · · ·	
GB 4011-83	1.2/4.4 mm coaxial, systhetic communication cable	83. 12. 15		84. 10. 1
GB 4012-83	2.6/9.5 mm coaxial, systhetic communication cable	83. 12. 15		84. 10. 1
GB 4056-83	Connecting structure dimension of hanging type insulator used on high voltage power line	83.12.20		84.10.1
GR 4074.2-83	Test for enameled wire; Dimension measurement	83.12.24		84. 12. 1
GB 4074.3-83	Test for enameled wire; Extension rate test	83. 12. 24		84, 12, 1
UR 4.074, 4+53	Test for enameled wire; Bouncing test for round wire	83, 12, 24		84, 12, 1
GB 4074.5-83	Test for enameled wire; Bouncing test for flat wire	83. 12. 2 4		84. 12. 1
GB 4074.6-83	Test for enameled wire; Round winding wire test	83. 12. 2 4		84. 12. 1
GB 4074.7-83	Test for enameled wire; Flat wire bending test	83. 12. 24		84. 12. 1
GB 4074, 8-83	Test for enameled wire; Rapid stretch breaking test	83. 12. 24		84. 12. 1
GB 4074.9-83	Test for enameled wire; Peeling test	83, 12, 24		84. 12. 1
GB 4074.10-83	Test for enameled wire; Enamel film adhesiveness test for flat wire	83. 12. 24		84. 12. 1
3B 4074.11-83	Test for enameled wire; Thermal impact test for round wire	83.12.24		84. 12. 1
SB 4074.12-83	Test for enameled wire;	83.12.24		84. 12. 1

Canaland TE	Standard Name	Draft	Rev. Impl.
Standard ID	Standard Name	Year	Month Day
	Thermal impact test for flat wire		
GB 4074.13-83	Test for enameled wire; Soften penetrating test for round wire	83. 12. 24	84. 12. 3
3B 4074, 14-83	Test for enameled wire; One direction, enamel scratching test	83. 12. 24	84. 12. 2
GB 4074.15-83	Test for enameled wire; Dual-direction enamel scratching test	83. 12. 24	84. 12. 3
SB 4074.16-83	Test for enameled wire; Solvent persistence test	83. 12. 24	84. 12. 3
SB 4074, 17-83	Test for enameled wire; Penetrating voltage test for round wire	83. 12. 24	84. 12. 2
3B 4074.18-83	Test for enameled wire; Penetrating voltage test for aluminum foil	83. 12. 24	84.12.
GB 4074.19-83	Test for enameled wire; Penetrating voltage test for steel ball	83. 12. 24	84. 12. 1
3B 4074, 20-83	Test for enameled wire; Enamel film continuity test	83. 12. 24	84. 12. 3
GB 4074, 21-83	Test for enameled wire; Heat persistence test	83.12.24	84. 12. 1
5B 4074.22-83	Test for loss angle tangent (t) of medium	83.12.2 4	84.12.1
GB 4074.23-83	Test for enameled wire; Water content persistent transformer oil test	83. 12. 24	84. 12. 2
3B 4074,24-83	Test for enameled wire; Weight loss test	83.12.24	84. 12. 1
SB 4074, 25-83	Test for enameled wire; Effectiveness loss due to high temperature test	83. 12. 24	84. 12. 1

Standard ID	Standard Name	Draft	Rev. Impi.
	D variour a rame	Year	Month Day
GB 4074.26-83	Test for enameled wire; Tin wilding test	83. 12. 24	84. 12. 1
GB 4074.27-83	Test for enameled wire; Thermal glue test	83.12.24	84. 12. 1
SB 4074.28-83	Test for enameled wire; Anti-freezer test; Chloro-ethylene and methane (B) extraction method 22	83.12.24	84.12.1
SP 4074.29-83		83.12.24	84. 12. 1
OB 4074.30-83		83. 12. 2 4	84. 12. 1
iB 4074.31-83		83. 12. 24	84. 12. 1
GB 4098.1-83	Radio frequency cable Electric shock test	83. 12. 27	84. 12. 1
3B 4098.2- 8 3	Radio frequency cables; Measurement of unbalance for electric capacitor and capacitance	83. 12. 27	84. 12. 1
SB 4098.3-83	Radio frequency cables; Measurement of characteristic impedance	83. 12. 27	84. 12. 1
B 4098, 4-83	Radio frequency cables; Measurement of decaying constant measuring	83. 12. 27	84. 12. 1
B 4098, 5-83	Radio frequency cables; Capacitance stability test	83.12.27	84. 12. 1
B 4098.6-83	Radio frequency cables; Decaying stability test	83. 12. 27	84. 12. 1

i	Standard Name Radio frequency cables; High temperature test	Year 83.12.27	Month I	⁾ ay
i	• •	02 10 07		
SB 4098.8-83 I		03.12.27		84. 12. 1
1	Radio frequency cables; Low temperature test	83. 12. 27		84. 12. 1
	Radio frequency cables; Floating test	83. 12. 27		84. 12. 1
	Radio frequency cables; Dimensional stability test	83. 12. 27		84. 12. 1
	(Electrical Equipmen	t]		
) 1	Insulation assembly for high voltage power trans-mission and transformation equipment	64. 4. 20	83.12.27	85. 10. 1
	Hign voltage power test technology, part I; General test condition and requirement	64.4.20	83, 12, 27	85. 10. 1
•	High voltage power test technology, part II; Test procedures	64.4. 20	83.12.27	85. 10. 1
•	High voltage power test technology, part III; Measuring device	64. 4. 20	83.12.27	85.10.1
	High voltage power test technology, part IV; Measuring device operation rules	64. 4. 20	83.12.27	85.10.1
	High voltage power test technology, part V; Measurement of ball clearance	64.4.20	83.12.27	85.10.1
1	Heating occurs during long working period of the alternating current, high voltage equipment	65. 11. 30	74. 10. 21	75.5.1
B 998-82 I	Low voltage equipment;	67.3.4	82.7.28	83. 10. 3

C-1	andard ID	Standard Name	Draft	Rev.	Impl.
St	andard ID	Standard Name	Year	Month I)ay
		Basic test			
GB	1336-77	Manufacture inspection procedures for anti-explosion electric equipment	77.5.22		78. 1. 1
3B	1497-79	Low voltage electric equipment; Basic standard	79. 2. 28		79. 10. 1
3B	3836.1-83	Anti-explosion electric equipment used in explosive environment; General requirement	83. 8. 29		85. 1. 1
βB	3836. 2-83	Anti-explosion electric equipment used in explosive environment; Explosion separated type equipment "d"	83. 8. 29		85.1.1
33.	0636. 3-83 -	Anti-explosion electric equipment used in explosive environment; Safety upgrade type equipment "e"	83. 8. 29		85, 1, 1
ŝΒ	3836. 4-83	Anti-explosion electric equipment used in explosive environment; Essential safety type circuit and equipment "i"	83. 8. 29 t		85. 1. 1
3B	4055-83	Mechanical type timer used in electrical fan	83. 12. 20		84. 10. 1
		[Rotary Electrical Mach	ninery]		
GB	755-81	Electrical mechinery; Basic technology requirement	65. 11. 30	81. 12. 18	82.8.1
GB	756-79	Electrical mechinery; Cylindrical axle extension	65. 11. 30	79. 6. 23	80.5.1
GB	757-79	Electrical mechinery; Conical axle extension	65. 11. 30	79. 6. 23	80.5.1
GB	758-65	Electrical mechinery; Height of axial line	65.11.30		66. 7. 1

COL

Standard ID	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
GB 759-65	Electrical mechinery; Types and dimensions of fixed flange	65. 11. 30		66. 7. 1
GB 760-65	Electrical mechinery; Symbols for assembly dimension and external dimension	65.11.30		66. 7. 1
GB 761- 6 5	Three-phase asynchronous motor rated power, voltage and rotation speed (power from 0.6 to 100 kilowatts)	61. 11. 30		66. 7. 1
3B 997-81	Index for electrical mechinery structure and installation type	67.3.4	81. 12. 22	82. 8. 1
3B 102 9-8 0	Three-phase synchronous electrical mechinery; Testing method	67. 12. 24	80. 8. 2	66. 7. 1
SB 1032 -68	Median, small three-phase asynchronous motor; Testing method	68.5.14		68. 10. 1
GB 1206-75	Micro electrical mechinery terminology and index (Part I)	75. 7. 31		76. 2. 1
3B 1311-77	Direct current electrical mechinery; Testing method	77. 2. 2 4		77. 12. 1
3B 1585-79	Micro driving electrical mechinery; Terminology and index	79. 9. 3		80.1.1
GB 1971-80	Electrical mechinery; End of line marking and rotation direction	80.5.23		80.8.1
GB 1993-80	Electrical mechinery; Cooling method	80.8.2		81.1.1
GB 2806-81	Electrical mechinery; Measurement of noise	81.11.7		82.7.1
GB 2807-81	Electrical mechinery; Measurement of vibration	81.11.7		82.7.1

C+ondond ID	Standard Name	Draft	Rev.	Imp1.
Standard ID	Standard Name	Year	Month	Day
GB 2819-81	Alternating current working frequency moving substation; General technological requirement	81. 12. 12		82.10.1
GB 2820-81	250 to 3200 kilowatts diesel generator set; Basic technology requirement	81.12.12		82.10.
GB 3537-83	Washing machine used XD- type motor; Technical conditions	83.3.10		84. 1. 1
	[Power Control and Oper	ration]		
GB 3797-83	Electric control equipment Part II; Electric control equipment equipped with electronic apparatus	83.7.16		84.5.1
•	[Power Supply]			
3B 2296-80	Solar battery type naming method	80.12.23		81. 8. 1
GB 2297-80	Solar battery terminology	80.12.23		81. 8. 1
	[Transmission, Transformation	n Equipme	nt]	
GB 768-81	Power station used outdoor needle type post ceramic insulator		81. 6. 16	
GB 769- 47	Power station used, indoor post ceramic insulator for 35 kV and under	65. 12. 3	77. 2.8	77.12.
CB 770-81	Power station used, outdoor wall penetrating pipe for 35 kV and under	65.12.3	81. 6. 16	81.12.
GE 771-81	Power station used, indoor wall penetrating	65, 12, 3	81. 6. 16	81. 12.

Standard ID	Standard Name	Draft	Rev.	Impl.
standard 11	Standard Name	Year	Month	Day
	pipe for 35 kV and under			
GB 772- ¶ ¶	High voltage electric ceramic elements; Technical conditions	65.12.3	77. 6. 4	78. 4. 1
9B 773- 9B	Low voltage electric ceramic elements; Technical conditions	65. 12. 3	77. 6. 4	78.4.1
GB 774-81	Overhead communication line needle-type ceramic insulator	65.12.3	81.6.16	81. 12.
GB 775-79	Insulator test	65.12.3	79. 4. 28	79, 12,
GE 1000-81	High voltage power line needle-type ceramic insulator	67.3.4	81.6.16	81.12.
SF. 1001-80	Plate-shape, hanging type deramic insulator used on high voltage power line	67.3.4	80. 5. 15	81.1.1
3B 1094-79	Power transformer	71. 11. 19	79. 12. 26	80.5.1
GB 1207- 7 5	Voltage inductor	75. 9. 8		76. 4. 1
GB 1208-75	Current inductor	75. 9. 8		76. 4. 1
GB 1247-77	Aluminum conductor and major line type, wall penetrating pipe	77.2.8		77. 12.
GB 1248-77	Outdoor stick type post insulator	77. 2. 8		77.12.
GB 1386-78	Low voltage, overhead power line insulator	7 8 . 4. 10		78, 11,
GB 1387-78	Overhead power line used tightening insulator	7 6 . 4. 10		78, 11,
GB 1388-78	Low voltage, wiring used insulator	7 8 . 4. 10		76. 11.
GB 1389-78	Insulator use on power line of electrical train	7 8 . 4. 10		78, 11,

Standard ID	Standard Name	Draft	Rev.	Impl.
	Standard Name	Year	Month	Day
GB 1390-78	Butterfly type insulator used on high voltage power line	7 8 . 4. 10		78. 11. 1
GB 1984-80	Alternating current, high voltage circuit breaker	80.7.10		80. 12. 1
GB 1985-80	Alternating current, high	80.12.27		81. 8. 1
GB 2314-80	voltage cut off switch Power tools. General specification	80.12.27		81.8.1
აზ ეაქ5−80	Indicating damage loading series and parts connection dimensions of power metal tool	80. 12. 27		81.8.1
GB 2316-80	Power metal tool products; Type naming method	80. 12. 27		81.8.1
GB 2317-80	Power metal tool inspection rules, testing method, marking and packing	80. 12. 27		81. 8. 1
GB 2318-80	Hanging line clamp	80. 12. 27		81: 8: 1
GB 2319-80	Hanging line clamp; Hanging plate	80. 12. 27		81. 8. 1
GB 2320-80	Bolt type of extension- resisting line clamp	80. 12. 27		81. 8. 1
GB 2322-80	Wedge type, extension- resisting line clamp	80. 12. 27		81.8.1
GB 2323-80	Hanging ring for ball head	80. 12. 27		81. 8. 1
GB 232 4- 80	Hanging plate for bowl head	80.12.27		81 . 8 . 1
GB 2325-80	U shaped hanging ring	80.12.27		81. 8. 1
GB 2326-80	Hanging ring	80.12.27		81. 8. 1
GB 2327-80	Hanging plate	80. 12. 27		81. 8. 1
GB 2328-80	Connecting plate	80.12.27		81. 8. 1
GB 2329-80	U shaped screw	80. 12. 27		81. 8. 1
GB 2330-80	Butterfly shaped plate	80. 12. 27		81. 8. 1
GB 2331-80	Continuation tube;	80.12.27		81, 8, 1

Standard ID	Standard Name	Draft	Rev.	Impl.
Standard In	Standard Name	Year	Month	Day
	Elliptic shape		· · · · · · · · · · · · · · · · · · ·	
GB 2332-80	Continuation tube; Circular shape	80.12.27		81. 8. 1
GB 2333-80	Repaired tube	80.12.27		81 . 8 . 1
GB 2334-80	Line clamp	80.12.27		81. 8. 1
GB 2335-80	Slotted line clamp	80. 12. 27		81. 8. 1
GB 2336-80	Anti-knock weight	80.12.27		81. 8. 1
GB 2337-80	Pre-twisted thread	80.12.27		81.8.1
GB 2338-80	Partition rod	80.12.27		81.8.1
GB 2339-80	Uniform pressure shield ring	80. 12. 27		81. 8. 1
GB 2340-80	T shaped line clamp	80.12.27		81. 8. 1
0T 2341-80	Equipment line clamp	80.12.27		. 81, 8, 1
GB 2342-80	Copper, aluminum transient plate	80. 12. 27		81 . 8 . 1
GB 23 43-80	Major line extension, contraction joint	80. 12. 27		81. 8. 1
GB 2344-80	Hard major line fixing metal tool	80.12.27		81. 8. 1
GB 2345-80	Soft conducting line fixing metal tool	80. 12. 27		81. 8. 1
GB 2694-81	Manufacture for the tower of power transmission line; Technical conditions	81. 7. 18		82.2.1
GB 2695-81	Indexing rule for tower of power transmission line	81. 7. 18		82.2.1
GB 2706-81	Test of thermal stability for alternating current apparatus	81. 6. 16		82.5.1
GB 3309-82	Mechanical test of high voltage switch equipment under constant temperature	82.12.11		83. 10. 1

Standard ID	Standard Name	Draft	Rev. Impl.
Standard IP	Standard Name	Year	Month Day
GB 3804-83	Alternating current, high voltage loading switch	83.7.20	84. 8. 1
GB 3859-83	Semiconductor power convertor	83. 9. 3	84.5.1
GB 3886-83	Direct current motor speed regulating used crystal thyratron power convertor	83. 10. 19	84.8.1
SB 3906-83	3 ~ 35kV alternating current metal sealed switch and control equipment	83.10.31	84. 10. 1
GB 3980-83	Chain line tightener	83.12.10	84. 10. 1
SB 3983-83	Parallel capacitor	83.12.10	84. 10. 1
SB 3984-83	Electric thermal capacitor	83.12.10	84. 10. 1
75 - 4 (<i>09</i> - 5 3	Tube used for over 1000V alternating current; General technical condition	83, 12, 28	84. 10. 1
	[Electric Light Source, Elect	ric Lightin	g]
GB 1006-67	Incandescent lamp seat; Type, basic parameter and dimension	67.3.4	68. 1. 1
GB 1312-77	Fluorescent lamp seat and starter	77.2.24	77. 12. 1
GB 1405-78	Lamp holder; Types and dimensions	78. 7. 19	79. 1. 1
GB 1406-78	Screw socket; Types and dimensions	78. 7. 19	79. 1. 1
GB 1407-78	Insert socket; Types and dimensions	78. 7. 19	79. 1. 1
3B 1444-78	Spiral anti-explosion lamp holder	78. 10. 20	79. 8. 1
GB 2313-80	Tube shaped fluorescent lamp ballast	80.12.27	81. 8. 1

Standard ID	Standard Name	Draft	Draft Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
GB 2796-81	Electric light source; Naming method	81.11.4		82.4.1
GB 2797-81	Lamp holder; General technical condition	81.11.4		82.4.1
GB 2798-81	Cylindrical and concave- type lamp holder; Types and dimensions	81.11.4		82.4.1
GB 2799-81	Plug in type lamp holder; Types and dimensions	81. 11. 4		82.4.1
GB 2800-81	Pre-focused lamp holder; Types and dimensions	81.11.4		82.4.1
GB 4025-83	Indicating light and button colors	83. 12. 17		84. 10. 1
	[Electrical Equipment and	Appliancel		
GB 3046-82	Safety requirement for alternating current fan and speed regulator	82.4.27		83.1.1 ·
GB 3787-83	Safety technical regulation for hand-held power tool management, utilization, inspection and maintenance	83. 6. 25		84.3.1
GB 3883.1- 83	Safety of hand holding power tool; General requirement	83. 10. 19	•	84. 10. 1
GB 4001-83	Industry electrical heating equipment; General test	83.12.13		84. 10. 1
GB 4002-83	Industry electrical heating equipment; Basic technical conditions	83. 12. 13		84. 10. 1

Ç.

Standard ID	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
	L ELECTRONIC TECHNOLOGY,	COMPUTER		
	[General Electronic Tech	nologyl		
GB 2689.1-81	General rules for constant stress life test and acceleration life test	81. 6. 22		81.10.1
GB 2689.2-81	Diagram estimation method for constant stress life test and acceleration life test (apply to Webuer distribution	81. 6. 22		81.10.1
GB 2689.3-81	Simple linear, no deviation estimation method for constant stress life test and acceleration life test; (apply to Webuer distribution			81.10.1
GE 2689.4-81	Best linear, no deviation estimation method for constant stress life test and acceleration life test; (apply to Webuer distribution	81. 6. 22		8 4 : 10. 1
GB 390 7-83	Basic measurement for industrial radio interference	83.10.31		84. 10. 1
GB 4070-83	Common used test for fluorescent powder	83.12.24		84.11.1
GB 4071-83	Light causing fluorescent powder test	83. 12. 24		84.11.1
GB 4072-83	Cathode ray causing fluorescent powder test	83. 12. 24		84.11.1
GB 4073-83	Fluorescent powder brand	83.12.24		84.11.1
	[Electronic Part]			
GB 1360-78	Printing circuit mesh	78. 3. 13		78. 7. 1
GB 1772-79	Test of loss-of- effectiveness rate for	79. 9. 25		80.2.1

Standard ID	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
	electronic part	······································		
GB 2036-80	Printing circuit; Terminology and definition	80.11.3		81.5.1
3B 2413-81	Volumetric density measurement for piezoelectric ceramics material	80.12.31		81. 10. 1
GB 2413-81	Test for piezoelectric ceramics material properties; Radial extension-contraction, vibration of circular slice; Lateral extension-contraction, vibration of bar	80.12.31		81. 10. 1
SB 2476-81	Type of resistor, capacitor used in electronic equipment; Naming method	81. 2. 17		81.10.1
3B 2471-81	Indicating resistance series of resistors and indicating capacitance series of fixed capacitors and their error allowance series used in electronic equipment	81.2.17		81.10.1
9B 2472-81	Electronic equipment used fixed capacitor working voltage series	81.2.17		81.10.1
5B 0473-81	Electronic equipment used square metal shell capacitor shape dimension series	81. 2. 17		81.10.1
SB 2474-81	Electronic equipment used round metal shell capacitor shape dimension series	81.2.17		81.10.1
SB 2475-81	Electronic equipment used resistor rated power series	81.2.17		81.10.1
3B 2691-81	Resistor, capacitor marking content and marking method	81. 7. 16		82.1.1

Standard ID	Standard Name	Draft	ke v ₊	Impl
	brandara Name	Year	Month	Day
GB 2692-81	Test for electronic equipment used, fixed resistors	81.7.16		82.1.1
3B 2693-81	Test for electronic equipment used, fixed capacitors	81.7.16		82.1.1
GB 2775-81	Electronic part axle end; Types and dimensions	81. 10. 20		82.5.1
SB 2776-81	Single-hole installed axle sleeve of electronic part; Types and dimensions	81. 10. 20		82.5.1
3B 2845-81	Method of calculation for equivalent parameters of closed circuit magnetic core	81.12.28		82.10.1
SB 3047.1-82	Plate, rack and cabinet; Basic dimension series	82.4.19		83, 5, 1
OB 3351-82	Man-made quartz crystal; Type designation	82. 12. 25		83. 10. 1
GB 3352-82	Man-made quartz crystal	82.12.25		83. 10. 1
GB 3353-82	Using guide for man-made quartz crystal	82.12.25		83. 10. 1
3B 3388-82	Piezoelectric material; Designation method	82.12.30		83.11.1
GR 3389.1-82	Test of properties for piezoelectric material; Common used terminology	82.12.30		83.11.1
7B 3389, 2-82	Test of properties for piezoelectric material; Static testing of longitudinal piezoelectric strain constant o	82.12.30		83.11.1
GB 3389.3-82	Test of properties for piezoelectric material; Curie temperature To test	82.12.30		83. 11. 1

Standard ID	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
GB 3389.4-82	Test of properties for piezoelectric material; Extension and contraction, vibration model for longitudinal length of posts	82.12.30		83.11.1
3B 3389,5-82	Test of properties for piezoelectric material; Extension and contraction vibration model for the thickness of circular slices	82.12.30		83.11.1
08 3389,6-82	Test of properties for piezoelectric material; Shear vibration model for the thickness of rectangular slices	82.12.30		83.11.1
78 3661- 8 3	Test of capacitor micro- phone; Technical condition	83. 4 . 21		84. 3. 1
RB (8662-183)	Test of capacitor micro- phone sound quality testing method	83.4.21		84. 3. 1
38 3663-83	First type ceramic di- electric capacitors; General technical conditions	83.5.5		84.6.1
3B - 366 4- 83	Second type of ceramic di- electric capacitors; General technical conditions	83.5.5		84.6.1
3B 3665-83	House used powered washing machine timer	83.5.5		84.1.1
SB 3666-83	Musical instrument key switch	83.5.5		84.1.1
3B 3667+83	Alternating current motor capacitors	83.5.5		84. 1. 1
4B 3788-83	Vacuum capacitor parameters; Testing method	83 : 6 : 25		84.4.1
3949-83	Laboratory used direct	83.11.28		84. 10. 1

Standard ID	Standard Name	Draft	Rev.	lmp1.
Standard ID	Standard Name	Year	Month	Day
	current resistors	L <u>,</u>		
GB 4069-83	Tolerance of electronic ceramic part	83. 1 2. 23		84. 10. 1
	[Electric Vacuum Appa	ratusl		
GB 787-74	Base dimension of electron tube	65. 12. 3	74. 10. 23	75.5.1 84:10.1
GB 1956-80	Designation of electron tube	80.5.20		81.7.1
SB 2037-80	Test for kinescope anti-explosion	80.11.8		81.5.1
GB 2987-82	Parameter symbols of electron tubes	82.3.27		82, 12, 1
SB 3163-82	Vacuum technological terminology	82. 8. 11		83.5.1
BB 3164-82	Vacuum technology; Symbols of diagram	82. 8. 11		83, 5, 1
GB 3188-82	External dimension of electron tubes	82.9.3		83. 10. 1
3B 3189-82	Dimension of connecting cap of electron tube	82.9.3		83.10.1
GB 3212-82	Black and white television; Kinescope test	82.9.25		83. 9. 1
SB 3213-82	Test for thyratron and gas-filled rectifier tube	82. 9. 25		83. 9. 1
3B 3306.1-82	Test of electric performance for small power electron tubes; Test rules for test equipment and apparatus	82. 12. 16		83.10.1
GB 3306.2-82	Test of electric performance for small power electron tubes; Test of positive current against grid current of cathode which contain	82. 12. 16		83. 10. 1

Ğ

Standard ID	Standard Name	Draft	Draft Rev.	lmp1.
standard in	Standard Name	Year	Month	Day
	positive voltage			
GB 3306.3-82	Test of electric performance for small power electron tubes; Test of positive current against grid current of cathode which contain negative voltage	82. 12. 16		83. 10. 1
GB 3306.4-82	Test of electric performance for small power electron tubes; Test of cathodic current	82. 12. 16		83. 10. 1
78 3306. ≰ 82	Test of electric performance for small power electron tubes; Cathodic inject current test	82. 12. 16		83. 10. 1
110 115004 6 -81	Test of electric performance for small power electron tubes; Rectified condition test	82, 12, 16		83. 10. i·
3B 3306. 9 -82	Test of electric performance for small power electron tubes; Jump conductance test	82. 12. 16		83.10.1
3B 3306. 8 -82	Test of electric performance for small power electron tubes; Amplification test	82.12.16		83. 10. 1
3306. 9 -82	Test of electric performance for small power electron tubes; Internal resistance test	82.12.16		83. 10. 1
78 3306, 10-82	Test of electric performance for small power electron tubes; Input resistance test	82.12.16		83. 10. 1
38 3306.11 -8 2	Test of electric performance for small power electron tubes; Equivalent noise resistance	82, 12, 16		83. 10. 1

Standard ID	Standard Name	Draft	Rev.	Impl.
		Year	Month	Day
	test	- 		
SB 3306.12-82	Test of electric performance for small power electron tubes; Output power under low frequency amplification condition and nonlinear distortion test	82. 12. 16		83.10.1
GB 3306.13-82	Test of electric performance for small power electron tubes; Grid cut off voltage and grid current cut off voltage test	82. 12. 16		83. 10. 1
GB 3306.14-82	Test of electric performance for small power electron tubes; Low frequency dynamic amplification times and non-symmetric amplification test	82. 12. 16		83.10.1
GB 3306.15-82	Test of electric performance for small power electron tubes; Each pole current testing method under varying frequency jump conduction and varying frequency conditions	82. 12. 16		83.10.1
9B 3306.16-82	Test of electric performance for small power electron tubes; Static inter-pole capacitance test	82.12.16		83.10.1
OB 3306.17-82	Test of electric performance for small power electron tubes; Insulating resistance of inter-pole and between pole and other parts test	82.12.1		83.10.1
3306.18-82	Test of electric performance for small power electron tubes; Anode heating time test	82. 12. 1		83. 10. 1

Standard ID	Standard Name	Draft	Rev.	Impl.
		Year	Month	Day
GB 3306, 19-82	Test of electric performance for small power electron tubes; Maximum anode power consumpsion rate test	82. 12. 1		83 . 10 . 1
GB 3306.20-82	Test of electric performance for small power electron tubes; Short and open circuit test	82.12.1		83. 10. 1
GB 3306.21-82	Test of electric performance for small power electron tubes; Impact exciting micro-sound effect test	82.12.1		83. 10. 1
GB 3306, 22- 8 2	Test of electric performance for small power electron tubes; Low frequency noise test	82.12.1		83. 10. 1
OB 3306.23-82	Test of electric performance for small power electron tubes; High frequency noise test	82.12.1		83.10.1
GB 5306,24-82	Test of electric performance for small power electron tubes; Hum testing method	82.12.1		83. 10. 1
3B 3307-82	Test of breaking of filament for small power electron tubes;	82.12.1		83, 10, 1
3B 3189 1-83	Test of electric performance for emission tubes; General rules	83. 6. 29		84. 4. 1
GB 39.89 , 2-83	Test of electric performance for emission tubes; Test of positive current against grid current of cathode which contain positive voltage	83. 6. 29		84. 4. 1

Caral-al Tr	Standard Name	Draft	Rev.	lmpi
Standard ID	Standard Name	Year	Month	Day
эв з Я 89. 3-83	Test of electric performance for emission tubes; Anode emission current test	83.6.29		84.4.i
3 7 89. 4 -83	Test of electric performance for emission tubes; Grid reverse current test	83. 6. 29		84.4.1
3 2 3 7 89, 5 - 83	Test of electric performance for emission tubes; Grid hot emitted current test	83.6.29		84.4.3
GB 3 7 89.6-83	Test of electric performance for emission tubes; Jump conduct, amplification coefficient test	83.6.29		84.4.
GB 3 1 89.7-83	Test of electric performance for emission tubes; Anode ion flow test	83.6.29		84.4.
GB 3 7 89.8-83	Test of electric performance for emission tubes; Anode maximum consuming power and anode overload consuming power test	83. 6. 29		84. 4.
GB 3 9 89. 9-83	Test of electric performance for emission tubes; Grid maximum consuming power test	83.6.29		84.4.
св 3 3 89. 10-83	Test of electric performance for emission tubes; First grid cut off voltage test	83. 6. 29		84.4.
GB 3 7 89.11-83	Test of electric performance for emission	83. 6. 29		84.4.

Standard ID	Standard Name	Draft	Rev.	Impì.
Standard ID	Standard Name	Year	Month	Day
	tubes; Third grid cut off voltage test			
GB 3489.12-83	Test of electric performance for emission tubes; Inter-pole insulation resistance (or inter-pole leaking current) test	83. 6. 29		84.4.1
GE 3 1 89, 13-83	Test of electric performance for emission tubes; Static inter-pole capacitance test	83.6.29		84.4.1
GB 3 4 89.14-83	Test of electric performance for emission tubes; Static characteristic purve test	83. 6. 29		84. 4. 1
GB 3 7 59, 15-83	Test of electric performance for emission tubes; Output power test	83. 6. 29		84.4.1
GB 3 7 89.16-83	Test of electric performance for emission tubes; Fulse output power test	83. 6. 29		84.4.1
GB 3 ∫ 89, 17-83	Test of electric performance for emission tubes; Electric strength test	83. 6. 29		84.4.1
GB 3 7 89, 18-83	Test of electric performance for emission tubes; Inter-pole insulator high frequency loss test	83. 6. 29		84.4.1
GB 3 [89, 19-83	Test of electric performance for emission tubes; Frequency characteristic curve test	83. 6. 29		84.4.1

(8)

(•

CA and and TD	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month 1	Day
GB 3 7 89.20-83	Test of electric performance for emission tubes; First grid current cut off voltage test	83. 6. 29		84.4.1
GB 3 7 89.21-83	Test of electric performance for emission tubes; Static characteristic refer- ance point test	83. 6. 29		84.4.1
GB 3 7 89.22-83	Test of electric performance for emission tubes; Vibration stability testing method	83. 6. 29		84.4.1
GB 3 7 89.23-83	Test of electric performance for emission tubes; Third grid control capability test	83. 6. 29		84.4.1
GB 3 ₹ 89. 2 4- 83	Test of electric performance for emission tubes; Linear amplifier dual-sound adjusting distortion test	83. 6. 29		84. 4. 1
GB 3790-83	Test for display tube which displays fluorescent number code	83. 6. 29		84.4.1
GB 3951-83	Liquid crystal display apparatus; Type naming method	83.11.25		84. 10. 1
	(Semiconductor Devi	cel		
GB 249-74	Semiconductor device; Type naming method	64.2.27	74. 10. 23	75. 5. 1
GB 4023-83	Test for semiconductor device; Rectified diode	83.12.15		84. 10. 1
HE 4023-83	Test for semiconductor device;	83, 12, 15		84. 10. 1

				
The state of TD	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
	Reversed resistor block triode thyratron			
	[Integrated Circuit	:)		
GE 2704 -81	Thick film, thin film integrated circuits; Type naming method	81. 9. 2		82.3.1
GB 3430-82	Integrated circuit of semiconductor; Type naming method	82.12.31		83. 10. 1
GB 3431.1-82	Semiconductor integrated circuit character symbols; Electric parameter character symbols	82.12.31		83. 10. 1
GB 3432-82	Integrated circuit of semiconductor; Series and brands of TTL circuit	82.12.31		83, 10, 1
GB 3433-82	Integrated circuit of semiconductor; Series and brands of HTL circuit	82, 12, 31		83, 10, 1
GB 3434-82	Integrated circuit of semiconductor; Series and brands of ECL circuit	82.12.31		83. 10. 1
GB 3435-82	Integrated circuit of semiconductor; Series and brands of CMOS circuit	82.12.31		83, 10, 1
GB 3436-82	Integrated circuit of semiconductor; Series and brands of calculation amplifier	82, 12, 31		83, 10, 1
GB 3437-82	Integrated circuit of semiconductor; Series and brands of MOS register	82, 12, 31		83, 10, 1
OB 343 8 -82	Integrated circuit of	82, 12, 31		83, 10, 1

CARRIED TP	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
	semiconductor; Series and brands of dual-pole register			
3B 3439-82	Integrated circuit of semiconductor; Basic principle of test of TTL circuit	82.12.31		83. 10. 1
SB 3440-82	Integrated circuit of semiconductor; Basic principle of test of HTL circuit	82.12.31		83. 10. 1
3E 3441-82	Integrated circuit of semiconductor; Basic principle of test of ECL circuit	82.12.31		83. 10. 1
3B 3 442-8 2	Integrated circuit of semiconductor; Basic principle of test of calculation (voltage) amplifier	82.12.31		83.10.1
3B 3443-82	Integrated circuit of semiconductor; Basic principle of test of MOS random register	82.12.31		83. 10. 1
3B 3444+82	Integrated circuit of semiconductor; Basic principle of test of dual-pole type random register	82.12.31		83. 10. 1
R 383 4-8 2	Integrated circuit of semiconductor; Basic principle of test of CMOS circuit	83. 8. 29		84.7.1
SB 3835-82	Integrated circuit of semiconductor; Series and brands of connection circuit	83, 8, 29		84.7.1
	(Message Processin	ng]		
3B 1500-79	ALGOL programming language	79. 2. 13		79. 6. 1

(

HE H

Standard ID	Standard Name	Draft	Rev.	Impl.
		Year	Month	Day
GB 1526-79	Message processing flow chart, graphic symbol	79. 4. 2		79. 9. 1
GB 1988-80	Message processing exchange used seven digits code	80.7.10		81.1.1
GB 19 89 -80	Message processing exchange used seven digits code; Representation method on 12.7 mm 9-track magnetic tap	80.7.10 e		81.1.1
OB 199 0 -80	Message processing exchange used hole-punched paper tape; Dimension and location	80.7.10		81.1.1
GB 1991-80	Seven-digit code list for info processing; representation method used ' hole-punched paper tape	80.7.10		81.1.1

		Draft	Rev. Impl.
Standard ID	Standard Name	Year	Month Day
e: 20-80	Message processing exchange used 12.7 mm 9-track, 32 column/mm wide register magnetic tape	80. 9. 10	81.3.1
√″ √311 -8 0	Expansion method of message processing exchange used seven digits code	82.3.9	82. 11. 1
OP : 712-80	Message processing exchange used Chinese character code; Basic issue	82.3.9	82. 11. 1
19 405KML	Shape and size of message processing exchange used character symbol and printing graphic symbol; (common use character symbol set)	81.1.31	81, 10, 1
∾8 . 20 7-81	Message processing exchange used seven digits code; Keyboard character and number arrangement	81. 10. 26	82. 8. 1
3 0808-81	All number representation for date	81.11.3	82, 10, 1
op 25√9-81	Message exchange use	81.11.3	82, 10, 1

		Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
	time representation by using day			
GB 2901-82	Literature catalog message exchange use magnetic tape format	82.2.13		83.1.1
GB 3057-82	FORTRAN programming language	82.5.6		83.5.1
GE 3178-82	Hardware representation of ALGOL language; Basic symbol	82. 8. 13		83.5.1
GB 3236-82	Message exchange used seven digits and eight digits code representation on hole-punched paper card	82.11.6		83.7.1
GB 3237-82	Plate dimension of message exchange used hole-punched paper tape	82.11.6		83.7.1
G8 3908-83	Message exchange used 80 column hole-punched card dimension	83.10.29		84. 10. 1
GB 3909-83	Message exchange used symbol, character dot matrix shape	83.11.2		84. 10. 1
GB 3910-83	Office machine and data processing equipment; Line pitch and character pitch	83.11.2		84. 10. 1
GB 3911-83	Message exchange used seven digits code, graphic representation of control symbol	83.11.2		84.10.1
GB 4092.1-83	COBOL programming language Prerequisite knowledge	83. 12. 26		84. 11. 1
GB 4092, 2-83	COBOL programming language; Kernel	83. 12. 26		84. 11. 1
GB 4092.3-83	COBOL programming language; Chart processing module	83, 12, 26		84. 11. 1

(e)

		Draft	Rev.	Impi.
Standard ID	Standard Name	Year	Month	Day
GB 4092.4-83	COBOL programming language; Sequence I/O module	83: 12: 26		84.11.1
GB 4092.5-83	COBOL programming language; Relative I/O module	83. 12. 26		84. 11. 1
GB 4092.6-83	COBOL programming language; Index I/O module	83.12.26		84. 11. 1
GB 4092.7-83	COBOL programming language; Sorting/Combination module	83. 12. 26		84. 11. 1
GB 4092.8-83	COBOL programming language; Report arrangement module	83. 12. 26		84.11.1
GE 4092, 9-83	COBOL programming language; Program paragraphing module	83. 12. 26		84.11.1
GB 4092, 10-83	COBOL programming language; Stock module	83. 12. 26		84.11.1
4392.11- 8 3	COBOL programming language; Error arrangement module	83. 12. 26		84.11.1
6E 4092,12-83	COBOL programming language; Inter-procedure communica- tion module	83.12.26		84.11.1
GB 4092.13-83	COBOL programming language; Communication module	83.12.26		84.11.1
	[Computer]			
GB 2308-80	Top loading, single piece changeable disk driver performance	80.12.26		81. 8. 1
GB 2309-80	Six pieces changeable disk set machine performance	80. 12. 26		81. 8. 1
GB 2310-80	Fleven pieces changeable disk set machine performance	80. 12. 26		81 - 8 - 1
GB 2830-81	Data exchange used plate, hole-punched paper tape; General requirement	81, 12, 28		81, 10, 1
GB 2887-82	Computer room; Technical requirement	82.1.7		82, 10, 1

		Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
GB 2948-82	Magnetic energy of Top loading, single piece exchangeable disk	82.3.17		83. 1. 1
GE 2949-82	Magnetic energy of Six pieces exchangeable disk set	82.3.17		83.1.1
GB 29 ≸0 -82	Magnetic energy of Eleven pieces exchangeable disk set	82.3.17		83.1.1
GB 3147-82	Message exchange un-punched paper tape	82.7.23		83.3.1
GB 3261-82	Message exchange used office machine and printer used ribbon width	82. 6. 21		83.3.1
GB 3290- 8 2	Message exchange magnetic disk dimension and performance	82.11.16		83.8.1
dg 3453-82	Control procedures for basic type of data communication	82.12.31		83.10.1
CB 3454~82	Connection circuit definition table between Data Terminal Equipment (DTE) and Data Circuit End connection Equipment (DCE)	82.12.31		83. 10. 1
GD 3455-82	Unbalanced dule-current connection circuit electric property	82.12.31		83, 10, 1
GB 38 74 ~83	Representation of computer system equipment performance	83. 10. 10		84. 8. 1
	[Electron Measuring Appa	aratusl		
GB 3785-83	Electric, sound performance of sound level detector and its testing method	83 . 6 . 27		84. 3. 1

Sander Contract

CONTRACT OF THE PROPERTY OF TH

G.

Character ID	Standard Name	Draft	Rev.	Impl.
Standard ID	Standard Name	Year	Month	Day
	M COMMUNICATION, BROADC	ASTING		
	[Communication]			
GB 1416-78	Envelope	78. 8. 15		79. 1. 1
GB 1417-78	Common used telecommunica- tion equipment; Terminology	78. 8. 15		79. 1. 1
GB 1418-78	Telecommunication equipment; General character and symbol	78. 8. 15		79. 1. 1
GB 1492-78	Test for telephone	79. 2. 17		79. 8. 1
GB 1493-78	Public telephone, automatic telephone; Technical conditions	79. 2. 17		79. 8. 1
GB 1494-78	Magneto telephone; Technical conditions	79. 2. 17		79. 8. 1
GB 2094-80	Light color and alarm signal for network, long distance, city telephone exchanging equipment	80.12.9		81.7.1
GB 2095-80	Telephone exchanger; Graphic symbols in mechanical, electrical elements functional flow diagram	80.12.9		81.7.1
GB 2096-80	Teleprinter technical requirements	80.12.9		81.7.1

DISTRIBUTION LIST

DISTRIBUTION DIRECT TO RECIPIENT

ORCANIZATION	MICROFICHE
A205 BMAHTC	1
A210 DHAAC	ī
B344 DIA/RTS-2C	9
CO43 USAMIIA	ì
CS00 TRADOC	ì
CS09 BALLISTIC RES LAB	i
CS10 RAT LABS/AVRADCOM	ī
C513 ARRADCOM	ī
CS3 5 AVRADCOM/TSARCOM	ī
C539 TRASANA	ī
C591 FSTC	
C619 MIA REDSTONE	ì
DOOR NISC	ī
EOS3 HQ USAF/INET	ī
E404 AEDC/DOF	ī
E408 AFVIL	i i
E410 AD/IND	i
E429 SD/IND	. ī ·
POOS DOE/ISA/DDI	•
POSO CIA/OCR/ADD/SD	,
AFIT/LDE	i
FTD	•
CCI	1
WIA/PHS	Ţ,
LLNL/Code L-389	i
MASA/NST-44	i
NSA/1213/TDL	•
ASD/FTD/1QIA	•
· •	1

(i

F E b. 198 DT1C